



Yes, you can:

Tel: 01656 776222 Fax: 01656 776220
Email: ordersuk@invacare.com
Online Spares available at: www.invacare.co.uk

JANUARY 2021
Customer Ref:

Customer Ref*, Contact No*, Delivery Address*, Account No*, Order No*, Order Qty*, Order date*

M108 AVIVA RX40 Modulite

Standard Features

- Max user weight 136kg (21 Stone)
Crash tested ISO 7176 -Part 19
Modulite seating system
Telescopic adjustable seat widths from 330mm - 530mm (13" - 21") with an additional 50mm, (2") by arms
Seat depths 410mm - 510mm stepless adjustment (16" - 20")
Flex3 Tension Adjustable Upholstery
Standard T-Armrests, detachable with short armpad
Neckrest depth adjustable
Powered "fixed pivot" Tilt 20°
Manual settable backrest Recline
Centre mount legrest, angle settable with Angle & width adjustable footplates
LiNX control REM216 with standard bracket
Choice of 5 Shroud colours, 5 Rim insert colours
8" (200 mm) x 2.50-4 (65 mm) Castor, puncture proof solid tyre
DW 14" (355 mm) x 3" (75 mm), Solid inlay Dual density foam insert
CTC Suspension Control - Traction - Comfort
12 km/h Ultra High Speed Package combined with LED Light system with Indicators, 30 Lux headlights
73Ah batteries
8A (200 - 250V) charger
Anti tippers
4 Point tie down system
Lapbelt with autolock (adjustable both sides)

Standard Base price: £7,678



Please make your selection with a cross in the box Free of charge standard feature POA special request

Customer weight = KG

Code Description

BASE MODEL*

Table with 2 columns: Code, Description, Price. Row: JBG0001, AVIVA RX 40 Base Model Max user weight up to 136 kg includes Performance Package: 120A Power Module + minimum 60 Ah Batteries, £7,678

CHASSIS WIDTH*

Table with 2 columns: Code, Description, Selection. Row: JBL2810, Chassis Narrow (560 mm/22"), [X]

SEATING TYPE*			
JBG2100	<input type="checkbox"/>	Invacare® Modulite Seat Unit	◆
SEAT FRAME*			
JBG2111	<input type="checkbox"/>	Telescopic Seat Frame and Plate with Side Rails width 380 to 530 mm Additional 50 mm by arms	○
SEAT WIDTH*			
JBG2121	<input type="checkbox"/>	380 mm Seat Plate Can be reduced to 330 mm in combination with inrigged armrests	○
JBG2122	<input type="checkbox"/>	430 mm Seat Plate Can be reduced to 380 mm in combination with inrigged armrests	○
JBG2123	<input type="checkbox"/>	480 mm Seat Plate	○
JBG2124	<input type="checkbox"/>	530 mm Seat Plate (NC 2106)	○
Body Fit Kit			
JBG2106	<input type="checkbox"/>	Body fit Kit Outrigging Backrest Brackets and Pivot Point (outrig: 1 inch/2,54 cm per side)	○
SEAT DEPTH*			
JBG2132	<input type="checkbox"/>	Seat Depth 410 mm	○
JBG2134	<input type="checkbox"/>	Seat Depth 460 mm	○
JBG2136	<input type="checkbox"/>	Seat Depth 510 mm	○
SEAT CUSHION*			
JBG2142	<input type="checkbox"/>	Matrx Flo-tech Cushion Flo-tech Lite	◆
BACKREST SUPPORT*			
JBG2162	<input type="checkbox"/>	Backposts tall (540 mm) For Flex3 backrests/Tension Adjustable Upholstery/Matrx Backs, measured from seat plate to top of upholstery Width adjustable cast bracket	◆
PUSH HANDLES FOR BACKPOSTS			
JBG2108	<input type="checkbox"/>	Backposts without push handles	◆
BACKREST UPHOLSTERY / CUSHION*			
JBG2179	<input type="checkbox"/>	Flex3 Tension Adjustable Upholstery height 540 mm (seat plate to top of upholstery)	◆
UPHOLSTERY TYPE*			
JBG2152	<input type="checkbox"/>	Black multi stretch PU coated fabric Upholstery	◆
ARMREST (Pair)*			
JBG2191	<input type="checkbox"/>	T-Arm detachable, Standard Adjustment range from seat plate: 245 - 315 mm	◆
ARMPAD (Pair)*			
JBG2195	<input type="checkbox"/>	Short Armpad (325 mm)	◆
HEADREST / NECKREST - Adequate headrest option must be selected*			
JBG1350	<input type="checkbox"/>	Neckrest depth adjustable	◆
SEAT LIFTER / SEAT TILT*			
JBG1092	<input type="checkbox"/>	Powered "fixed pivot" Tilt 20°	◆
SEAT TO GROUND HEIGHT*			
JBG2857	<input type="checkbox"/>	Seat-to-Floor Height 435 mm	○
JBG2858	<input type="checkbox"/>	Seat-to-Floor Height 460 mm	○
JBG2859	<input type="checkbox"/>	Seat-to-Floor Height 485 mm	○
BACKREST RECLINER*			
JBG0975	<input type="checkbox"/>	Manual Settable Recliner (in 3.75° steps) 90° - 120°	◆
CENTRE MOUNTED LEGREST*			
JBG0556	<input type="checkbox"/>	Centre mount legrest, angle settable Length: 280 - 385 mm	◆

FOOTPLATES / FOOT PLATFORM*			
JBG0559		Angle & width adjustable footplates M (140 W x 240 mm D / 5.5"x9.5")	◆
CONTROLS*			
JBG2204		DLX-REM216 = Drive, Actuators & Lights 3 Drive functions and power module incl. 2 Actuators & Lights	◆
CONTROL BRACKETRY*			
JBG1207		Standard Bracket RH	○
JBG1208		Standard Bracket LH	○
SHROUD COLOUR*			
JBG2871		Mid range - Black/Anthracite Shroud	○
JBG2872		Mid range - Silver Shroud	○
JBG2873		Mid range - Bengal Red Shroud	○
JBG2874		Mid range - Mercury Blue Shroud	○
JBG2875		Mid range - Midnight Purple Shroud	○
JBX0299		Premium - Individual Shroud Colour RAL number required Extended lead lime: + 15 days	(NC 2883, 2884, 2885, 2886, 2888, 2889, 2890, 2891) £195
JBG2865		Premium - Racing Green Shroud	(NC 2883, 2884, 2885, 2886, 2887, 2889, 2890, 2891) £95
JBG2866		Premium - Deep Ocean Blue Satin Shroud	(NC 2883, 2884, 2885, 2886, 2887, 2888, 2890, 2891) £95
JBG2867		Premium - Frosty Blue Shroud	(NC 2883, 2884, 2885, 2886, 2887, 2888, 2889, 2891) £95
JBG2868		Premium - Gold Shroud	(NC 2883, 2884, 2885, 2886, 2887, 2888, 2889, 2890) £95
RIM COLOUR*			
JBG2882		Mid range - Black Rim Inserts	○
JBG2883		Mid range - Silver Rim Inserts	○
JBG2884		Mid range - Bengal Red Rim Inserts	○
JBG2885		Mid range - Mercury Blue Rim Inserts	○
JBG2886		Mid range - Midnight Purple Rim Inserts	○
JBX2887		Premium - Individual Rim Insert Colour RAL number required Extended lead lime: + 15 days	(NC 2872, 2873, 2874, 2875, 2865, 2866, 2867, 2868) ○
JBG2888		Premium - Racing Green Rim Inserts Price Included with Premium Shroud Kit	(NC 2872, 2873, 2874, 2875, 0299, 2866, 2867, 2868) ○
JBG2889		Premium - Deep Ocean Blue Satin Rim Inserts Price Included with Premium Shroud Kit	(NC 2872, 2873, 2874, 2875, 0299, 2865, 2867, 2868) ○
JBG2890		Premium - Frosty Blue Rim Inserts Price Included with Premium Shroud Kit	(NC 2872, 2873, 2874, 2875, 0299, 2865, 2866, 2868) ○
JBG2891		Premium - Gold Rim Inserts RAL1035 Price Included with Premium Shroud Kit	(NC 2872, 2873, 2874, 2875, 0299, 2865, 2866, 2867) ○
FORKS*			
JBG2632		Double sided fork Without castor rim insert (enlarges wide base to 656 mm)	◆
FRONT WHEEL*			
JBG0828		8" (200 mm) x 2.50-4 (65 mm) Castor, puncture proof solid tyre	(NC 1909) ◆
DRIVE WHEEL*			
JBG0705		DW 14" (355 mm) x 3" (75 mm), Solid inlay Dual density foam insert	◆
C.T.C SUSPENSION*			
JBG2870		CTC Suspension Control - Traction - Comfort	◆

SUSPENSION SETTING*			
JBG1910	<input type="checkbox"/>	Soft (suggested for up to 70 kg User Weight)	◆
JBG1912	<input type="checkbox"/>	Medium (suggested for up to 90 kg User Weight)	○
JBG1911	<input type="checkbox"/>	Firm (suggested for up to 110 kg User Weight)	○
JBG1915	<input type="checkbox"/>	Very firm (suggested for up to 136 kg User Weight)	○
MOTOR TYPE*			
JBG1909	<input type="checkbox"/>	12 km/h Ultra High Speed Package Always combined with LED Light system with Indicators, 30 Lux headlights	(NC 0828, 1254) ◆
BATTERY TYPE*			
JBG1259	<input type="checkbox"/>	60 Ah Gel	◆
CHARGER*			
JBG1343	<input type="checkbox"/>	Opti Charge Charger 8A (IP44)	◆
ANTI-TIPPERS*			
JBG1205	<input type="checkbox"/>	Anti-tipper	◆
LIGHTS			
JBG1254	<input type="checkbox"/>	Without Light system	(NC 1909) ◆
TRANSPORTATION KIT*			
JBG1494	<input type="checkbox"/>	4-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19) Adequate headrest is compulsory	◆
LAP BELT*			
JBG2113	<input type="checkbox"/>	Lap belt with Auto Lock Flexible mount in side rails	◆
REAR VIEW MIRROR*			
JBG1415	<input type="checkbox"/>	Rear view mirror RH	○
JBG1339	<input type="checkbox"/>	Rear view mirror LH	○

TOTAL PRICE	
--------------------	--

Non Conforming Options:

JBG2106	Body fit Kit Outrigging Backrest Brackets and Pivot Point (outrig: 1 inch/2,54 cm per side)
JBG2872	Mid range - Silver Shroud
JBG2873	Mid range - Bengal Red Shroud
JBG2874	Mid range - Mercury Blue Shroud
JBG2875	Mid range - Midnight Purple Shroud
JBX0299	Premium - Individual Shroud Colour RAL number required Extended lead lime: + 15 days
JBG2865	Premium - Racing Green Shroud
JBG2866	Premium - Deep Ocean Blue Satin Shroud
JBG2867	Premium - Frosty Blue Shroud
JBG2868	Premium - Gold Shroud
JBG2883	Mid range - Silver Rim Inserts
JBG2884	Mid range - Bengal Red Rim Inserts
JBG2885	Mid range - Mercury Blue Rim Inserts
JBG2886	Mid range - Midnight Purple Rim Inserts
JBX2887	Premium - Individual Rim Insert Colour RAL number required Extended lead lime: + 15 days
JBG2888	Premium - Racing Green Rim Inserts Price Included with Premium Shroud Kit
JBG2889	Premium - Deep Ocean Blue Satin Rim Inserts Price Included with Premium Shroud Kit
JBG2890	Premium - Frosty Blue Rim Inserts Price Included with Premium Shroud Kit
JBG2891	Premium - Gold Rim Inserts RAL1035 Price Included with Premium Shroud Kit
JBG0828	8" (200 mm) x 2.50-4 (65 mm) Castor, puncture proof solid tyre
JBG1909	12 km/h Ultra High Speed Package Always combined with LED Light system with Indicators, 30 Lux headlights
JBG1254	Without Light system



For a more complex customer requirement please refer to our Invacare Unique special order form. email specialsuk@invacare.com or Fax: 01656 776220

Special Instructions

Please supply the following information:

Name: _____ Email: _____

Phone: _____ Fax: _____

Description of special request (please include relevant option code or part number):