



Yes, you can:

Tel: 01656 776222 Fax: 01656 776220
 Email: ordersuk@invacare.com
 Online Spares available at: www.invacare.co.uk

Powerchairs Retail Prescription Form

JANUARY 2021
 Customer Ref:

Customer Ref*	Account No*
Contact No*	Order No*
Delivery Address*	Order Qty*
	Order date*

M112 AVIVA RX40 Modulite

Standard Features

- Max user weight 136kg (21 Stone)
- Crash tested ISO 7176 -Part 19
- Modulite seating system
- Telescopic adjustable seat widths from 330mm - 530mm (13" - 21") with an additional 50mm, (2") by arms
- Seat depths 410mm - 510mm stepless adjustment (16" - 20")
- Flex3 Tension Adjustable Upholstery
- Standard T-Armrests, detachable with short armpad
- Neckrest depth adjustable
- Seat lifter with powered tilt (300 mm, 30°) with CoG shift
- Manual settable backrest Recline
- Standard hanger 80° pair with Fixed Footplates
- LiNX control REM216 with standard bracket
- Choice of 5 Shroud colours, 5 Rim insert colours
- 9" (225 mm) x 2.80 (70 mm) Castor, puncture proof solid tyre
- DW 14" (355 mm) x 3" (75 mm), Solid inlay Dual density foam insert
- CTC Suspension Control - Traction - Comfort
- 12 km/h Ultra High Speed Package with LED Light system with Indicators, 30 Lux headlights & Mirror
- 73Ah batteries
- 8A (200 - 250V) charger
- Anti tippers
- 6-Point tie-down system
- Lapbelt with autolock (adjustable both sides)

Standard Base price: £8,695



Please make your selection with a cross in the box Free of charge standard feature POA special request

Customer weight = KG

Code **Description**

BASE MODEL*

JBG0001	<input type="checkbox"/>	AVIVA RX 40 Base Model Max user weight up to 136 kg includes Performance Package: 120A Power Module + minimum 60 Ah Batteries	£8,695
---------	--------------------------	---	--------

CHASSIS WIDTH*

JBL2810	<input type="checkbox"/>	Chassis Narrow (560 mm/22")	<input checked="" type="checkbox"/>
---------	--------------------------	-----------------------------	-------------------------------------

SEATING TYPE*			
JBG2100	<input type="checkbox"/>	Invacare® Modulite Seat Unit	◆
SEAT FRAME*			
JBG2111	<input type="checkbox"/>	Telescopic Seat Frame and Plate with Side Rails width 380 to 530 mm Additional 50 mm by arms	○
SEAT WIDTH*			
JBG2121	<input type="checkbox"/>	380 mm Seat Plate Can be reduced to 330 mm in combination with inrigged armrests	○
JBG2122	<input type="checkbox"/>	430 mm Seat Plate Can be reduced to 380 mm in combination with inrigged armrests	○
JBG2123	<input type="checkbox"/>	480 mm Seat Plate	○
JBG2124	<input type="checkbox"/>	530 mm Seat Plate (NC 2106)	○
Body Fit Kit			
JBG2106	<input type="checkbox"/>	Body fit Kit Outrigging Backrest Brackets and Pivot Point (outrig: 1 inch/2,54 cm per side)	○
SEAT DEPTH*			
JBG2132	<input type="checkbox"/>	Seat Depth 410 mm	○
JBG2134	<input type="checkbox"/>	Seat Depth 460 mm	○
JBG2136	<input type="checkbox"/>	Seat Depth 510 mm	○
SEAT CUSHION*			
JBG2142	<input type="checkbox"/>	Matrx Flo-tech Cushion Flo-tech Lite	◆
BACKREST SUPPORT*			
JBG2162	<input type="checkbox"/>	Backposts tall (540 mm) For Flex3 backrests/Tension Adjustable Upholstery/Matrx Backs, measured from seat plate to top of upholstery Width adjustable cast bracket	◆
PUSH HANDLES FOR BACKPOSTS			
JBG2108	<input type="checkbox"/>	Backposts without push handles	◆
BACKREST UPHOLSTERY / CUSHION*			
JBG2179	<input type="checkbox"/>	Flex3 Tension Adjustable Upholstery height 540 mm (seat plate to top of upholstery)	◆
UPHOLSTERY TYPE*			
JBG2152	<input type="checkbox"/>	Black multi stretch PU coated fabric Upholstery	◆
ARMREST (Pair)*			
JBG2191	<input type="checkbox"/>	T-Arm detachable, Standard Adjustment range from seat plate: 245 - 315 mm	◆
ARMPAD (Pair)*			
JBG2195	<input type="checkbox"/>	Short Armpad (325 mm)	◆
HEADREST / NECKREST - Adequate headrest option must be selected*			
JBG1350	<input type="checkbox"/>	Neckrest depth adjustable	◆
SEAT LIFTER / SEAT TILT*			
JBG1094	<input type="checkbox"/>	Seat lifter with powered tilt (300 mm, 30°) with CoG shift	◆
SEAT TO GROUND HEIGHT*			
JBG2857	<input type="checkbox"/>	Seat-to-Floor Height 435 mm	○
JBG2858	<input type="checkbox"/>	Seat-to-Floor Height 460 mm	○
JBG2859	<input type="checkbox"/>	Seat-to-Floor Height 485 mm	○
BACKREST RECLINER*			
JBG0975	<input type="checkbox"/>	Manual Settable Recliner (in 3.75° steps) 90° - 120°	◆
FOOTREST HANGER TYPE*			
JBG0526	<input type="checkbox"/>	Standard hanger 80° pair Lower leg length: 350 - 450 mm	◆

FOOTPLATE TYPE*			
JBG0512	<input type="checkbox"/>	Fixed Footplate pair	◆
CONTROLS*			
JBG2204	<input type="checkbox"/>	DLX-REM216 = Drive, Actuators & Lights 3 Drive functions and power module incl. 2 Actuators & Lights	◆
CONTROL BRACKETRY*			
JBG1207	<input type="checkbox"/>	Standard Bracket RH	○
JBG1208	<input type="checkbox"/>	Standard Bracket LH	○
SHROUD COLOUR*			
JBG2871	<input type="checkbox"/>	Mid range - Black/Anthracite Shroud	○
JBG2872	<input type="checkbox"/>	Mid range - Silver Shroud	○
JBG2873	<input type="checkbox"/>	Mid range - Bengal Red Shroud	○
JBG2874	<input type="checkbox"/>	Mid range - Mercury Blue Shroud	○
JBG2875	<input type="checkbox"/>	Mid range - Midnight Purple Shroud	○
JBX0299	<input type="checkbox"/>	Premium - Individual Shroud Colour RAL number required Extended lead lime: + 15 days	(NC 2883, 2884, 2885, 2886, 2888, 2889, 2890, 2891) £195
JBG2865	<input type="checkbox"/>	Premium - Racing Green Shroud	(NC 2883, 2884, 2885, 2886, 2887, 2889, 2890, 2891) £95
JBG2866	<input type="checkbox"/>	Premium - Deep Ocean Blue Satin Shroud	(NC 2883, 2884, 2885, 2886, 2887, 2888, 2890, 2891) £95
JBG2867	<input type="checkbox"/>	Premium - Frosty Blue Shroud	(NC 2883, 2884, 2885, 2886, 2887, 2888, 2889, 2891) £95
JBG2868	<input type="checkbox"/>	Premium - Gold Shroud	(NC 2883, 2884, 2885, 2886, 2887, 2888, 2889, 2890) £95
RIM COLOUR*			
JBG2882	<input type="checkbox"/>	Mid range - Black Rim Inserts	○
JBG2883	<input type="checkbox"/>	Mid range - Silver Rim Inserts	○
JBG2884	<input type="checkbox"/>	Mid range - Bengal Red Rim Inserts	○
JBG2885	<input type="checkbox"/>	Mid range - Mercury Blue Rim Inserts	○
JBG2886	<input type="checkbox"/>	Mid range - Midnight Purple Rim Inserts	○
JBX2887	<input type="checkbox"/>	Premium - Individual Rim Insert Colour RAL number required Extended lead lime: + 15 days	(NC 2872, 2873, 2874, 2875, 2865, 2866, 2867, 2868) ○
JBG2888	<input type="checkbox"/>	Premium - Racing Green Rim Inserts Price Included with Premium Shroud Kit	(NC 2872, 2873, 2874, 2875, 0299, 2866, 2867, 2868) ○
JBG2889	<input type="checkbox"/>	Premium - Deep Ocean Blue Satin Rim Inserts Price Included with Premium Shroud Kit	(NC 2872, 2873, 2874, 2875, 0299, 2865, 2867, 2868) ○
JBG2890	<input type="checkbox"/>	Premium - Frosty Blue Rim Inserts Price Included with Premium Shroud Kit	(NC 2872, 2873, 2874, 2875, 0299, 2865, 2866, 2868) ○
JBG2891	<input type="checkbox"/>	Premium - Gold Rim Inserts RAL1035 Price Included with Premium Shroud Kit	(NC 2872, 2873, 2874, 2875, 0299, 2865, 2866, 2867) ○
FORKS*			
JBG2632	<input type="checkbox"/>	Double sided fork Without castor rim insert (enlarges wide base to 656 mm)	◆
FRONT WHEEL*			
JBG0836	<input type="checkbox"/>	9" (225 mm) x 2.80 (70 mm) Castor, puncture proof solid tyre	◆
DRIVE WHEEL*			
JBG0705	<input type="checkbox"/>	DW 14" (355 mm) x 3" (75 mm), Solid inlay Dual density foam insert	◆
C.T.C SUSPENSION*			
JBG2870	<input type="checkbox"/>	CTC Suspension Control - Traction - Comfort	◆

SUSPENSION SETTING*				
JBG1910	<input type="checkbox"/>	Soft (suggested for up to 70 kg User Weight)	(NC 1094)	◆
JBG1912	<input type="checkbox"/>	Medium (suggested for up to 90 kg User Weight)	(NC 1094)	○
JBG1911	<input type="checkbox"/>	Firm (suggested for up to 110 kg User Weight)		○
JBG1915	<input type="checkbox"/>	Very firm (suggested for up to 136 kg User Weight)		○
MOTOR TYPE*				
JBG1909	<input type="checkbox"/>	12 km/h Ultra High Speed Package Always combined with LED Light system with Indicators, 30 Lux headlights		◆
BATTERY TYPE*				
JBG1260	<input type="checkbox"/>	73,5 Ah Gel		◆
CHARGER*				
JBG1343	<input type="checkbox"/>	Opti Charge Charger 8A (IP44)		◆
ANTI-TIPPERS*				
JBG1205	<input type="checkbox"/>	Anti-tipper		◆
TRANSPORTATION KIT*				
JBG1401	<input type="checkbox"/>	6-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19)) required for variants with combined Lift & Tilt module Adequate headrest is compulsory		◆
LAP BELT*				
JBG2113	<input type="checkbox"/>	Lap belt with Auto Lock Flexible mount in side rails		◆
REAR VIEW MIRROR				
JBG1415	<input type="checkbox"/>	Rear view mirror RH		○
JBG1339	<input type="checkbox"/>	Rear view mirror LH		○

TOTAL PRICE	
--------------------	--

Non Conforming Options:

JBG2106	Body fit Kit Outrigging Backrest Brackets and Pivot Point (outrig: 1 inch/2,54 cm per side)
JBG1094	Seat lifter with powered tilt (300 mm, 30°) with CoG shift
JBG2872	Mid range - Silver Shroud
JBG2873	Mid range - Bengal Red Shroud
JBG2874	Mid range - Mercury Blue Shroud
JBG2875	Mid range - Midnight Purple Shroud
JBX0299	Premium - Individual Shroud Colour RAL number required Extended lead lime: + 15 days
JBG2865	Premium - Racing Green Shroud
JBG2866	Premium - Deep Ocean Blue Satin Shroud
JBG2867	Premium - Frosty Blue Shroud
JBG2868	Premium - Gold Shroud
JBG2883	Mid range - Silver Rim Inserts
JBG2884	Mid range - Bengal Red Rim Inserts
JBG2885	Mid range - Mercury Blue Rim Inserts
JBG2886	Mid range - Midnight Purple Rim Inserts
JBX2887	Premium - Individual Rim Insert Colour RAL number required Extended lead lime: + 15 days
JBG2888	Premium - Racing Green Rim Inserts Price Included with Premium Shroud Kit
JBG2889	Premium - Deep Ocean Blue Satin Rim Inserts Price Included with Premium Shroud Kit
JBG2890	Premium - Frosty Blue Rim Inserts Price Included with Premium Shroud Kit
JBG2891	Premium - Gold Rim Inserts RAL1035 Price Included with Premium Shroud Kit



For a more complex customer requirement please refer to our Invacare Unique special order form. email specialsuk@invacare.com or Fax: 01656 776220

Special Instructions

Please supply the following information:

Name: _____ Email: _____

Phone: _____ Fax: _____

Description of special request (please include relevant option code or part number):