NVACARE Yes, you can:

JANUARY 2021 Customer Ref: Online Spares available at: www.invacare.co.uk **Customer Ref*** Account No* **Order No* Contact No* Delivery Address* Order Qty* Order date***

M79 TDX SP2 HD

Standard Features

- Max user weight 150kg (28 stone) .
- Crash tested ISO 7176 -Part 19
- Modulite Seating System .
- Matrx Flo-tech Cushion
- Backrest frame, detachable, height 480mm •
- Flex 3 adjustable Backrest plates with Laguna backrest cushion
- Standard T-armrests, detachable with short armpad •
- Headrest, height, depth and sideways adjustable
- Manual settable seat Tilt 0° 20°
- Manual settable backrest Recline 0° 30° in 3.75° • steps
- 80° hangers with fixed footplate •
- LiNX control REM116 standard bracket •
- Selection of 10 stunning shroud and Rim colours
- Centre (driving wheels) 14" x 3" Black tyres .
- 10km/h (6mph) 4 pole motors and 73.5 Ah batteries
- 8A (200 250V) charger
- 4-Point tie-down system (Q'Straint QLK-150 compatible)
- Light system with indicators, LED headlights and Mirror
- Lapbelt with autolock (adjustable both sides)
 - Standard Base price: £7,124



Please make your selection with a cross in the box O Free of charge 🔶 standard feature POA special request						
Customer weig	yht = KG					
Code	Description					
CHAIR TYPE*						
ARJ0000	TDX SP2 Heavy Duty					•
User Weight*			 	 		
ARJ1918	User weight less 100 kg					0
ARJ1919	User weight 101 to 125 kg					0
ARJ1921	User weight 126 to 136 kg					0
ARJ1922	User weight 137 to 150 kg			 		0
BASE TYPE*	L		 			
ARJ2100	Modulite Seating unit					£7,124

Customer Ref: Order Number:



Subject to Invacares standard terms and conditions. Invacare reserve the right to alter product specification without prior notice

SEAT WIDTH*		
ARJ2121	Set at 380mm (15") (adjustable from 380mm to 430mm	C
	(15" - 17") with stepless adjustment on armrests, legrests and backrest) (NC 2138 + 2142)	
ARJ2122	Set at 430mm (17") (adjustable from 430mm to 480mm (17" - 19) with stepless adjustment on armrests, legrests and backrest) (NC 2138 + 2142)	C
ARJ2123	Set at 480mm (19") (adjustable from 480mm to 530mm (19" - 21") with stepless adjustment on armrests, legrests and backrest) (NC 2138 + 2142)	C
ARJ2124	Set at 530mm (21") (adjustable from 530mm to 580mm (21" - 23") with stepless adjustment on armrests, legrests and backrest)	C
SEAT DEPTH R	AIL LENGTH*	
ARJ2129	Standard Depth Package (16" - 20", 410mm - 510mm simple stepless adjustment from the side)	(NC 2138)
ARJ2130	Extended Depth Package (20" - 22", 510mm - 560mm simple stepless adjustment from the side)	(NC 2132, 2134)
SEAT DEPTH S	ETTING*	
ARJ2132	410mm (16") (410mm - 510mm simple stepless adjustment from the side)	C
ARJ2134	460mm (18") (410mm - 510mm simple stepless adjustment from the side)	C
ARJ2136	510mm (20") (410mm - 510mm simple stepless adjustment from the side)	C
ARJ2138	560mm (22") (510mm - 560mm simple stepless adjustment from the side) (Cushion (option 2142) is only available with Seat Width (option 2124) 530mm)	C
SEAT CUSHION		
ARJ2142	Matrx Flo-tech Lite	•
BACKREST SUI	PPORT*	
ARJ2162	Backposts 540mm (Tall) must be selected for Flex3 adjustable backrest plates	•
PUSH HANDLE	S FOR BACKPOSTS*	
ARJ2107	Backposts WITH push handles	•
	HOLSTERY / CUSHION*	
ARJ2173	Flex3 adjustable Backrest Plates with Laguna Backrest cushion	•
UPHOLSTERY	COLOUR*	
ARJ2151	Black fabric	C
ARJ2152	Black Black multi stretch PU coated fabric Upholstery	C
ARJ2155	Black Spacer fabric	C
ARMREST*	L	
ARJ2191	T-Armrest Standard, Range of adjustment from seat plate 245mm to 315mm	•
ARMPAD*	·	
ARJ2195	Short Armpad (325mm)	•
HEADREST / NE	ECKREST - Adequate headrest option must be selected*	
ARJ2324	Elan Standard Pad 355mm (10") wide with standard cover complete with Elan Headrest Hardware	•
SEAT LIFTER /	SEAT TILT*	
ARJ1093	Electric Tilt (0° - 30°) with CoG shift Seat Height 450mm	•
BACKREST RE	CLINER*	
	Manual Settable Recliner (0° - 30°, in 3.75° steps)	
ARJ0975	Foldable	
ARJ0975	Foldable	

FOOTPLATE T	YPE*	
ARJ0512	Fixed Footplate	•
CONTROLS*		
ARJ2204	REM216 Drive, Actuators & Lights	•
CONTROL BRA	ACKETRY*	
ARJ1207	Standard Bracket RH	0
ARJ1208	Standard Bracket LH	0
ARJ1707	Swing Away RH Bracket	£108
ARJ1708	Swing Away LH Bracket	£108
SHROUD COLC	DUR*	
ARJ0228	Wet Black	0
ARJ2601	SpaceStation Silver	0
ARJ2602	Island Blue	0
ARJ2603	Grape JellyBean (Purple)	Ο
ARJ2604	Monster Green	0
ARJ2605	Tangy Orange	0
ARJ2606	WhiteOut	O
ARJ2607	Rockstar Red	O
ARJ2608	Lights Out Black - Matt	O
ARJ2609	Invacare Blue	O
RIM COLOUR*		
ARJ2611	SpaceStation Silver	Ο
ARJ2612	Island Blue	0
ARJ2613	Grape JellyBean (Purple)	0
ARJ2614	Monster Green	O
ARJ2615	Tangy Orange	O
ARJ2616	WhiteOut	0
ARJ2617	Rockstar Red	0
ARJ2618	Lights Out Black - Matt	0
ARJ2619	Invacare Blue	0
ARJ2620	Wet Black	0
ARJ2621	Without Rim insert	0
FORKS*		
ARJ2632	Double sided fork	Ο
CENTRE WHEE	ELS (DRIVING WHEELS)*	
ARJ0733	355mm x 76mm (14" x 3") Black Tyres with Gel Foam Inserts	0
MOTOR TYPE*		
ARJ1224	12 km/h (8mph) (includes light system and indicators) G-Trac recommended	•
BATTERY*		
ARJ1260	73.5 Ah (Gel)	•
CHARGER*		^
ARJ1343	OptiCharge Charger 8A (200 - 250V)	•

TRANSPORTA	TION KIT*	
ARJ1450	Preparation for DAHL Docking station: Docking station for car implementation, please order docking station separately (Adequate headrest is compulsory, see options below)	£478
ARJ1494	4-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19:2001) (Adequate headrest is compulsory, see options below)	•
FIXATION BEL	T*	
ARJ2113	Lapbelt (adjustable both sides) adjustable mounting on seat rail extrusion	
REAR VIEW MI	IRROR*	
ARJ1415	Rear view Mirror RH - Must be selected with 10 km/h Motor	O
ARJ1339	Rear view Mirror LH - Must be selected with 10 km/h Motor	O

TOTAL PRICE

Non Conforming O	ptions:
ARJ2132	410mm (16") (410mm - 510mm simple stepless adjustment from the side)
ARJ2134	460mm (18") (410mm - 510mm simple stepless adjustment from the side)
ARJ2138	560mm (22") (510mm - 560mm simple stepless adjustment from the side) (Cushion (option 2142) is only available with Seat Width (option 2124) 530mm)



For a more complex customer requirement please refer to our Invacare Unique special order form. email specialsuk@invacare.com or Fax: 01656 776220

Special Instructions Please supply the following information:

Name:

Email:

Phone:

Fax:

Description of special request (please include relavent option code or part number):