

Tel: 01656 776222 Email: ordersuk@invacare.com Online Spares available at: www.invacare.co.uk	JAN-MAR 2024 Customer Ref:
Customer Ref*	Account No*
Contact No*	Order No*
Delivery Address*	Order Qty*
	Order date*

AVIVA RX40 Modulite M26 707017 - Weekly Price £57.99

Standard Features

- Max user weight 136kg (21 Stone)
- Crash tested ISO 7176 -Part 19
- Modulite seating system
- Flex3 Tension Adjustable Upholstery
- Standard T-Armrests, detachable with long armpad
- Neckrest depth adjustable
- Powered "fixed pivot" Tilt 20°
- Manual Recliner
- Standard hanger 80° pair with Fixed Footplates
- LiNX control REM216 with swing away bracket
- 8" Castor, puncture proof solid tyre
- Solid inlay Dual density foam insert
- 12 km/h Ultra High Speed Package with LED Light system with Indicators, 30 Lux headlights & Mirror
- 73Ah batteries
- Anti tippers
- 4 Point tie down system
- Lapbelt with autolock (adjustable both sides)

Standard Base price: £8,062



Please make your s	selection with a cross in the box O Free of charge I standard feature POA special request				
Customer weight =	KG				
Code	Description				
BASE MODEL*					
JBG0001	AVIVA RX 40 Base Model Max user weight up to 136 kg includes Performance Package: 120A Power Module + minimum 60 Ah Batteries	£8,062			
CHASSIS WIDTH*					
JBL2810	Chassis Narrow (560 mm/22")	•			
SEATING TYPE*					
JBG2100	Invacare® Modulite Seat Unit	•			

SEAT FRAME*	,	
JBG2111	Telescopic Seat Frame and Plate with Side Rails width 380 to 530 mm Additional 50 mm by arms	•
SEAT WIDTH*		
JBG2121	380 mm Seat Plate Can be reduced to 330 mm in combination with inrigged armrests	0
JBG2122	430 mm Seat Plate Can be reduced to 380 mm in combination with inrigged armrests	O
JBG2123	480 mm Seat Plate	O
JBG2124	530 mm Seat Plate	O
SEAT DEPTH*		
JBG2132	Seat Depth 410 mm	О
JBG2134	Seat Depth 460 mm	O
JBG2136	Seat Depth 510 mm	C
SEAT CUSHION	N*	
JBG2142	Matrx Flo-tech Cushion Flo-tech Lite	•
BACKREST SU	JPPORT*	
JBG2162	Backposts tall (540 mm) For Flex3 backrests/Tension Adjustable Upholstery/Matrx Backs, measured from seat plate to top of upholstery Width adjustable cast bracket	•
PUSH HANDLE	ES FOR BACKPOSTS	
JBG2108	Backposts without push handles	•
BACKREST UP	PHOLSTERY / CUSHION*	
JBG2173	Flex3 adjustable Backrest Plates with Laguna Backrest cushion	•
UPHOLSTERY		
JBG2152	Black multi stretch PU coated fabric Upholstery	0
JBG2155	Black Spacer Fabric Upholstery	0
ARMREST (Pair		
JBG2191	T-Arm detachable, Standard Adjustment range from seat plate: 245 - 315 mm	•
ARMPAD (Pair))*	
JBG2196	Long Armpad (375 mm)	*
HEADREST / N	IECKREST - Adequate headrest option must be selected*	
JBG1350	Neckrest depth adjustable	•
SEAT LIFTER /	/ SEAT TILT*	
JBG1092	Powered "fixed pivot" Tilt 20°	•
SEAT TO GROU	UND HEIGHT*	
JBG2857	Seat-to-Floor Height 435 mm	0
JBG2858	Seat-to-Floor Height 460 mm	0
JBG2859	Seat-to-Floor Height 485 mm	0
BACKREST RE	ECLINER*	
JBG0975	Manual Settable Recliner (in 3.75° steps) 90° - 120°	•
FOOTREST HA	ANGER TYPE*	
JBG0526	Standard hanger 80° pair Lower leg length: 350 - 450 mm	•
FOOTPLATE T	YPE*	
JBG0512	Fixed Footplate pair	•
CONTROLS*		
JBG2204	DLX-REM216 = Drive, Actuators & Lights 3 Drive functions and power module incl. 2 Actuators & Lights	•

	CKETRY*	
JBG1707	Swing Away Bracket RH	0
JBG1708	Swing Away Bracket LH	0
	UR*	
JBG2871	Mid range - Black/Anthracite Shroud	0
JBG2872	Mid range - Silver Shroud	0
JBG2873	Mid range - Bengal Red Shroud	0
JBG2874	Mid range - Mercury Blue Shroud	0
JBG2875	Mid range - Midnight Purple Shroud	0
JBG2882	Mid range - Black Rim Inserts	0
JBG2883	Mid range - Silver Rim Inserts	0
JBG2884	Mid range - Bengal Red Rim Inserts	0
JBG2885	Mid range - Mercury Blue Rim Inserts	O
JBG2886	Mid range - Midnight Purple Rim Inserts	O
FORKS*		
JBG2632	Double sided fork Without castor rim insert (enlarges wide base to 656 mm)	•
FRONT WHEEL	*	
JBG0836	9" (225 mm) x 2.80 (70 mm) Castor, puncture proof solid tyre	•
DRIVE WHEEL*		
JBG0705	DW 14" (355 mm) x 3" (75 mm), Solid inlay Dual density foam insert	•
C.T.C SUSPENS	SION*	
JBG2870	CTC Suspension Control - Traction - Comfort	•
SUSPENSION S		
JBG1910	Soft (suggested for up to 70 kg User Weight)	0
JBG1912	Medium (suggested for up to 90 kg User Weight)	0
JBG1911	Firm (suggested for up to 110 kg User Weight)	0
JBG1915	Very firm (suggested for up to 136 kg User Weight)	O
MOTOR TYPE*		
JBG1909	12 km/h Ultra High Speed Package Always combined with LED Light system with Indicators, 30 Lux headlights	*
BATTERY TYPE	*	
JBG1260	73,5 Ah Gel	•
CHARGER*		
JBG1343	Opti Charge Charger 8A (IP44)	•
ANTI-TIPPERS*		
JBG1205	Anti-tipper	•
JBG1494	4-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19) Adequate headrest is compulsory	*
JBG2113	Lap belt with Auto Lock Flexible mount in side rails	•
	ROR*	
	Rear view mirror RH	0
JBG1415		-