

## Motability Retail Prescription Form

## Yes, you can:

Tel: 01656 776222 Email: ordersuk@invacare.com Online Spares available at: www.invacare.co.uk JULY 2025 Customer Ref:

Customer Ref*	Account No*
Contact No*	Order No*
Delivery Address*	Order Qty*
	Order date*

## Storm4 Modulite M31 1001116 - Weekly Price £61.94

## **Standard Features**

- Max user weight 150Kg (23.5 stone)
- Crash tested ISO 7176 -Part 19
- Modulite seating system
- Flex 3 Laguna Backrest
- Standard T-Armrests, detachable with Long armpad
- Electrical Tilt 0° to 25°
- Manual settable Recliner (0° 30° in 3.75° steps)
- VARI F with Fixed Footplate
- LiNX Control REM216 with swing away bracket
- Pneumatic Castors
- Pneumatic Drive Wheels
- 12 km/h (8mph) Motors, LED light system with indicators
- 4 Point tie down system
- Lapbelt with autolock (adjustable both sides)
- Anti-Tippers

Standard Base price: £8,334



Please make your selection with a cross in the box			Free of charge	<b>•</b>	standard feature	POA	special request	
ight =	KG							
	Description							
_*								
	Storm 4 Modulite							£8,334
	Modulite Seating Unit (Flex3 seating	g unit	t)					<b>•</b>
SEATING OPTION*								
								<b>♦</b>
	ight = _*	ight = KG  Description  *  Storm 4 Modulite  Modulite Seating Unit (Flex3 seating)  FION*  Telescopic Seat Frame with metal s stepless adjustment on armrests, let	ight = KG  Description  *  Storm 4 Modulite  Modulite Seating Unit (Flex3 seating unit rion)*  Telescopic Seat Frame with metal seat pate stepless adjustment on armrests, legres:	ight = KG  Description  *  Storm 4 Modulite  Modulite Seating Unit (Flex3 seating unit)  FION*  Telescopic Seat Frame with metal seat plate (with stepless adjustment on armrests, legrests and	ight = KG  Description  *  Storm 4 Modulite  Modulite Seating Unit (Flex3 seating unit)  FION*  Telescopic Seat Frame with metal seat plate (with stepless adjustment on armrests, legrests and	ight = KG  Description  *  Storm 4 Modulite  Modulite Seating Unit (Flex3 seating unit)  FION*  Telescopic Seat Frame with metal seat plate (with stepless adjustment on armrests, legrests and	ight = KG  Description  *  Storm 4 Modulite  Modulite Seating Unit (Flex3 seating unit)  FION*  Telescopic Seat Frame with metal seat plate (with stepless adjustment on armrests, legrests and	Description  *  Storm 4 Modulite  Modulite Seating Unit (Flex3 seating unit)  TION*  Telescopic Seat Frame with metal seat plate (with stepless adjustment on armrests, legrests and

SEAT WIDTH	*	
ATBXXXX	Seat width 330mm (13") seat width achieved on a 380mm seat frame (2121) with inrigged armrests (2183)	•
ATB2121	Set at 380mm (adjustable from 380mm to 430mm (15" - 17") with stepless adjustment on armrests, legrests and backrest)	0
ATB2122	Set at 430mm (adjustable from 430mm to 480mm (17" - 19) with stepless adjustment on armrests, legrests and backrest)	0
ATB2123	Set at 480mm (adjustable from 480mm to 530mm (19" - 21") with stepless adjustment on armrests, legrests and backrest)	O
ATB2124	Set at 530mm (adjustable from 530mm to 580mm (21" - 23") with stepless adjustment on armrests, legrests and backrest)	O
SEAT DEPTH	*	
ATB2132	410mm (16") (adjustable 410mm - 510mm stepless adjustment)	(NC 2196)
ATB2134	460mm (18") (adjustable 410mm - 510mm stepless adjustment)	0
ATB2136	510mm (20") (adjustable 410mm - 510mm stepless adjustment)	0
SEAT CUSHIO	ON*	
ATB2142	Matrx Flo-tech Lite	<u> </u>
BACKREST S	SUPPORT*	
ATB2162	Backposts 540mm (Tall) must be selected for Flex3 Laguna backrest	<b>•</b>
PUSH HANDL	LES FOR BACKPOSTS*	
ATB2107	Backposts WITH push handles	•
BACKREST U	IPHOLSTERY / CUSHION*	
ATB2173	Flex3 adjustable Backrest Plates with Laguna Backrest cushion	<b>•</b>
UPHOLSTER	Y TYPE*	
ATB2152	Black multi stretch PU coated fabric	O
ATB2155	Black Spacer fabric	0
ARMREST (P.	AIR)*	
ATB2191	T-Armrest Standard, Range of adjustment from seat plate 245mm to 315mm	•
ARMPAD (PA	IR)*	
ATB2196	Long Armpad (375mm)	(NC 2132)
HEADREST /	NECKREST (Adequate headrest option must be selected)*	
ATB1350	neckrest: height and depth adjustable	<b>•</b>
SEAT HEIGH	T AND SEAT RISER*	
ATB1023	Fixed Seat Height 450mm (17.75")	0
ATB1025	Fixed Seat Height 480mm (19")	O
SEAT TILT*		
ATB1014	Electrical Tilt 0° to 25°	•
BACKREST F	RECLINER*	
ATB0975	Manual Settable Recliner (0° - 30°, in 3.75° steps) Foldable	•
LEG REST TY	/PE*	
ATB0503	Vari F : Angle adjustable with tools 0° - 70°, length 290mm - 460mm	0
FOOTPLATE	TYPE*	
ATB0512	Fixed Footplate	0

LINX CONTR	OLS*	
ATB2204	REM216 Drive, Actuators & Lights	•
CONTROL BE	RACKETRY*	
ATB1707	Swing Away RH Bracket	0
ATB1708	Swing Away LH Bracket	0
SHROUD CO	LOUR*	
ATB0202	Blue	0
ATB0228	Black	0
ATB0204	Transparent Cherry Red	0
CASTORS*		
ATB0851	3.00 - 6 Grey Pneumatic	•
DRIVE WHEE	LS*	
ATB0771	3.00 - 8 Grey Pneumatic	•
MOTOR TYPE	=*	
ATB1909	12 km/h (8mph) (includes LED light system with indicators)	(NC 1437)
BATTERY*		
ATB1364	70 Ah Gel	<b>◆</b>
SUSPENSION	<b> </b> *	
ATB1240	Suspension low (up to 80kg user weight)	0
ATB1241	Suspension middle (from 70kg up to 100kg user weight)	O
ATB1242	Suspension hard (from 90kg up to 150kg user weight)	0
CHARGER*		
ATB1343	OptiCharge Charger 8A (200 - 250V)	•
LIGHTS*		
ATB1437	LED Light system with indicators	(NC 1909)
ANTI TIPPER	*	
ATB1205	Anti-tipper (standard version)	•
TRANSPORT	ATION KIT*	
ATB1494	4-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19:2001) (Adequate headrest is compulsory, see options below)	•
FIXATION BE	LT*	
ATB2113	Lap belt with auto lock (flexible mount in side rails)	•
REAR VIEW	MIRROR	
ATB1415	Rear view Mirror RH - Must be selected with 10 km/h Motor	0
ATB1339	Rear view Mirror LH - Must be selected with 10 km/h Motor	•
		•
		TOTAL PRICE

Non Conforming Options:			
ATB2132	410mm (16") (adjustable 410mm - 510mm stepless adjustment)		
ATB2196	Long Armpad (375mm)		
ATB1909	12 km/h (8mph) (includes LED light system with indicators)		
ATB1437	LED Light system with indicators		



For a more complex customer requirement please refer to our Invacare Unique special order form. email specialsuk@invacare.com

Special Instructions Please supply the following information:				
Name:	Email:			
Phone:				
Description of special request (please include relevant option code or part number):				