

Motability Retail Prescription Form

Yes, you can:

Tel: 01656 776222 Email: ordersuk@invacare.com Online Spares available at: www.invacare.co.uk JULY 2025 Customer Ref:

Customer Ref*	Account No*
Contact No*	Order No*
Delivery Address*	Order Qty*
	Order date*

Storm4 Modulite M33 1001117 - Weekly Price £62.89

Standard Features

- Max user weight 150Kg (23.5 stone)
- Crash tested ISO 7176 -Part 19
- Modulite seating system
- Flex3 Laguna Backrest
- Standard T-Armrests, detachable with Long armpad
- Electrical Seat Riser with Electrical Tilt 0° to 25°
- Manual settable Recliner (0° 30° in 3.75° steps)
- VARI F with Fixed Footplate
- LiNX Control REM216 with swingaway bracket
- Pneumatic Castors
- Pneumatic Drive Wheels
- 73.5 Ah Batteries
- 12km/h (8mph) Motors, LED light system with indicators
- 4 Point tie down system
- Lapbelt with autolock (adjustable both sides)
- Anti-Tippers

Standard Base price: £9,490



Please make your selection with a cross in the box				
Customer weight =	KG			
Code	Description			
BASE MODEL*				
ATB0000	Storm 4 Modulite £9,490			
SEATING*				
ATB2100	Modulite Seating Unit (Flex3 seating unit)			
SEATING OPTION*				
ATB2111	Telescopic Seat Frame with metal seat plate (with stepless adjustment on armrests, legrests and backrest)			

SEAT WIDTH*				
ATBXXXX	Seat width 330mm (13") seat width achieved on a 380mm seat frame (2121) with inrigged armrests (2183)	O		
ATB2121	Set at 380mm (adjustable from 380mm to 430mm (15" - 17") with stepless adjustment on armrests, legrests and backrest)	0		
ATB2122	Set at 430mm (adjustable from 430mm to 480mm (17" - 19) with stepless adjustment on armrests, legrests and backrest)	•		
ATB2123	Set at 480mm (adjustable from 480mm to 530mm (19" - 21") with stepless adjustment on armrests, legrests and backrest)	O		
ATB2124	Set at 530mm (adjustable from 530mm to 580mm (21" - 23") with stepless adjustment on armrests, legrests and backrest)	0		
SEAT DEPTH	*			
ATB2132	410mm (16") (adjustable 410mm - 510mm stepless (NC 2196) adjustment)	O		
ATB2134	460mm (18") (adjustable 410mm - 510mm stepless adjustment)	0		
ATB2136	510mm (20") (adjustable 410mm - 510mm stepless adjustment)	0		
SEAT CUSHIC	ON*			
ATB2142	Matrx Flo-tech Lite	•		
BACKREST S	SUPPORT*			
ATB2162	Backposts 540mm (Tall) must be selected for Flex3 Laguna backrest	*		
PUSH HANDL	ES FOR BACKPOSTS*			
ATB2107	Backposts WITH push handles	♦		
BACKREST	JPHOLSTERY / CUSHION*			
ATB2173	Flex3 adjustable Backrest Plates with Laguna Backrest cushion	•		
UPHOLSTER	Y TYPE*			
ATB2152	Black multi stretch PU coated fabric	O		
ATB2155	Black Spacer fabric	0		
ARMREST (P.	AIR)*			
ATB2191	T-Armrest Standard, Range of adjustment from seat plate 245mm to 315mm	•		
ARMPAD (PA	IR)*			
ATB2196	Long Armpad (375mm) (NC 2132)	*		
HEADREST /	NECKREST (Adequate headrest option must be selected)*			
ATB1350	neckrest: height and depth adjustable	♦		
SEAT HEIGH	Γ AND SEAT RISER*			
ATB1030	Electrical Seat Riser (400mm - 650mm) (16" - 25.5")	O		
ATB1040	Electrical Seat Riser (440mm - 690mm) incl. adapter (17.25" - 27")	0		
SEAT TILT*				
ATB1014	Electrical Tilt 0° to 25°	•		
BACKREST RECLINER*				
ATB0975	Manual Settable Recliner (0° - 30°, in 3.75° steps) Foldable	•		
LEG REST TYPE*				
ATB0503	Vari F : Angle adjustable with tools 0° - 70°, length 290mm - 460mm	•		
FOOTPLATE TYPE*				
ATB0512	Fixed Footplate	•		

### ATB 1220	LINX CONTR	OLS*		
ATB1707 Swing Away RH Bracket	ATB2204		*	
### ATB1708 Swing Away LH Bracket	CONTROL BE	RACKETRY*		
SHROUD COLOUR* ATB0202 Blue O ATB0228 Black O ATB0229 Transparent Cherry Red O CASTORS* Transparent Cherry Red O CASTORS* TATB0851 3.00 - 8 Grey Pneumatic ◆ DRIVE WHEELS* ATB0771 3.00 - 8 Grey Pneumatic ◆ MOTOR TYPE* ATB1909 12 km/h (8mph) (includes LED light system with inclicators) ◆ BATTERY* ATB1364 70 Ah Gel ◆ SUSPENSION* ATB1240 Suspension low (up to 80kg user weight) O ATB1241 Suspension middle (from 70kg up to 150kg user weight) O ATB1242 Suspension hard (from 90kg up to 150kg user weight) O CHARCER* ATB1343 OptiCharge Charger 8A (200 - 250V) ◆ ART 119ER* ATB1494 4-Point tile-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19:2001) (Afequation below) * FIXATION BELT* <td colspa<="" td=""><td>ATB1707</td><td>Swing Away RH Bracket</td><td>0</td></td>	<td>ATB1707</td> <td>Swing Away RH Bracket</td> <td>0</td>	ATB1707	Swing Away RH Bracket	0
ATB0202 Blue O ATB0228 Black O ATB0228 Black O ATB0224 Transparent Cherry Red O CASTORS*	ATB1708	Swing Away LH Bracket	0	
ATB0228 Black O ATB0204 Transparent Cherry Red O CASTORS* ATB0881 3.00 - 6 Grey Pneumatic ◆ DRIVE WHEELS* ATB0971 3.00 - 8 Grey Pneumatic ◆ MOTOR TYPE* ATB1909 12 km/h (8mph) (includes LED light system with indicators) BATTERY* ATB1909 12 km/h (8mph) (includes LED light system with indicators) BATTERY* ATB1909 12 km/h (8mph) (includes LED light system with indicators) BATTERY* ATB1909 12 km/h (8mph) (includes LED light system with indicators) BATTERY* ATB1909 12 km/h (8mph) (includes LED light system with indicators) BATTERY* ATB1909 12 km/h (8mph) (includes LED light system with indicators) BATTERY* ATB1940 Suspension low (up to 80kg user weight) ○ ATB1241 Suspension middle (from 70kg up to 100kg user weight) ○ CHARGER* ATB1242 Suspension hard (from 90kg up to 150kg user weight) ○ CHARGER* ATB1940 ANII TIPPER* ATB1940 ANII TIPPER* ATB1940 ANII TIPPER* ATB1940 Anii-lipper (standard version) ◆ TRANSPORTATION KIT* ATB1940 4-Point tie-down (Tested version for using wheelchair as a verhicle seat according to 150 x7176-19:2001) (Adequate headrest is compulsory, see options below) FIXATION BELT* ATB2113 Lap belt with auto lock (flexible mount in side rails) ◆ REAR VIEW MIRROR ATB19439 Rear view Mirror RH - Must be selected with 10 km/h Motor	SHROUD CO	LOUR*		
ATB0204 Transparent Cherry Red	ATB0202	Blue	0	
CASTORS* ATB0851 3.00 - 6 Grey Pneumatic ◆ DRIVE WHEELS* ATB0771 3.00 - 8 Grey Pneumatic ◆ MOTOR TYPE* ATB1909 12 km/h (8mph) (includes LED light system with indicators) ◆ BATTERY* ATB1364 70 Ah Gel ◆ SUSPENSION* ATB1240 Suspension low (up to 80kg user weight) ○ ATB1241 Suspension middle (from 70kg up to 100kg user weight) ○ ATB1242 Suspension hard (from 90kg up to 150kg user weight) ○ CHARGER* ATB1343 OptiCharge Charger 8A (200 - 250V) ◆ ANTI TIPPER* ATB1205 Anti-tipper (standard version) ◆ TRANSPORTATION KIT* ATB1434 4-Point tile-down (Tested version for using wheelchair as a verible seal according to ISO 7176-19:2001) (Adequate headrest is compulsory, see options below) ◆ FIXATION BELT* ATB2113 Lap belt with auto lock (flexible mount in side rails) ◆ REAR VIEW MIRROR ATB1415 Rear view Milror RH - Must be selected with 10 km/h Motor </td <td>ATB0228</td> <td>Black</td> <td>0</td>	ATB0228	Black	0	
ATB0851	ATB0204	Transparent Cherry Red	0	
DRIVE WHEELS* ATB0771	CASTORS*			
### ATB0771	ATB0851	3.00 - 6 Grey Pneumatic	•	
MOTOR TYPE* ATB 1909	DRIVE WHEE	iLS*		
ATB1909 12 km/h (8mph) (includes LED light system with indicators) ***BATTERY** ATB1364 70 Ah Gel	ATB0771	3.00 - 8 Grey Pneumatic	•	
BATTERY* ATB1364 70 Ah Gel	MOTOR TYPE			
ATB1364 70 Ah Gel SUSPENSION* ATB1240 Suspension low (up to 80kg user weight)	ATB1909		•	
SUSPENSION* ATB1240 Suspension low (up to 80kg user weight) O ATB1241 Suspension middle (from 70kg up to 100kg user weight) O ATB1242 Suspension hard (from 90kg up to 150kg user weight) O CHARGER* ATB1343 OptiCharge Charger 8A (200 - 250V) ANTI TIPPER* ATB1205 Anti-tipper (standard version) TRANSPORTATION KIT* ATB1494 4-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19:2001) (Adequate headrest is compulsory, see options below) FIXATION BELT* ATB2113 Lap belt with auto lock (flexible mount in side rails) REAR VIEW MIRROR ATB1415 Rear view Mirror RH - Must be selected with 10 km/h Motor ATB1339 Rear view Mirror LH - Must be selected with 10 km/h Motor	BATTERY*			
ATB1240 Suspension low (up to 80kg user weight) ATB1241 Suspension middle (from 70kg up to 100kg user weight) ATB1242 Suspension hard (from 90kg up to 150kg user weight) CHARGER* ATB1343 OptiCharge Charger 8A (200 - 250V) ANTI TIPPER* ATB1205 Anti-tipper (standard version) TRANSPORTATION KIT* ATB1494 4-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19:2001) (Adequate headrest is compulsory, see options below) FIXATION BELT* ATB2113 Lap belt with auto lock (flexible mount in side rails) REAR VIEW MIRROR ATB1415 Rear view Mirror RH - Must be selected with 10 km/h Motor ATB1339 Rear view Mirror LH - Must be selected with 10 km/h Motor	ATB1364	70 Ah Gel	•	
ATB1241 Suspension middle (from 70kg up to 100kg user weight) ATB1242 Suspension hard (from 90kg up to 150kg user weight) CHARGER* ATB1343 OptiCharge Charger 8A (200 - 250V) ANTI TIPPER* ATB1205 Anti-tipper (standard version) TRANSPORTATION KIT* ATB1494 4-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19:2001) (Adequate headrest is compulsory, see options below) FIXATION BELT* ATB2113 Lap belt with auto lock (flexible mount in side rails) REAR VIEW MIRROR ATB1415 Rear view Mirror RH - Must be selected with 10 km/h Motor ATB1339 Rear view Mirror LH - Must be selected with 10 km/h Motor	SUSPENSION	1 *		
weight) ATB1242 Suspension hard (from 90kg up to 150kg user weight) CHARGER* ATB1343 OptiCharge Charger 8A (200 - 250V) ANTI TIPPER* ATB1205 Anti-tipper (standard version) TRANSPORTATION KIT* ATB1494 4-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19:2001) (Adequate headrest is compulsory, see options below) FIXATION BELT* ATB2113 Lap belt with auto lock (flexible mount in side rails) REAR VIEW MIRROR ATB1415 Rear view Mirror RH - Must be selected with 10 km/h Motor ATB1339 Rear view Mirror LH - Must be selected with 10 km/h Motor	ATB1240	Suspension low (up to 80kg user weight)	0	
CHARGER* ATB 1343 OptiCharge Charger 8A (200 - 250V) ANTI TIPPER* ATB 1205 Anti-tipper (standard version) TRANSPORTATION KIT* ATB 1494 4-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19:2001) (Adequate headrest is compulsory, see options below) FIXATION BELT* ATB 2113 Lap belt with auto lock (flexible mount in side rails) REAR VIEW MIRROR ATB 1415 Rear view Mirror RH - Must be selected with 10 km/h Motor ATB 1339 Rear view Mirror LH - Must be selected with 10 km/h Motor	ATB1241		0	
ATB1343 OptiCharge Charger 8A (200 - 250V) ANTI TIPPER* ATB1205 Anti-tipper (standard version) TRANSPORTATION KIT* ATB1494 4-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19:2001) (Adequate headrest is compulsory, see options below) FIXATION BELT* ATB2113 Lap belt with auto lock (flexible mount in side rails) REAR VIEW MIRROR ATB1415 Rear view Mirror RH - Must be selected with 10 km/h Motor ATB1339 Rear view Mirror LH - Must be selected with 10 km/h Motor	ATB1242	Suspension hard (from 90kg up to 150kg user weight)	0	
ANTI TIPPER* ATB1205 Anti-tipper (standard version) TRANSPORTATION KIT* ATB1494 4-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19:2001) (Adequate headrest is compulsory, see options below) FIXATION BELT* ATB2113 Lap belt with auto lock (flexible mount in side rails) REAR VIEW MIRROR ATB1415 Rear view Mirror RH - Must be selected with 10 km/h Motor ATB1339 Rear view Mirror LH - Must be selected with 10 km/h Motor	CHARGER*			
ATB1205 Anti-tipper (standard version) TRANSPORTATION KIT* ATB1494 4-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19:2001) (Adequate headrest is compulsory, see options below) FIXATION BELT* ATB2113 Lap belt with auto lock (flexible mount in side rails) REAR VIEW MIRROR ATB1415 Rear view Mirror RH - Must be selected with 10 km/h Motor ATB1339 Rear view Mirror LH - Must be selected with 10 km/h Motor	ATB1343	OptiCharge Charger 8A (200 - 250V)	♦	
TRANSPORTATION KIT* ATB1494	ANTI TIPPER	*		
ATB1494 4-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19:2001) (Adequate headrest is compulsory, see options below) FIXATION BELT* ATB2113 Lap belt with auto lock (flexible mount in side rails) FEAR VIEW MIRROR ATB1415 Rear view Mirror RH - Must be selected with 10 km/h Motor ATB1339 Rear view Mirror LH - Must be selected with 10 km/h Motor	ATB1205	Anti-tipper (standard version)	<u> </u>	
as a vehicle seat according to ISO 7176-19:2001) (Adequate headrest is compulsory, see options below) FIXATION BELT* ATB2113	TRANSPORT	ATION KIT*		
ATB2113 Lap belt with auto lock (flexible mount in side rails) REAR VIEW MIRROR ATB1415 Rear view Mirror RH - Must be selected with 10 km/h Motor ATB1339 Rear view Mirror LH - Must be selected with 10 km/h Odor	ATB1494	as a vehicle seat according to ISO 7176-19:2001)	•	
REAR VIEW MIRROR ATB1415 Rear view Mirror RH - Must be selected with 10 km/h Motor ATB1339 Rear view Mirror LH - Must be selected with 10 km/h Odor	FIXATION BE	LT*		
ATB1415 Rear view Mirror RH - Must be selected with 10 km/h Motor ATB1339 Rear view Mirror LH - Must be selected with 10 km/h Motor	ATB2113	Lap belt with auto lock (flexible mount in side rails)	•	
ATB1339 Rear view Mirror LH - Must be selected with 10 km/h Motor	REAR VIEW I	MIRROR		
Motor	ATB1415		0	
	ATB1339		•	

Non Conforming Options: ATB2132 410mm (16") (adjustable 410mm - 510mm stepless adjustment) ATB2196 Long Armpad (375mm)



For a more complex customer requirement please refer to our Invacare Unique special order form. email specialsuk@invacare.com

Special Instructions Please supply the following information:		
Name:	Email:	
Phone:		
Description of special request (please include relevant option code or part number):		