

Motability Retail Prescription Form

Yes, you can:

Tel: 01656 776222 Email: ordersuk@invacare.com Online Spares available at: www.invacare.co.uk JULY 2025 Customer Ref:

Customer Ref*	Account No*
Contact No*	Order No*
Delivery Address*	Order Qty*
	Order date*

TDX SP2 HD M16 1001587 - Weekly Price £51.84

Standard Features

- Max user weight 180kg (28 stone)
- Crash tested ISO 7176 -Part 19
- Modulite Seating System
- Matrx Flo-tech Cushion
- Flex 3 adjustable Backrest plates with Laguna backrest cushion
- Standard T-armrests, detachable with long armpad
- Neckrest
- Powereed tilt 20°
- Manual settable backrest Recline 0° 30° in 3.75° steps
- 80° hangers with fixed footplate
- LiNX control REM211 swing away bracket
- Solid Black tyres
- 6km/h (4mph) 4 pole motors
- 4-Point tie-down system (Q'Straint QLK-150 compatible)
- Lapbelt with autolock (adjustable both sides)

Standard Base price: £6,410



Please make your selection with a cross in the box	O Free of charge • standard feature POA special request	
--	---	--

Customer weight = KG

Code	Description		
BASE MODEL*	•		
ARJ0000	TDX SP2 Heavy Duty		£6,410
USER WEIGHT	*		
ARJ1918	User weight less 100 kg		O
ARJ1919	User weight 101 to 125 kg		O
ARJ1921	User weight 126 to 136 kg		O
ARJ1922	User weight 137 to 150 kg	(NC 1092)	O
ARJ1923	User weight 151 to 160 kg	(NC 1092)	O
ARJ1924	User weight 161 to 180 kg	(NC 1092)	0

SEATING TYPE	*		
ARJ2100	Modulite Seating unit		•
SEAT WIDTH*			
ARJ2121	Set at 380mm (15") (adjustable from 380mm to 430mm (15" - 17") with stepless adjustment on armrests, legrests and backrest) (NC 2138 + 2142)		0
ARJ2122	Set at 430mm (17") (adjustable from 430mm to 480mm (17" - 19) with stepless adjustment on armrests, legrests and backrest) (NC 2138 + 2142)		0
ARJ2123	Set at 480mm (19") (adjustable from 480mm to 530mm (19" - 21") with stepless adjustment on armrests, legrests and backrest) (NC 2138 + 2142)		0
ARJ2124	Set at 530mm (21") (adjustable from 530mm to 580mm (21" - 23") with stepless adjustment on armrests, legrests and backrest)		0
SEAT DEPTH R	AIL LENGTH*		
ARJ2129	Standard Depth Package (16" - 20", 410mm - 510mm simple stepless adjustment from the side)	(NC 2138, 2196)	0
ARJ2130	Extended Depth Package (20" - 22", 510mm - 560mm simple stepless adjustment from the side)	(NC 2132, 2134)	0
SEAT DEPTH S	ETTING*		
ARJ2132	410mm (16") (410mm - 510mm simple stepless adjustment from the side)	(NC 2196)	0
ARJ2134	460mm (18") (410mm - 510mm simple stepless adjustment from the side)		0
ARJ2136	510mm (20") (410mm - 510mm simple stepless adjustment from the side)		0
ARJ2138	560mm (22") (510mm - 560mm simple stepless adjustment from the side) (Cushion (option 2142) is only available with Seat Width (option 2124) 530mm)		•
SEAT CUSHION	! *		
ARJ2142	Matrx Flo-tech Lite		*
BACKREST SU	PPORT*		
ARJ2162	Backposts 540mm (Tall) must be selected for Flex3 adjustable backrest plates		♦
PUSH HANDLE	S FOR BACKPOSTS*		
ARJ2107	Backposts WITH push handles		•
BACKREST UP	HOLSTERY / CUSHION*		
ARJ2173	Flex3 adjustable Backrest Plates with Laguna Backrest cushion		♦
UPHOLSTERY	COLOUR*		
ARJ2152	Black Black multi stretch PU coated fabric Upholstery		O
ARJ2155	Black Spacer fabric		O
ARMREST*			
ARJ2191	T-Armrest Standard, Range of adjustment from seat plate 245mm to 315mm		♦
ARMPAD*			
ARJ2196	Long Armpad (375mm)	(NC 2132)	*
HEADREST / NI	ECKREST (Adequate headrest option must be selected)*		
ARJ1350	Neckrest height and depth adjustable		•
MANUAL / POW	/ERED SEATING OPTIONS*		
ARJ1092	Electric Tilt (0°- 20°) Seat Height 450mm		•
ARJ1095	Electric HD Tilt (0°- 20°) Seat Height 450mm (upto 180kg Max User Weight)		O

SEAT HEIGH	T SETTING	
ARJ0354	Seat height set at 450mm (17.75") (from floor to front of seat plate at 0° tilt)	0
ARJ0364	Seat height set at 475mm (18.75") (from floor to front of seat plate at 0° tilt)	0
BACKREST F	RECLINER*	
ARJ0975	Manual Settable Recliner (0° - 30°, in 3.75° steps) Foldable	•
LEG REST TY	YPE*	
ARJ0526	Side Mounted : Standard 80° hangers	♦
FOOTPLATE	TYPE*	
ARJ0512	Fixed Footplate	*
LINX CONTR	OLS*	
ARJ2203	REM211 Drive & Actuators	♦
CONTROL BE	RACKETRY*	
ARJ1707	Swing Away RH Bracket	O
ARJ1708	Swing Away LH Bracket	•
SHROUD CO	LOUR*	
ARJ2640	Obsidian Black Frame Shrouds	•
ARJ2641	Ruby Red Frame Shrouds	O
ARJ2642	Purple Passion Frame Shrouds	0
ARJ2643	Peacock Blue Frame Shrouds	0
ARJ2644	Arctic Blue Frame Shrouds	0
RIM COLOUR	2*	
ARJ2650	Obsidian Black Frame Shrouds	0
ARJ2651	Ruby Red Frame Shrouds	0
ARJ2652	Purple Passion Frame Shrouds	0
ARJ2653	Peacock Blue Frame Shrouds	0
ARJ2654	Arctic Blue Frame Shrouds	0
FORKS*		
ARJ2632	Double sided fork	•
CENTRE WHI	EELS (DRIVE WHEELS)*	
ARJ0705	DW 14" (355 mm) x 3" (75 mm), Solid inlay, dual density foam insert	*
MOTOR TYPE	E*	
ARJ1282	6 km/h (4mph) (4 pole)	♦
BATTERY*		
ARJ1260	73.5 Ah (Gel)	*
CHARGER*		
ARJ1343	OptiCharge Charger 8A (200 - 250V)	*
TRANSPORT	ATION KIT*	
ARJ1494	4-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19:2001) (Adequate headrest is compulsory, see options below)	•
FIXATION BELT*		
ARJ2113	Lapbelt (adjustable both sides) adjustable mounting on seat rail extrusion	•
	TOTAL PRICE	

Non Conforming Options:		
ARJ2132	410mm (16") (410mm - 510mm simple stepless adjustment from the side)	
ARJ2134	460mm (18") (410mm - 510mm simple stepless adjustment from the side)	
ARJ2138	560mm (22") (510mm - 560mm simple stepless adjustment from the side) (Cushion (option 2142) is only available with Seat Width (option 2124) 530mm)	
ARJ2196	Long Armpad (375mm)	
ARJ1092	Electric Tilt (0°- 20°) Seat Height 450mm	



For a more complex customer requirement please refer to our Invacare Unique special order form. email specialsuk@invacare.com

Special Instructions Please supply the following information:		
Name:	Email:	
Phone:		
Description of special request (please include relevant option code or part number):		