



Motability Retail Prescription Form

Yes, you can:

Tel: 01656 776222
Email: ordersuk@invacare.com
Online Spares available at: www.invacare.co.uk

January 2026
Customer Ref:

Customer Ref*	Account No*
Contact No*	Order No*
Delivery Address*	Order Qty*
	Order date*

**AVIVA RX40 HD Modulite M28 707010 -
Weekly Price £65.90**

Standard Features

- Max user weight 160kg (25 Stone)
- Crash tested ISO 7176 -Part 19
- Modulite adjustable seating system
- Flex3 Laguna backrest
- Neckrest depth adjustable
- Standard T-Armrests, detachable with Long armpad
- Powered "fixed pivot" Tilt 20°
- Manual settable backrest Recline (0°- 30° in 3.75° steps)
- 80° hangers with fixed footplate
- LiNX control REM216 with swing away bracket
- 9" Castor, puncture proof solid tyre
- Solid inlay black drive wheels
- 12 km/h Ultra High Speed Package combined with LED Light system with Indicators, 30 Lux headlights
- 73Ah batteries
- Anti tippers
- 4 Point tie down system
- Lapbelt with autolock (adjustable both sides)

Standard Base price: £8,315



Please make your selection with a cross in the box Free of charge standard feature POA special request

Customer weight = KG

Code Description

BASE MODEL*		
JBH0002	<input type="checkbox"/>	AVIVA RX 40 HD Base Model Max user weight up to 160 kg HD Version, includes RX 40 Performance Package Wide Base only
CHASSIS WIDTH*		
JBH2830	<input type="checkbox"/>	Chassis Wide (635 mm/25")
SEATING TYPE*		
JBH2100	<input type="checkbox"/>	Invacare® Modulite Seat Unit

SEAT FRAME*

JBH2111	<input type="checkbox"/>	Telescopic Seat Frame and Plate with Side Rails width 380 to 530 mm Additional 50 mm by arms	<input checked="" type="checkbox"/>
---------	--------------------------	--	-------------------------------------

SEAT WIDTH*

JBH2121	<input type="checkbox"/>	380 mm Seat Plate Can be reduced to 330 mm in combination with inrigged armrests	<input type="radio"/>
JBH2122	<input type="checkbox"/>	430 mm Seat Plate Can be reduced to 380 mm in combination with inrigged armrests	<input type="radio"/>
JBH2123	<input type="checkbox"/>	480 mm Seat Plate	<input type="radio"/>
JBH2124	<input type="checkbox"/>	530 mm Seat Plate	<input type="radio"/>

SEAT DEPTH*

JBH2132	<input type="checkbox"/>	Seat Depth 410 mm	(NC 2196)	<input type="radio"/>
JBH2134	<input type="checkbox"/>	Seat Depth 460 mm		<input type="radio"/>
JBH2136	<input type="checkbox"/>	Seat Depth 510 mm		<input type="radio"/>

SEAT CUSHION*

JBH2142	<input type="checkbox"/>	Matrix Flo-tech Cushion Flo-tech Lite	<input checked="" type="checkbox"/>
---------	--------------------------	---------------------------------------	-------------------------------------

BACKREST SUPPORT*

JBH2162	<input type="checkbox"/>	Backposts tall (540 mm) For Flex3 backrests/Tension Adjustable Upholstery/Matrix Backs, measured from seat plate to top of upholstery Width adjustable cast bracket	<input checked="" type="checkbox"/>
---------	--------------------------	---	-------------------------------------

BACKREST UPHOLSTERY / CUSHION*

JBH2173	<input type="checkbox"/>	Flex3 adjustable Backrest Plates with Laguna Backrest cushion Flex3 Backrest plate width and height adjustable 560 mm - 790 mm	<input checked="" type="checkbox"/>
---------	--------------------------	--	-------------------------------------

UPHOLSTERY TYPE*

JBH2151	<input type="checkbox"/>	Black Fabric Upholstery (Nylon with option 2141; 2-way-stretch material with options 2142, 2143)	<input type="radio"/>
JBH2152	<input type="checkbox"/>	Black multi stretch PU coated fabric Upholstery	<input type="radio"/>
JBH2155	<input type="checkbox"/>	Black Spacer Fabric Upholstery	<input type="radio"/>

ARMREST (Pair)*

JBH2191	<input type="checkbox"/>	T-Arm detachable, Standard Adjustment range from seat plate: 245 - 315 mm	<input checked="" type="checkbox"/>
---------	--------------------------	---	-------------------------------------

ARMPAD (Pair)*

JBH2196	<input type="checkbox"/>	Long Armpad (375 mm)	(NC 2132)	<input checked="" type="checkbox"/>
---------	--------------------------	----------------------	-----------	-------------------------------------

HEADREST / NECKREST (Adequate headrest option must be selected)*

JBH1350	<input type="checkbox"/>	Neckrest depth adjustable	<input checked="" type="checkbox"/>
---------	--------------------------	---------------------------	-------------------------------------

MANUAL / POWERED SEATING OPTIONS*

JBH1092	<input type="checkbox"/>	Powered "fixed pivot" Tilt 20°	<input checked="" type="checkbox"/>
---------	--------------------------	--------------------------------	-------------------------------------

SEAT TO GROUND HEIGHT*

JBH2857	<input type="checkbox"/>	Seat-to-Floor Height 435 mm	<input type="radio"/>
JBH2858	<input type="checkbox"/>	Seat-to-Floor Height 460 mm	<input type="radio"/>
JBH2859	<input type="checkbox"/>	Seat-to-Floor Height 485 mm	<input type="radio"/>

BACKREST RECLINER*

JBH0975	<input type="checkbox"/>	Manual Settable Recliner (in 3.75° steps) 90° - 120°	<input checked="" type="checkbox"/>
---------	--------------------------	--	-------------------------------------

LEG REST TYPE*

JBH0526	<input type="checkbox"/>	Standard hanger 80° pair Lower leg length: 350 - 450 mm	<input checked="" type="checkbox"/>
---------	--------------------------	---	-------------------------------------

FOOTPLATE TYPE*

JBH0512	<input type="checkbox"/>	Fixed Footplate pair	<input checked="" type="checkbox"/>
---------	--------------------------	----------------------	-------------------------------------

LiNX CONTROLS*

JBH2204	<input type="checkbox"/>	Remote LiNX DLX-REM216 = Drive, Actuators & Lights 3 Drive functions and power module incl. 2 Actuators & Lights	<input checked="" type="checkbox"/>
---------	--------------------------	--	-------------------------------------

CONTROL BRACKETRY*

JBH1707	<input type="checkbox"/>	Swing Away Bracket RH	<input type="radio"/>
JBH1708	<input type="checkbox"/>	Swing Away Bracket LH	<input type="radio"/>

SHROUD COLOUR*

JBH2871	<input type="checkbox"/>	Mid range - Black/Anthracite Shroud	<input type="radio"/>
JBH2872	<input type="checkbox"/>	Mid range - Silver Shroud	<input type="radio"/>
JBH2873	<input type="checkbox"/>	Mid range - Bengal Red Shroud	<input type="radio"/>
JBH2874	<input type="checkbox"/>	Mid range - Mercury Blue Shroud	<input type="radio"/>
JBH2875	<input type="checkbox"/>	Mid range - Midnight Purple Shroud	<input type="radio"/>

RIM COLOUR*

JBH2882	<input type="checkbox"/>	Mid range - Black Rim Inserts	<input type="radio"/>
JBH2883	<input type="checkbox"/>	Mid range - Silver Rim Inserts	<input type="radio"/>
JBH2884	<input type="checkbox"/>	Mid range - Bengal Red Rim Inserts	<input type="radio"/>
JBH2885	<input type="checkbox"/>	Mid range - Mercury Blue Rim Inserts	<input type="radio"/>
JBH2886	<input type="checkbox"/>	Mid range - Midnight Purple Rim Inserts	<input type="radio"/>
JBH2888	<input type="checkbox"/>	Premium - Racing Green Rim Inserts	<input type="radio"/>
JBH2889	<input type="checkbox"/>	Premium - Deep Ocean Blue Satin Rim Inserts	<input type="radio"/>
JBH2890	<input type="checkbox"/>	Premium - Frosty Blue Rim Inserts	<input type="radio"/>
JBH2891	<input type="checkbox"/>	Premium - Ultimate Red Rim Inserts	<input type="radio"/>
JBH2892	<input type="checkbox"/>	Premium - Falcon White Rim Inserts	<input type="radio"/>

FORKS*

JBH2632	<input type="checkbox"/>	Double sided fork Without castor rim insert (enlarges wide base to 656 mm)	<input checked="" type="checkbox"/>
---------	--------------------------	---	-------------------------------------

CASTORS*

JBH0836	<input type="checkbox"/>	9" (225 mm) x 2.80 (70 mm) Castor, puncture proof solid tyre	<input checked="" type="checkbox"/>
---------	--------------------------	---	-------------------------------------

DRIVE WHEELS*

JBH0705	<input type="checkbox"/>	DW 14" (355 mm) x 3" (75 mm), Solid inlay Dual density foam insert	<input checked="" type="checkbox"/>
---------	--------------------------	---	-------------------------------------

C.T.C SUSPENSION*

JBH2870	<input type="checkbox"/>	CTC Suspension Control - Traction - Comfort	<input checked="" type="checkbox"/>
---------	--------------------------	---	-------------------------------------

SUSPENSION SETTING*

JBH1916	<input type="checkbox"/>	Suspension up to 160 kg User Weight For RX 40 HD only	<input checked="" type="checkbox"/>
---------	--------------------------	--	-------------------------------------

MOTOR TYPE*

JBH1909	<input type="checkbox"/>	12 km/h Ultra High Speed Package Always combined with LED Light system with Indicators, 30 Lux headlights	<input checked="" type="checkbox"/>
---------	--------------------------	---	-------------------------------------

BATTERY TYPE*

JBH1260	<input type="checkbox"/>	73,5 Ah Gel	<input checked="" type="checkbox"/>
---------	--------------------------	-------------	-------------------------------------

CHARGER*

JBH1343	<input type="checkbox"/>	Opti Charge Charger 8A (IP44)	<input checked="" type="checkbox"/>
---------	--------------------------	-------------------------------	-------------------------------------

ANTI-TIPPERS*

JBH1205	<input type="checkbox"/>	Anti-tipper	<input checked="" type="checkbox"/>
---------	--------------------------	-------------	-------------------------------------

TRANSPORTATION KIT*

JBH1494	<input type="checkbox"/>	4-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19) Adequate headrest is compulsory, Not compatible with Seat lifter	<input checked="" type="checkbox"/>
---------	--------------------------	---	-------------------------------------

LAP BELT*

JBH2113	<input type="checkbox"/>	Lap belt with Auto Lock Flexible mount in side rails	<input checked="" type="checkbox"/>
---------	--------------------------	--	-------------------------------------

REAR VIEW MIRROR*

JBH1415	<input type="checkbox"/>	Rear view mirror RH	<input type="radio"/>
JBH1339	<input type="checkbox"/>	Rear view mirror LH	<input type="radio"/>

	TOTAL PRICE	
--	--------------------	--

Non Conforming Options:

JBH2132	Seat Depth 410 mm
JBH2196	Long Armpad (375 mm)



For a more complex customer requirement,
please email: orders@invacare.com.au

Special Instructions

Please supply the following information:

Name:

Email:

Phone:

Description of special request (please include relevant option code or part number):