



Yes, you can:

Tel: 01656 776222
Email: ordersuk@invacare.com
Online Spares available at: www.invacare.co.uk

Power Retail Prescription Form

01 DECEMBER 2025
Customer Ref:

Customer Ref*	Account No*
Contact No*	Order No*
Delivery Address*	Order Qty*
	Order date*

AVIVA RX20 Standard

Standard Features

- Max User Weight 136kg (21 Stone)
- Crash tested ISO7176 - 19
- Modulite Standard Seat
- One piece seat plate (380mm/15" or 430mm/17" SW), additional 50mm/2" arm rest width adjustment
- Seat depths from 410mm - 510mm (16" - 20")
- Tension adjustable backrest
- Standard foam cushion (50mm thick)
- Standard T-Armrests, height and depth adjustable, detachable, with short armpads
- Manual settable Seat Tilt (0° - 15°)
- Manual settable Backrest Recline (0° - 30° in 3.75° steps)
- 80° hangers with fixed footplates
- LiNX DLX-REM211 with standard bracket
- Choice of 5 shroud colours and 5 rim insert colours
- 8" (200 mm) x 2.50-4 (65 mm) Castor, puncture proof solid tyre
- 14" (355 mm) x 3" (75 mm), Solid inlay black drive wheels
- CTC Suspension (Control - Traction - Comfort)
- 6 km/h (4mph) 4 pole motors and 60Ah batteries
- 8A (200 - 250V) charger
- Anti tippers
- 4 Point tie down system
- Lapbelt with autolock (adjustable both sides)

Standard Base price: £3,949



Please make your selection with a cross in the box ☐ Free of charge ☒ standard feature POA special request

Customer weight = KG

Code	Description	
BASE MODEL*		
JBB0000	AVIVA RX20 Standard	£3,949
JBZ1300	Special AVIVA RX20 Standard (Extended Lead Time). Please provide details in comments section.	POA
CHASSIS WIDTH*		
JBB2810	Chassis Narrow (560 mm/22")	<input checked="" type="checkbox"/>
SEATING TYPE*		
JBB2105	Modulite Standard Seat (Standard seat plate and backrest frame in fixed width)	<input checked="" type="checkbox"/>

SEAT FRAME*			
JBB2110	<input type="checkbox"/>	One Piece Seat Plate	◆
SEAT WIDTH*			
JBB2121	<input type="checkbox"/>	380 mm Seat Plate. Additional 50mm arm rest width adjustment.	○
JBB2122	<input type="checkbox"/>	430 mm Seat Plate. Additional 50mm arm rest width adjustment.	◆
SEAT DEPTH*			
JBB2132	<input type="checkbox"/>	410 mm (NC 2197)	○
JBB2134	<input type="checkbox"/>	460 mm	○
JBB2136	<input type="checkbox"/>	510 mm	○
SEAT CUSHION*			
JBB2141	<input type="checkbox"/>	Standard Foam Cushion, 50 mm height	◆
JBB2142	<input type="checkbox"/>	Matrx Flo-tech Cushion Flo-tech Lite	£117
JBB2143	<input type="checkbox"/>	Matrx Flo-tech Contour Visco; (2-way stretch material)	£165
JBB2140	<input type="checkbox"/>	Without seat cushion	○
BACKREST SUPPORT*			
JBB2161	<input type="checkbox"/>	Backrest frame, detachable, height 480 mm For Tension Adjustable Upholstery/Matrx Backs	◆
BACKREST UPHOLSTERY / CUSHION*			
JBB2171	<input type="checkbox"/>	Tension Adjustable Upholstery with Nylon overlay. Short = 480 mm / 7 straps. Long = 540 mm / 8 straps. Measured from seat plate to top of upholstery.	◆
JBB2170	<input type="checkbox"/>	Without Backrest Upholstery (Back Posts/Back Frame only) (NC 2151)	○
UPHOLSTERY COLOUR*			
JBB2151	<input type="checkbox"/>	Black Nylon Fabric TR18	◆
JBX1002	<input type="checkbox"/>	No Upholstery Colour required - No backrest upholstery required	○
ARMRESTS*			
JBB2191	<input type="checkbox"/>	T-Arm detachable, Standard. Adjustment range from seat plate: 245 - 315 mm	◆
JBB2181	<input type="checkbox"/>	T-Arm detachable, Extended height. Adjustment range from seat plate: 295 - 365 mm	£44
JBB2183	<input type="checkbox"/>	Inrigged Armrests. Reduces SW by 25 mm each side	○
ARMPADS*			
JBB2196	<input type="checkbox"/>	Long Armpad (375 mm)	○
JBB2197	<input type="checkbox"/>	Long Ergonomic Armpad (397 mm)	○
JBB2199	<input type="checkbox"/>	Soft Armpad (REA Azalea Wide Pad)	○
HEADREST / NECKREST (Adequate headrest option must be selected)*			
JBB1350	<input type="checkbox"/>	Neckrest depth adjustable	£81
JBB1495	<input type="checkbox"/>	Non Invacare Headrest - no mounting hardware. With Backbrace/Pushbar dia. 22mm in conjunction with telescopic seat frame/backposts	○
MANUAL / POWERED SEATING OPTIONS*			
JBB1092	<input type="checkbox"/>	Powered "fixed pivot" Tilt 20°	◆
SEAT TO GROUND HEIGHT*			
JBB2857	<input type="checkbox"/>	435 mm	○
JBB2858	<input type="checkbox"/>	460 mm	○
JBB2859	<input type="checkbox"/>	485 mm	○
BACKREST RECLINER*			
JBB0975	<input type="checkbox"/>	Manual Settable Recliner (in 3.75° steps) 90° - 120°	◆

SIDE MOUNTED LEG RESTS*			
JBB0526		Side Mounted: Standard hanger 80° pair. Lower leg length: 350 - 450 mm	◆
SIDE MOUNTED FOOTPLATE TYPE*			
JBB0512		Fixed Footplate pair	◆
JBB0513		Angle and depth adjustable Footplate pair	£119
LINX CONTROLS*			
JBB2203		DLX-REM211 (Drive & Actuators) (NC 1437, 1908)	◆
JBB2204		DLX-REM216 (Drive, Actuators & Lights)	£151
CONTROL BRACKETRY*			
JBB1207		Standard Bracket RH (NC 1404)	○
JBB1208		Standard Bracket LH (NC 1405)	○
JBB1707		Swing Away RH Bracket (NC 1404)	£132
JBB1708		Swing Away LH Bracket (NC 1405)	£132
JBB2227		Bracket RH mounted for Attendant (NC 2220, 2219, 1312)	£63
JBB2228		Bracket LH mounted for Attendant (NC 2220, 2219, 1363)	£63
JBZ2239		Individual mounting option per request (Special). Requires additional information/specification.	POA
DUAL CONTROLS			
JBB2220		LiNX DLX-REM050 (Dual Control used as secondary remote) (NC 2273, 2227, 2228)	£395
JBB2219		LiNX DLX-ACU200 (Compact Dual Control) (NC 2227, 2228)	£395
DUAL CONTROL BRACKETRY (Only applicable if Dual Control is selected)			
JBB2259		Dual Control Standard Bracket RH (NC 2291, 1312)	○
JBB2260		Dual Control Standard Bracket LH (NC 2292, 1363)	○
LINX 10-WAY SWITCH			
JBB2251		10-Way Switch DLX-SW10-A for direct Powered Seating Access	£505
LINX 10-WAY SWITCH BRACKETRY (Only applicable if 10-Way Switch is selected)			
JBB2217		Bracket RH, mounted for user (NC 1404)	○
JBB2218		Bracket LH, mounted for user (NC 1405)	○
JBB2291		Bracket RH, mounted for attendant (NC 2259)	£63
JBB2292		Bracket LH, mounted for attendant (NC 2260)	£63
LINX IN200 MODULE			
JBB2273		DLX-IN200 Module (Jack port for external power button)	£242
FURTHER LINX COMPONENTS / ACCESSORIES			
JBB2302		Not Necessary (NC 1686, 1687, 1690, 2254, 1711, 1712, 1713, 1714, 1715, 1716)	◆
JBB2300		To be enclosed only	○
JBZ2301		To be connected and programmed (Special)	POA
BUDDY BUTTONS			
JBB1685		Red Buddy Button	£88
JBB1686		Yellow Buddy Button	£88
JBB1687		Green Buddy Button	£88
JBB1690		Blue Buddy Button	£88
EGG SWITCH			
JBB2254		Egg Switch, black	£88

PIKO BUTTONS			
JBB1711		Red Piko Button	£158
JBB1712		Yellow Piko Button	£158
JBB1713		Green Piko Button	£158
JBB1714		Orange Piko Button	£158
JBB1715		Blue Piko Button	£158
JBB1716		Black Piko Button	£158
BODYPOINT JOYSTICK KNOBS			
JBB2721		3 inch U-Shaped, Joystick Handle, Bodypoint PC101A	£63
JBB2722		4 inch U-Shaped, Joystick Handle, Bodypoint PC102A	£63
JBB2723		Domed Rubber, Joystick Handle, Bodypoint PC107A	£63
JBB2724		Mushroom Grooved, Joystick Handle, Bodypoint PC110A	£63
SHROUD COLOUR*			
JBB2871		Mid range - Black/Anthracite Shroud	○
JBB2872		Mid range - Silver Shroud	○
JBB2873		Mid range - Bengal Red Shroud	○
JBB2874		Mid range - Mercury Blue Shroud	○
JBB2875		Mid range - Midnight Purple Shroud	○
JBZ0299		Premium - Individual Shroud Colour. RAL number required Extended lead lime: + 15 days.	£240
RIM COLOUR*			
JBB2882		Mid range - Black Rim Inserts	○
JBB2883		Mid range - Silver Rim Inserts	○
JBB2884		Mid range - Bengal Red Rim Inserts	○
JBB2885		Mid range - Mercury Blue Rim Inserts	○
JBB2886		Mid range - Midnight Purple Rim Inserts	○
JBZ2887		Premium - Individual Rim Insert Colour. RAL number required Extended lead lime: + 15 days. Price Included with Premium Shroud Kit	○
FORKS*			
JBB2632		Double sided fork Without castor rim insert	○
CASTORS*			
JBB0828		8" (200 mm) x 2.50-4 (65 mm) Castor, puncture proof solid tyre	◆
CASTOR LOCKS			
JBB1490		Castor Lock	£197
DRIVE WHEELS*			
JBB0704		DW 14" (355 mm) x 3" (75 mm), Pneumatic	◆
JBB0705		DW 14" (355 mm) x 3" (75 mm), Solid inlay Dual density foam insert	○
C.T.C SUSPENSION*			
JBB2870		CTC Suspension Control - Traction - Comfort	◆
SUSPENSION SETTING*			
JBB1910		Soft	◆
JBB1912		Medium	○
JBB1911		Firm	○
JBB1915		Very firm	○

MOTOR TYPE*			
JBB1294		Indoor setting, reduced speed approx. 3 km/h	○
JBB1282		6 km/h	◆
JBB1908		10 km/h Package Always combined with LED Light system with Indicators, 30 Lux headlights	(NC 2203, 1437, 1254) £543
BATTERY TYPE*			
JBB1259		60 Ah Gel	◆
CHARGER*			
JBB1343		Opti Charge Charger 8A (IP44)	◆
JBB1313		Opti Charge Charger 10A (IP44)	£151
ANTI-TIPPERS*			
JBB1205		Anti-tipper	◆
LIGHTS			
JBB1437		LED Light system with indicators 30 Lux headlights, included with 10km/h motors	(NC 2203, 1908) £480
JBB1254		Without Light system	○
KERB RIDER			
JBB1244		Kerb Rider with park position feature	(NC 1294) £212
TRANSPORTATION KIT*			
JBB1450		Preparation for DAHL-Docking station (Adequate headrest is compulsory). Includes a mounting bracket in the battery box. Docking Station for car implementation has to be ordered separately with DAHL Engineering.	£586
JBB1494		4-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19). Adequate headrest is compulsory. Not compatible with Seat lifter.	◆
EASY ACCESS FRONT TIE DOWNS			
JBB2894		Easily accessible front tie-down points, additionally mounted for 4- or 6- point-tie-down. For transport worthy versions (1494/1401) only	£49
FIXATION BELT*			
JBB1329		Lap belt with Auto Lock Standard mount on backrest	◆
REAR VIEW MIRROR			
JBB1415		Rear view mirror RH	(NC 2217) £44
JBB1339		Rear view mirror LH	(NC 2218) £44
CANE HOLDER			
JBB1312		Cane holder RH	(NC 2227, 2259) £42
JBB1363		Cane holder LH	(NC 2228, 2260) £42
WHEEL FENDERS			
JBB1416		Fender for Castors	£88
JBB1417		Fender for Drive wheels	£169
TRAY			
JBB1404		Tray, Swing Away RH	(NC 1707, 2217) £167
JBB1405		Tray, Swing Away LH	(NC 1708, 2218) £167

TOTAL PRICE			
-------------	--	--	--

Non Conforming Options:	
JBB2151	Black Nylon Fabric TR18
JBB2197	Long Ergonomic Armpad (397 mm)
JBB2203	DLX-REM211 (Drive & Actuators)
JBB1707	Swing Away RH Bracket
JBB1708	Swing Away LH Bracket
JBB2227	Bracket RH mounted for Attendant
JBB2228	Bracket LH mounted for Attendant
JBB2220	LiNX DLX-REM050 (Dual Control used as secondary remote)
JBB2219	LiNX DLX-ACU200 (Compact Dual Control)
JBB2259	Dual Control Standard Bracket RH
JBB2260	Dual Control Standard Bracket LH
JBB2217	Bracket RH, mounted for user
JBB2218	Bracket LH, mounted for user
JBB2291	Bracket RH, mounted for attendant
JBB2292	Bracket LH, mounted for attendant
JBB2273	DLX-IN200 Module (Jack port for external power button)
JBB1686	Yellow Buddy Button
JBB1687	Green Buddy Button
JBB1690	Blue Buddy Button
JBB2254	Egg Switch, black
JBB1711	Red Piko Button
JBB1712	Yellow Piko Button
JBB1713	Green Piko Button
JBB1714	Orange Piko Button
JBB1715	Blue Piko Button
JBB1716	Black Piko Button
JBB1294	Indoor setting, reduced speed approx. 3 km/h
JBB1908	10 km/h Package Always combined with LED Light system with Indicators, 30 Lux headlights
JBB1437	LED Light system with indicators 30 Lux headlights, included with 10km/h motors
JBB1254	Without Light system
JBB1312	Cane holder RH
JBB1363	Cane holder LH
JBB1404	Tray, Swing Away RH
JBB1405	Tray, Swing Away LH



For a more complex customer requirement,
please email: orders@invacare.com.au

Special Instructions

Please supply the following information:

Name:

Email:

Phone:

Description of special request (please include relevant option code or part number):