



Manual Retail Prescription Form

Yes, you can:

Tel: 01656 776222 Fax: 01656 776220
Email: ordersuk@invacare.com
Online Spares available at: www.invacare.co.uk

APRIL 2024
Customer Ref:

Customer Ref*	Account No*
Contact No*	Order No*
Delivery Address*	Order Qty*
	Order date*

Action 3NG MWP

Standard Features

- Max user weight 125kg (19.7 stone)
- Crash tested ISO 7176-Part 19
- Self Propulsion 22" or 24" quick release rear wheels
- Choice of 4 seat widths 17" - 20" (430mm to 505mm)
- Choice of 2 seat depths 16" or 18" (400mm or 450mm)
- Choice of 2 seat heights 18" (460mm) or 19" (485mm)
- Black nylon seat upholstery
- Folding 7° 430mm backrest
- Lumbar support padded backrest with shaped cover
- 80° Swing in/swing out legrest hangers
- Flip up footplates
- Swing away and detachable desk armrests
- Choice of 4 colours
- Pull to lock brakes
- Transportation kit and lap belt (adjustable both sides)
- Adjustable heel straps
- User tool kit

Standard Base price: £875



Please make your selection with a cross in the box Free of charge standard feature POA special request

Customer weight = KG

Code	Description	
BASE PRODUCT*		
CET0018	ACTION 3NG MWP (NC 1345)	<input type="radio"/>
CETSPEC	SPECIAL	POA
PROPULSION*		
CET0100	SELF PROPULSION	£875

SEAT WIDTH*			
CET0200		17" / 430 MM SEAT WIDTH	◆
CET0210		18" / 455 MM SEAT WIDTH	○
CET0220		19" / 480 MM SEAT WIDTH	○
CET0230		20" / 505 MM SEAT WIDTH	○
SEAT DEPTH*			
CET0240		16" / 400 MM SEAT DEPTH (NC 0879)	○
CET0250		18" / 450 MM SEAT DEPTH (NC 0878)	◆
CET0252		16" TO 18" / 400 TO 450 MM ADJUSTABLE SEAT DEPTH (NC 0330, 0350)	£21
SEAT HEIGHT*			
CET0270		19" / 485 MM SEAT HEIGHT	◆
CET0280		18" / 460 MM SEAT HEIGHT	○
SEAT UPHOLSTERY*			
CET0330		NYLON W/O HOOK AND LOOP STRIPS	◆
CET0340		NYLON WITH HOOK AND LOOP STRIPS	○
CET0345		TENSION ADJUSTABLE SEAT UPHOLSTERY & DEPTH ADJUSTABLE -50MM	○
CET0350		PADDED NYLON	£30
BACKREST - HEADREST / NECKREST RECOMMENDED WITH BACKRESTS 0445 AND 0450*			
CET0380		FIXED 0° BACKREST 2 HEIGHTS 16" / 400 MM or 17" / 430 MM (NC 0471, 0477, 0945)	○
CET0390		FIXED 0° BACKREST 20" / 510 MM HEIGHT (NC 0471, 0477, 0945)	○
CET0395		FIXED 7° BACKREST HT ADJ 15" / 380 MM TO 18" / 460 MM FIX PUSH HANDLES (NC 0474, 0477, 0481, 0905, 0906, 0907, 0940)	£67
CET0396		FIXED 7° BACKREST HEIGHT ADJUST 15" / 380 TO 18" / 460 MM HT ADJ PUSH HANDLES (NC 0474, 0477, 0481, 0905, 0906, 0907, 0940)	£80
CET0410		FIXED 7° BACKREST 2 HEIGHTS 16" / 400 or 17" / 430 MM FIX PUSH HANDLES (NC 0471, 0477, 0945)	◆
CET0420		FIXED 7° BACKREST 20" / 510 MM HEIGHT FIX PUSH HANDLES (NC 0471, 0477, 0945)	○
CET0425		FIXED 7° BACKREST 17" / 430 MM HEIGHT HT ADJ PUSHHANDLE (NC 0471, 0477, 0945)	£43
CET0428		FIXED 7° BACKREST ACTIVE 14" / 350 MM HT ADJ TO 16" / 400 MM FIX PUSH HANDLES (NC 0471, 0477, 0480, 0481, 0905, 0906, 0907, 0940)	○
CET0432		ANGLE ADJUSTABLE AND FOLD DOWN (-15° to +15°) 17" (NC 0465, 0471, 0474, 0480, 0481, 0882)	£86
CET0445		RECLINING (GAS SPRING) 0/30° BACKREST 3 HEIGHTS 15" - 17" (NC 0471, 0477, 0940, 0945)	£233
CET0450		RECLINING (GAS SPRING) 0/30° 18" - 20" (NC 0471, 0477, 0940, 0945)	£233
CET0455		FOLDING 7° BACKREST 17" (NC 0471, 0477, 0945)	£62
CET0460		FOLDING 7° BACKREST 20" (NC 0471, 0477, 0945)	£62
BACKREST UPHOLSTERY*			
CET0465		WITHOUT BACK UPHOLSTERY (NC 0882)	○
CET0471		STANDARD NYLON SLING (JEMIMA) (NC 0882, 0905, 0906, 0907)	○
CET0474		LUMBAR SUPPORT BI MATERIAL PADDED COVER	○
CET0477		CONTOUR ADJUSTABLE (3+1 STRAPS) BI MATERIAL PADDED COVER	£55
CET0480		CONTOUR ADJUSTABLE (7+1 STRAPS) PADDED SHAPED COVER INCL BACKBRACE (NC 0940, 0945)	£120
CET0481		CONTOUR ADJUSTABLE (7+1 STRAPS) BI MATERIAL PADDED COVER INCL BACKBRACE (NC 0940, 0945)	£120

LEGREST HANGER RH*				
CET0510		80° RH SWING IN/SWING OUT	(NC 1111, 66666)	◆
CET0520		ELEVATING LEGREST RH SWING IN/SWING OUT	(NC 0611, 0930, 0935, 0936, 66666)	£116
CET0545		AMPUTEE LEGREST RH	(NC 0600, 0610, 0611, 0930, 0936, 1111)	£133
LEGREST HANGER LH*				
CET0560		80° LH SWING IN/SWING OUT	(NC 2222)	◆
CET0570		ELEVATING LEGREST LH SWING IN/SWING OUT	(NC 0611, 0930, 0935, 0936, 55555)	£116
CET0595		AMPUTEE LEGREST LH	(NC 0611, 0620, 0630, 0930, 0936, 1111)	£133
FOOTREST RH*				
CET0600		FLIP UP RH FOOTPLATE	(NC 0937, 0938)	◆
CET0610		FLIP UP DEPTH AND ANGLE AJUSTABLE RH FOOTPLATE - NB: IF SELECTED WITH A FIXED FOOTREST - FOOTPLATE WILL BE ANGLE AND DEPTH ADJ AND COMPATIBLE WITH ANKLE HUGGERS. IF SELECTED WITH AN ELEVATING LEGREST - FOOTPLATE WILL BE ANGLE, DEPTH AND WIDTH ADJ - NOT COMPATIBLE WITH ANKLE HUGGERS.		£43
SWO1111		FLIP UP DEPTH AND ANGLE ADJUSTABLE RH FOOTPLATE - NB: COMPATIBLE WITH ANKLE HUGGERS (FOR ELEVATING LEGRESTS ONLY)		£43
CET0611		FLIP UP ONE PIECE	(NC 0620, 0630, 0935, 0936, 0937)	£78
CET66666		NO FOOTREST		○
FOOTREST LH*				
CET0620		FLIP UP LH FOOTPLATE	(NC 0937, 0938)	◆
CET0630		FLIP UP DEPTH AND ANGLE AJUSTABLE LH FOOTPLATE - NB: IF SELECTED WITH A FIXED FOOTREST - FOOTPLATE WILL BE ANGLE AND DEPTH ADJ AND COMPATIBLE WITH ANKLE HUGGERS. IF SELECTED WITH AN ELEVATING LEGREST - FOOTPLATE WILL BE ANGLE, DEPTH AND WIDTH ADJ - NOT COMPATIBLE WITH ANKLE HUGGERS.		£43
SWO2222		FLIP UP DEPTH AND ANGLE ADJUSTABLE RH FOOTPLATE - NB: COMPATIBLE WITH ANKLE HUGGERS (FOR ELEVATING LEGRESTS ONLY)		£43
CET55555		NO FOOTREST		○
ARMREST RH*				
CET0660		SWING AWAY DETACHABLE RH (N°2) DESK 240 MM HEIGHT	(NC 0780, 0790)	◆
CET0670		SWING AWAY DETACHABLE RH (N°2) FULL LENGTH 240 MM HEIGHT	(NC 0780, 0790)	○
CET0680		SWING AWAY DETACHABLE RH (N°3) DESK ADJ. IN HEIGHT (170-295 MM)	(NC 0760, 0770)	£56
CET0690		SWING AWAY DETACHABLE RH (N°3) FULL LENGTH ADJ. IN HEIGHT (170-295 MM) AND DEPTH	(NC 0760, 0770)	£56
ARMREST LH*				
CET0760		SWING AWAY DETACHABLE LH (N°2) DESK ARM		◆
CET0770		SWING AWAY DETACHABLE LH (N°2) FULL ARM		○
CET0780		SWING AWAY DETACHABLE LH (N°3) DESK ARM		£56
CET0790		SWING AWAY DETACHABLE LH (N°3) FULL ARM		£56

SEAT CUSHION			
CET0849		BASIC 50 MM FOAM CUSHION - NYLON AND ANTI-SLIP COVER	£24
CET0869		MATRX FLO-TECH LITE CUSHION - Low Risk	£121
CET0871		MATRX FLO-TECH CONTOUR VISCO CUSHION - High Risk	£169
CET0873		MATRX FLO-TECH IMAGE CUSHION - High Risk	£288
CET0874		MATRX FLO-TECH SOLUTION XTRA CUSHION - High Risk	£398
CET0876		MATRX LIBRA CUSHION - Very High Risk	£410
SEAT CUSHION DEPTH			
CET0878		FOR 400 MM SEAT DEPTH	○
CET0879		FOR 450 MM SEAT DEPTH	○
OTHER SEATING OPTIONS			
CET0852		SEAT RIGIDIZER	£39
CET0882		LATERAL POSITIONING PADS (PAIR)	£61
CET0905		NECKREST BLACK MULTI STRETCH PU COATED FABRIC (NC 0906, 0907, 0940, 0945)	£131
CET0906		HEADREST BLACK MULTI STRETCH PU COATED FABRIC (NC 0907, 0940, 0945)	£159
CET0907		HEADREST WITH CHEEK SUPPORT BLACK MULTI STRETCH PU COATED FABRIC (NC 0940, 0945)	£183
SWO3333		MULT ADJUSTABLE LATERALS	£284
CET0930		CALF STRAP	○
CET0935		LONGER FOOTREST TUBE	£30
CET0936		SHORTER FOOTREST SUPPORT	£42
CET0937		BODYPOINT ANKLE HUGGERS (PAIR) SIZE M - UNMOUNTED	£114
CET0938		BODYPOINT ANKLE HUGGERS (PAIR) SIZE L - UNMOUNTED	£114
CET0940		BACKBRACE (NC 0945)	£34
CET0945		FOLDABLE BACKBRACE	£38
COLOUR*			
CET0961		SLATE GREY (RAL7024 FINE TEXTURE)	○
CET0966		MATT BLACK	○
CET0969		RED MATT	○
CET0991		SPECIAL COLOUR ON DEMAND ONLY	£169
SWO4444		DARK RED - SPECIAL	£169
SWO5555		PEARL GREY - SPECIAL	£169
SWO6666		INTENSE YELLOW	£169
SWO7777		VIBRANT ORANGE	£169
SWO8888		POLAR BLUE	£169
SWO9999		CANDY PINK	£169
CASTOR HOUSING*			
CET0995		STANDARD	◆
CET0996		LIGHT WEIGHT	£28
FRONT CASTORS*			
CET1050		6" X 1.1/4" BLACK SOLID TYRE	◆

REAR WHEEL SIZE*			
CET1066	<input type="checkbox"/>	22"	(NC 1092, 1260) <input type="radio"/>
CET1068	<input type="checkbox"/>	24"	(NC 1261) <input checked="" type="radio"/>
REAR WHEELS*			
CET1071	<input type="checkbox"/>	STANDARD (BASIC) (BLACK HUB, COLORLESS RIM AND ZINC PLATTED SPOKES)	(NC 1092, 1170) <input checked="" type="radio"/>
CET1072	<input type="checkbox"/>	SELF-PROPEL REINFORCED REAR WHEEL	(NC 1092) £23
CET1076	<input type="checkbox"/>	LIGHTWEIGHT	(NC 1170, 1230, 1260, 1261) £59
TYRES*			
CET1082	<input type="checkbox"/>	SOLID BLACK 1.3/8" / 35MM	<input checked="" type="radio"/>
CET1084	<input type="checkbox"/>	PNEUMATIC PROFILE BLACK 1.3/8" / 35MM	£21
CET1088	<input type="checkbox"/>	PNEUMATIC LOW PROFILE BLACK 1" / 25MM	<input type="radio"/>
CET1092	<input type="checkbox"/>	PNEUMATIC AND PUNCTURE RESISTANT MAXXIS ALPHA PROTECT TYRE 1" / 25 MM	£39
HANDRIM*			
CET1140	<input type="checkbox"/>	ALUMINIUM PRE-ANODIZED HANDRIM	<input checked="" type="radio"/>
CET1150	<input type="checkbox"/>	HANDRIM COATED IN BLACK ANTI-SLIP PLASTIC	£34
REAR WHEEL AXLE*			
CET1170	<input type="checkbox"/>	FIXED AXLE	<input type="radio"/>
CET1180	<input type="checkbox"/>	Q/R AXLE	<input checked="" type="radio"/>
REAR WHEEL POSITION*			
CET1195	<input type="checkbox"/>	MID WHEEL PROPULSION REAR WHEEL POSITION	<input checked="" type="radio"/>
PUMP			
CET1230	<input type="checkbox"/>	PUMP AND SUPPORT	£14
CHASSIS OPTION			
CET1241	<input type="checkbox"/>	FRONT WHEELS EXTENSION	£22
CET1260	<input type="checkbox"/>	SPOKE GUARDS PAIR 24" BLK	(NC 1261) £78
CET1261	<input type="checkbox"/>	SPOKE GUARDS PAIR 560 AND 515 MM (22" AND 20") CLR	£98
SWO10001	<input type="checkbox"/>	SPOKE GUARDS PAIR 24" CLR	£98
BRAKES*			
CET1272	<input type="checkbox"/>	MID WHEEL PROPULSION PULL TO LOCK BRAKES	<input checked="" type="radio"/>
TRANSPORTATION KIT*			
CET1345	<input type="checkbox"/>	TRANSPORTATION BRAKETS	<input checked="" type="radio"/>
SAFETY OPTIONS*			
CET1360	<input type="checkbox"/>	LAP BELT	<input checked="" type="radio"/>
OTHER OPTIONS			
SWO10002	<input type="checkbox"/>	ABDUCTED LEGRESTS (PR) 0° TO 30° - INTERNAL REFERENCE DE259618	£107
1595002	<input type="checkbox"/>	ViaGo Push aid. Includes as standard: Drive Unit, Charger, Control unit & Brackets (Note: 10 minute fitting time)	£1,995

TOTAL PRICE	
--------------------	--

Non Conforming Options:

CET0330	NYLON W/O HOOK AND LOOP STRIPS
CET0350	PADDED NYLON
CET0465	WITHOUT BACK UPHOLSTERY
CET0471	STANDARD NYLON SLING (JEMIMA)
CET0474	LUMBAR SUPPORT BI MATERIAL PADDED COVER
CET0477	CONTOUR ADJUSTABLE (3+1 STRAPS) BI MATERIAL PADDED COVER
CET0480	CONTOUR ADJUSTABLE (7+1 STRAPS) PADDED SHAPED COVER INCL BACKBRACE
CET0481	CONTOUR ADJUSTABLE (7+1 STRAPS) BI MATERIAL PADDED COVER INCL BACKBRACE
CET0600	FLIP UP RH FOOTPLATE
CET0610	FLIP UP DEPTH AND ANGLE AJUSTABLE RH FOOTPLATE - NB: IF SELECTED WITH A FIXED FOOTREST - FOOTPLATE WILL BE ANGLE AND DEPTH ADJ AND COMPATIBLE WITH ANKLE HUGGERS. IF SELECTED WITH AN ELEVATING LEGREST - FOOTPLATE WILL BE ANGLE, DEPTH AND WIDTH ADJ - NOT COMPATIBLE WITH ANKLE HUGGERS.
SWO1111	FLIP UP DEPTH AND ANGLE ADJUSTABLE RH FOOTPLATE - NB: COMPATIBLE WITH ANKLE HUGGERS (FOR ELEVATING LEGRESTS ONLY)
CET0611	FLIP UP ONE PIECE
CET66666	NO FOOTREST
CET0620	FLIP UP LH FOOTPLATE
CET0630	FLIP UP DEPTH AND ANGLE AJUSTABLE LH FOOTPLATE - NB: IF SELECTED WITH A FIXED FOOTREST - FOOTPLATE WILL BE ANGLE AND DEPTH ADJ AND COMPATIBLE WITH ANKLE HUGGERS. IF SELECTED WITH AN ELEVATING LEGREST - FOOTPLATE WILL BE ANGLE, DEPTH AND WIDTH ADJ - NOT COMPATIBLE WITH ANKLE HUGGERS.
SWO2222	FLIP UP DEPTH AND ANGLE ADJUSTABLE RH FOOTPLATE - NB: COMPATIBLE WITH ANKLE HUGGERS (FOR ELEVATING LEGRESTS ONLY)
CET55555	NO FOOTREST
CET0760	SWING AWAY DETACHABLE LH (N°2) DESK ARM
CET0770	SWING AWAY DETACHABLE LH (N°2) FULL ARM
CET0780	SWING AWAY DETACHABLE LH (N°3) DESK ARM
CET0790	SWING AWAY DETACHABLE LH (N°3) FULL ARM
CET0878	FOR 400 MM SEAT DEPTH
CET0879	FOR 450 MM SEAT DEPTH
CET0882	LATERAL POSITIONING PADS (PAIR)
CET0905	NECKREST BLACK MULTI STRETCH PU COATED FABRIC
CET0906	HEADREST BLACK MULTI STRETCH PU COATED FABRIC
CET0907	HEADREST WITH CHEEK SUPPORT BLACK MULTI STRETCH PU COATED FABRIC
CET0930	CALF STRAP
CET0935	LONGER FOOTREST TUBE
CET0936	SHORTER FOOTREST SUPPORT
CET0937	BODYPOINT ANKLE HUGGERS (PAIR) SIZE M - UNMOUNTED
CET0938	BODYPOINT ANKLE HUGGERS (PAIR) SIZE L - UNMOUNTED
CET0940	BACKBRACE
CET0945	FOLDABLE BACKBRACE
CET1092	PNEUMATIC AND PUNCTURE RESISTANT MAXXIS ALPHA PROTECT TYRE 1" / 25 MM
CET1170	FIXED AXLE
CET1230	PUMP AND SUPPORT
CET1260	SPOKE GUARDS PAIR 24" BLK
CET1261	SPOKE GUARDS PAIR 560 AND 515 MM (22" AND 20") CLR
CET1345	TRANSPORTATION BRAKETS



For a more complex customer requirement please refer to our Invacare Unique special order form. email specialsuk@invacare.com or Fax: 01656 776220

Special Instructions

Please supply the following information:

Name: _____ Email: _____

Phone: _____ Fax: _____

Description of special request (please include relevant option code or part number):