## NVACARE Yes, you can:

| Tel: 01656 776222 Fax: 01656 776220<br>Email: ordersuk@invacare.com<br>Online Spares available at: www.invacare.co.uk | APRIL 2024<br>Customer Ref: |
|---|-----------------------------|
| Customer Ref*   | Account No*                 |
| Contact No*   | Order No*                   |
| Delivery Address*   | Order Qty*                  |
|   | Order date*                 |

## **TDX SP2 HD Modulite**

## **Standard Features**

- Max user weight up to 180kg (28 stone) .
- Crash tested ISO 7176 -Part 19
- Compact, manoeuvrable, CWD TDX SP2 Heavy Duty
- Telescopic adjustable Seat Widths from 330mm 530mm (13" - 21") with an additional 50mm, (2") by arms
- Seat Depths 410mm 560mm Stepless Adjustment (16" - 22")
- Tension Adjustable backrest
- Standard T-Armrests, detachable with Short armpad
- Manual settable seat Tilt 0° 20°
- Manual settable backrest Recline 0° 30°, in 3.75° . steps
- Standard 80° hangers with fixed footplate •
- LiNX Control REM110 with standard bracket .
- Selection of 10 Stunning Shroud and Rim colours
- Centre (Driving Wheels) 355mm x 76mm (14" x 3") • Black Tyres

Please make your selection with a cross in the box

special section)

- Suspension and Sure Step Technology
- 6 km/h (4mph) 4 Pole Motors
- 8A (200 250V) Charger .
- 73.5 Ah Batteries
- 4 Point tie down system
- Lapbelt with autolock (adjustable both sides)
  - Standard Base price: £5,382

Special TDX SP2 Heavy Duty (Please provide details in

| Q'STRAINT<br>OCCUPATION<br>Compatible |  |
|---------------------------------------|--|

standard feature POA special request

| L            |             |          |
|--------------|-------------|----------|
| Customer wei | ght =       | KG       |
|              | -           |          |
|              |             |          |
|              |             |          |
| Code         | Description |          |
| CHAIR TYPE*  |             |          |
|              |             |          |
| ARJ0000      | TDX SP2 Hea | avy Duty |

٠

**O** Free of charge

ARZ0001

POA

| User Weight* |  |   |          |
|--------------|--|---|----------|
| ARJ1918      | User weight less 100 kg  |   | 0        |
| ARJ1919      | User weight 101 to 125 kg  |   | O        |
| ARJ1921      | User weight 126 to 136 kg  |   | O        |
| ARJ1922      | User weight 137 to 150 kg  | (NC 1092)   | 0        |
| ARJ1923      | User weight 151 to 160 kg  | (NC 2192, 2193, 2194, 1092)                               | O        |
| ARJ1924      | User weight 161 to 180 kg  | (NC 2192, 2193, 2194, 1092, 1093, 1094, 1909)             | O        |
| SEATING TYPE | *  |   |          |
| ARJ2100      | Modulite Seating unit  |   | •        |
| SEAT FRAME   | AND SEAT PLATE*  |   |          |
| ARJ2111      | Telescopic Seat Frame with metal seat plate (with stepless adjustment on armrests, legrests and backrest)  |   | •        |
| SEAT WIDTH*  |  |   |          |
| ASJXXXX      | Seat width 330mm (13") seat width achieved on a 380mm seat frame (2121) with inrigged armrests (2183)  |   | O        |
| ARJ2121      | Set at 380mm (15") (adjustable from 380mm to 430mm (15" - 17") with stepless adjustment on armrests, legrests and backrest) (NC 2138 + 2142)             | (NC 2143, 2701, 2703, 2705)                               | O        |
| ARJ2122      | Set at 430mm (17") (adjustable from 430mm to 480mm (17" - 19) with stepless adjustment on armrests, legrests and backrest) (NC 2138 + 2142)              | (NC 2703, 2705)   | O        |
| ARJ2123      | Set at 480mm (19") (adjustable from 480mm to 530mm (19" - 21") with stepless adjustment on armrests, legrests and backrest) (NC 2138 + 2142)             | (NC 2702, 2704, 2706)                                     | O        |
| ARJ2124      | Set at 530mm (21") (adjustable from 530mm to 580mm (21" - 23") with stepless adjustment on armrests, legrests and backrest)                              | (NC 2174, 2175, 2176, 2177, 2178, 2143, 2702, 2704, 2706) | O        |
| Body Fit Kit |  |   |          |
| UNI2106      | Body fit Kit Outrigging Backrest Brackets and Pivot<br>Point (outrig: 1 inch/2,54 cm per side)   | (NC 2124, 2192, 2194)                                     | 0        |
| SEAT DEPTH R | AIL LENGTH*  |   |          |
| ARJ2129      | Standard Depth Package (16" - 20", 410mm - 510mm simple stepless adjustment from the side)   | (NC 2138)   | 0        |
| ARJ2130      | Extended Depth Package (20" - 22", 510mm - 560mm simple stepless adjustment from the side)   | (NC 2132, 2134)   | <b>O</b> |
| SEAT DEPTH S | ETTING*  |   |          |
| ARJ2132      | 410mm (16") (410mm - 510mm simple stepless<br>adjustment from the side)  | (NC 2196, 2197, 2701, 2702, 2703, 2704, 2705, 2706)       | O        |
| ARJ2134      | 460mm (18") (410mm - 510mm simple stepless<br>adjustment from the side)  |   | 0        |
| ARJ2136      | 510mm (20") (410mm - 510mm simple stepless adjustment from the side)   |   | 0        |
| ARJ2138      | 560mm (22") (510mm - 560mm simple stepless<br>adjustment from the side) (Cushion (option 2142) is<br>only available with Seat Width (option 2124) 530mm) | (NC 2143)   | O        |
| SEAT OPTION  |  |   |          |
| ARJSWO       | "H" Frame Interface Kit  |   | £446     |
| SEAT CUSHION | 1*   |   |          |
| ARJ2142      | Matrx Flo-tech Lite  |   | £112     |
| ARJ2143      | Matrx Flo-tech Contour Visco (17x17 only)  | (NC 2136, 2121, 2124, 2138)                               | £112     |
| ARJ2147      | Matrx Libra 90mm thick   |   | £391     |
| ARJ2140      | Without seat cushion   |   | O        |
| BACKREST SU  | PPORT*   |   |          |
| ARJ2162      | Backposts 540mm (Tall) must be selected for Flex3 adjustable backrest plates   |   | •        |
| ARJ2163      | Backposts 480mm (Short)  | (NC 2173)   | О        |
|              |  |   |          |

| ARJ2107      | Backposts WITH push handles  |   | •    |
|--------------|--|---|------|
| ARJ2108      | Backposts WITHOUT push handles, Push handles will be cut down on the vertical section.   | (NC 1332, 2220, 2219, 2245, 2227, 2228)                   | £36  |
| BACKREST UP  | HOLSTERY / CUSHION*  |   |      |
| ARJ2171      | Tension Adjustable Backrest (540mm or 480mm<br>upholstery height) Straps easily accessible and<br>adjustable from the rear (Black fabric only) | (NC 1445, 1496, 2155, 2230, 2247)                         | *    |
| ARJ2179      | Flex3 Tension Adjustable (540mm or 480mm) Black<br>Dartex only   | (NC 2151, 2192, 2193, 2194, 2199, 2155, 2230, 2247, 2128) | £139 |
| ARJ2172      | Flex3 adjustable Backrest Plates<br>(without Backrest Cushion)   | (NC 2163, 2128)   | £224 |
| ARJ2173      | Flex3 adjustable Backrest Plates with Laguna Backrest cushion  | (NC 2163, 2128)   | £363 |
| ARJ2174      | Matrx Posture Back, height 400mm (Mesh fabric)   | (NC 1496, 2124)   | £496 |
| ARJ2175      | Matrx Posture Back, height 500mm (Mesh fabric)   | (NC 1496, 2124)   | £496 |
| ARJ2176      | Matrx Elite Back, height 500mm (Mesh fabric)   | (NC 1496, 2124)   | £496 |
| ARJ2177      | Matrx Elite TR Back, height 500mm (Mesh fabric)  | (NC 1496, 2124)   | £496 |
| ARJ2178      | Matrx Elite Deep Back, height 500mm (Mesh fabric)  | (NC 1496, 2124)   | £550 |
| ARJ2170      | Without Backrest Upholstery  | (NC 1496, 2230, 2247)                                     | 0    |
|              | COLOUR*  |   |      |
| ARJ2151      | Black fabric   |   | •    |
| ARJ2152      | Black multi stretch PU coated fabric   | (NC 2171)   | 0    |
| ARJ2155      | Black Spacer fabric  | (NC 2171, 2179)   | 0    |
| ARZ1002      | Without backrest upholstery (for option 2170)  | (NC 2179, 2172, 2173, 2174, 2175, 2176, 2177, 2178)       | 0    |
| ARMREST*     |  |   |      |
| ARJ2191      | T-Armrest Standard, Range of adjustment from seat plate 245mm to 315mm   |   | *    |
| ARJ2181      | T-Armrest Extended height, Range of adjustment from seat plate 295mm - 365mm.  |   | £36  |
| ARJ2183      | In-rigged Armrests (reduces seat width by 25mm each side)  | (NC 2185, 2186, 2187, 2188, 2189)                         | £25  |
| ARJ2193      | Flip-up Armrest (height and depth adjustable) (height<br>adjustable from 230mm - 360mm) 150 kg max user<br>weight                              | (NC 2176, 2199)   | £58  |
| ARJ2192      | Following Armrest (height adjustable from 230mm -<br>300mm) 150 kg max user weight   | (NC 1445, 2179)   | £166 |
| ARJ2194      | Following Armrest (height adjustable from 300mm - 360mm) 150 kg max user weight  | (NC 1445, 2179)   | £166 |
| ARMPAD*      |  |   |      |
| ARJ2195      | Short Armpad (325mm)   |   | •    |
| ARJ2196      | Long Armpad (375mm)  |   | 0    |
| ARJ2197      | Long Ergonomic Armpad (397mm)  | (NC 2247)   | 0    |
| ARJ2199      | Soft Armpad (REA Azalea Wide Pad)  |   | £86  |
|              | LH (Not available with 410mm seat depth and Manual Cen   | itre legrests)  |      |
| ARJ2184      | SMALL 140mm x 100mm, for flip up and following armrests only   | (NC 2702, 2703, 2704, 2705, 2706)                         | £226 |
| ARJ2186      | MEDIUM 230mm x 100mm, for flip up and following armrests only  | (NC 2702, 2703, 2704, 2705, 2706)                         | £226 |
| ARJ2188      | LARGE 330mm x 100mm, for flip up and following armrests only   | (NC 2702, 2703, 2704, 2705, 2706)                         | £226 |
| HIP SUPPORTS | RH (Not available with 410mm seat depth and Manual Cen   | ntre legrests)  |      |
| ARJ2185      | SMALL 140mm x 100mm, for flip up and following armrests only   | (NC 2702, 2703, 2704, 2705, 2706)                         | £226 |
|              | MEDIUM 230mm x 100mm, for flip up and following  | (NC 2702, 2703, 2704, 2705, 2706)                         | £226 |
| ARJ2187      | armrests only  |   |      |

Subject to Invacares standard terms and conditions. Invacare reserve the right to alter product specification without prior notice

| ARJ2165       | Mounting hardware for hip supports (8.1" / 206mm   |                       | 0      |
|---------------|--|-----------------------|--------|
|               | high)  |                       | 9      |
| HEADREST / NI | ECKREST - Adequate headrest option must be selected*   |                       |        |
| ARJ1350       | Neckrest height and depth adjustable   | (NC 2247)             | £72    |
| ARJ1432       | Headrest, height, depth and sideways adjustable  | (NC 2247)             | •      |
| ARJ1427       | Headrest with cheek support, height and depth adjustable   | (NC 2247)             | £203   |
| ARJ2324       | Elan Standard Pad 355mm (10") wide with standard cover complete with Elan Headrest Hardware  | (NC 2247)             | £294   |
| ARJ2325       | Elan Occipital Pad 230mm x 180mm (9" x 7") with standard cover complete with Elan Headrest Hardware  | (NC 2247)             | £294   |
| ARJ2327       | Elan 4 Point Headrest Pad 280mm x 255mm (11" x 10")<br>with standard cover complete with Elan Headrest<br>Hardware   | (NC 2247)             | £396   |
| ARJ1496       | All bracketry as option 1432 without headrest cushion  |                       | 0      |
| ARJ1495       | Push bar dia. 22mm in conjunction with telescopic seat frame/backposts, No Headrest - no mounting hardware.  |                       | O      |
| LATERAL SUPP  | PORT   |                       |        |
| ARJ1445       | Multi-adjustable pad (Azalea type, Dartex)   | (NC 2171)             | £149   |
| SEAT LIFTER / | SEAT TILT*   |                       |        |
| ARJ1091       | Manually settable Seat Tilt (0°- 20°)  |                       | •      |
| ARJ1092       | Powered "fixed pivot" Tilt 20° (Max User weight 136kg)   |                       | £362   |
| ARJ1095       | Powered "fixed pivot" Tilt 20°, heavy duty (Max User weight 180kg)   |                       | £362   |
| ARJ1093       | Electric Tilt (0° - 30°) with CoG shift Seat Height<br>460mm (160KG max user weight)   |                       | £961   |
| UNI9254       | Electric Tilt (0°-50°) with COG shift Seat height 460mm  | (NC 0354, 0364, 2201) | £1,322 |
| ARJ1094       | Seat lifter with Electrical Tilt (300mm, 30°) with CoG<br>shift Seat Height 460mm - 490mm (160KG max user<br>weight)   |                       | £1,696 |
| UNI9255       | Seat lifter with Electrical Tilt (300mm, 45°) with CoG shift Seat Height 460mm   | (NC 0354, 0364, 2201) | £2,359 |
| SEAT HEIGHT   | SETTING*   |                       |        |
| ARJ0354       | Seat height set at 450mm (17.75") (from floor to front of seat plate at $0^{\circ}$ tilt)  | (NC 1094)             | 0      |
| ARZ1003       | Seat height set at 460mm (18") (from floor to front of seat plate at 0° tilt)  | (NC 1092, 1095)       | O      |
| ARJ0364       | Seat height set at 475mm (18.75") (from floor to front of seat plate at 0° tilt)   | (NC 1093, 1094)       | O      |
| SEAT TILT OPT | ION  |                       |        |
| ARJ2054       | $5^\circ$ Fixed Anterior Tilt Assist mount (will reduce max tilt by $5^\circ)$   | (NC 1092, 1095)       | £361   |
| BACKREST RE   | CLINER*  |                       |        |
| ARJ0975       | Manual Settable Recliner (0° - 30°, in 3.75° steps)<br>Foldable  |                       | *      |
| ARJ0977       | Powered Recliner (0° - 30°) Foldable   |                       | £453   |
| CENTRE MOUN   | IT LEGREST*  |                       |        |
| ARJ0556       | Centre Mounted: Manual : Hanger, centre mounted,<br>angle settable (0° - 90°) : knee to heel length 390 -<br>510mm, (including calf pad and angle adjustable<br>footplate)                                       | (NC 0504, 0513)       | £334   |
| ARJ0589       | Centre Mounted : LNX Powered: Centre mounted legrest, length compensating (including calf pad and angle adjustable footplate)  | (NC 0504, 0513)       | £1,470 |
| UNI0592       | LNX Power centre mount legrest with telescoping foot<br>platform (lowers to the ground) inc calf pads: Length<br>380-419mm (Selectable length depends on STF height)<br>Custom-made, requires customised setting | (NC 0512, 0504)       | £2,417 |
| ARX9260       | Without Centre mount Legrest   |                       | 0      |

| FOOTREST HA |   |   |      |
|-------------|---|---|------|
| ARJ0526     | Side Mounted : Standard 80° hangers   | (NC 0559, 0556, 0589)   | •    |
| ARJ0503     | Side Mounted : Vari F : Angle adjustable with tools 0° - 70°, length 290mm - 460mm                      | (NC 0556, 0589)   | £107 |
| ARJ0533     | Side Mounted : Vari A : Angle adjustable with hand wheel 0° - 70°, length 290mm - 460mm                 | (NC 0559, 0556, 0589)   | £210 |
| ARJ0531     | Side Mounted : ADE Powered : Angle adjustable powered by joystick, 0° - 80° length 290mm - 460mm        | (NC 0513, 0559, 0556, 0589)   | £600 |
| ARJ0501     | Without Hanger  | (NC 0504, 0513)   | 0    |
| AMPUTEE SUP | PORT  |   |      |
| ARJ0554     | Amputee Support RH (this replaces the RH hanger)  |   | £174 |
| ARJ0555     | Amputee Support LH (this replaces the LH hanger)  |   | £174 |
| FOOTPLATE T | /PE*  |   |      |
| ARJ0512     | Fixed Footplate   | (NC 0533, 0556, 0589, 0501)   | О    |
| ARJ0504     | Angle Adjustable Footplate  | (NC 0589, 0501)   | £66  |
| ARJ0513     | Angle and depth adjustable Footplate (Adapt)  | (NC 0589, 0501)   | £106 |
| ARJXXXX     | Without footplates for option 0501 without hanger   | (NC 0503, 0533, 0531)   | 0    |
| CENTRE MOUN | IT FOOTPLATES / FOOT PLATFORM*  |   |      |
| ARJ2365     | Angle Adjustable Footplates Small 127mm x 190mm<br>(5" x 7.5") for Centre Mounted Hanger only           | (NC 0503, 0533, 0531)   | £93  |
| ARJ0559     | Angle Adjustable Footplate Medium 140mm x 240mm (5.5" x 9.5") for Centre Mounted Hanger only            | (NC 0503, 0533, 0531)   | 0    |
| ARJ0516     | Angle Adjustable Footplates Large 150mm x 290mm<br>(6" x 11.5") for Centre Mounted Hanger only          | (NC 0503, 0533, 0531)   | £121 |
| ARJ0517     | Angle Adjustable foot platform Medium 305mm x<br>275mm (12" x 10.75") for Centre Mounted Hanger only    | (NC 0526, 0503, 0533, 0531)   | £243 |
| UNI0559     | Angle & width adjustable footplate (240mm depth)  | (NC 0526, 0503, 0533, 0531, 0556, 0589)   | 0    |
| UNI0516     | Angle & width adjustable footplates (290mm depth)   | (NC 0526, 0503, 0533, 0531, 0503, 0556, 0589)   | £121 |
| UNI0517     | Angle adjustable foot platform (240mm depth, 305mm width)   | (NC 0526, 0503, 0533, 0531, 0504, 0556, 0589)   | £243 |
| ARX9259     | Without Centre mount Footplate  |   | 0    |
| CONTROLS*   |   |   |      |
| ARJ2201     | REM110 Drive only   | (NC 1095, 1093, 1094, 0977, 0589, 0531, 2209, 2210, 2213, 2214, 2230, 2247, 2233, 2240, 2270, 2219, 2245, 2258, 1909) | •    |
| ARJ2203     | REM211 Drive & Actuators  | (NC 2209, 2210, 2213, 2214, 2231, 2232, 2230, 2247, 2233, 2240, 2270, 2258, 1909)                                     | 0    |
| ARJ2204     | REM216 Drive, Actuators & Lights  | (NC 2210, 2213, 2214, 2231, 2232, 2230, 2247, 2233, 2240, 2270, 2258)   | £137 |
| ARJ2205     | REM400, touch-screen Interface, built in Bluetooth HID  | (NC 2210, 2213, 2215)   | £305 |
| ARJ2206     | REM500, without joystick for alternative access, built in Bluetooth HID (Secondary User input required) | (NC 1208, 1707, 1708, 2227, 2228, 2270)   | £695 |
| CONTROL BRA | CKETRY*   |   |      |
| ARJ1207     | Standard Bracket RH   |   | 0    |
| ARJ1208     | Standard Bracket LH   |   | O    |
| ARJ1707     | Swing Away RH Bracket   |   | £119 |
| ARJ1708     | Swing Away LH Bracket   |   | £119 |
| ARJ2227     | Bracket RH mounted for Attendant  |   | £57  |
| ARJ2228     | Bracket LH mounted for Attendant  |   | £57  |
| ARJ2209     | REM500 Swing away RH multi-adjustable Bracket   | (NC 2203, 2204, 2205)   | O    |
| ARJ2210     | REM500 Swing away LH multi-adjustable Bracket   | (NC 2203, 2204, 2205)   | 0    |
| ARJ2213     | REM500 Centre mount swing away to RH Nucleus<br>Bracket   | (NC 2203, 2204, 2205)   | £446 |
| ARJ2214     | REM500 Centre mount swing away to LH Nucleus<br>Bracket   | (NC 2203, 2204, 2205)   | £446 |
| ARZ2239     | Individual mounting option per (special) - Requires additional information / specification              |   | POA  |
|             |   |   |      |

| ARJ2270     | Assignable Toggle Switch Module for REM400, (as  | (NC 2203, 2204)   | £284   |
|-------------|--|---|--------|
|             | default set to left ON / OFF, right speed dial)  | (   | 220    |
|             | L & BRACKETS (Requires REM400 or REM500)   |   |        |
| UNI9250     | Mo-vis Micro joystick  |   | PO     |
| UNI9251     | Mo-vis Multi joystick  |   | PO     |
| ARJ1289     | Chin Control Swing Away Bracket RH Manual  | (NC 2203, 2204, 2205, 2171, 2179)   | C      |
| ARJ1288     | Chin Control Swing Away Bracket LH Manual  | (NC 2203, 2204, 2205, 2171, 2179)   | C      |
| ARJ1287     | Chin Control Swing Away Bracket RH Powered   | (NC 2203, 2204, 2205, 2227, 1404, 1415, 1312, 2171, 2179)                   | £2,25  |
| ARJ1286     | Chin Control Swing Away Bracket LH Powered   | (NC 2203, 2204, 2205, 2228, 1405, 1339, 1363, 2171, 2179)                   | £2,25  |
| DUAL CONTRO | L  |   |        |
| ARJ2220     | REM050 Dual Control (Please select user control and bracket) (Please select dual control bracket below)                                    | (NC 1221, 1222, 2227, 2228, 2205, 2206, 2245, 2128, 2230, 2247, 2233, 2240) | £35    |
| ARJ2219     | Compact Dual Control (DLX-ACU200) (Please select<br>user control and bracket) (Please select dual control<br>bracket below)                | (NC 1222, 2227, 2228, 2245, 2128, 2201)                                     | £35    |
| DUAL CONTRO | L BRACKETRY  |   |        |
| ARJ1207     | Dual Control Standard Bracket RH   |   | C      |
| ARJ1208     | Dual Control Standard Bracket LH   |   | C      |
|             |  |   |        |
| ARJ2245     | Invacare IDC Dual control (Please select IDC dual control bracket below)   | (NC 2219, 2227, 2228, 2128, 2201)   | £67    |
|             | DUAL CONTROL BRACKETRY   |   |        |
| ARJ1221     | IDC Dual control Detachable Bracket RH   | (NC 2219, 2227, 2228)   | C      |
| ARJ1222     | IDC Dual control Detachable Bracket LH   | (NC 2219, 2227, 2228)   | C      |
|             | Γ REMOTE   |   |        |
| ARJ2231     | Proportional Compact Remote DLX-CR400 (Requires<br>Remote REM400 or REM500) (Please select<br>Proportional Bracket)                        | (NC 2203, 2204)   | £74    |
| ARJ2232     | Proportional Compact Remote Low Force DLX-<br>CR400LF (Requires Primary Remote REM400 or<br>REM500) (Please select Proportional Bracketry) | (NC 2203, 2204)   | £99    |
|             | REMOTE BRACKET   |   |        |
| ARJ2207     | Proportional Compact RH Mount Bracket  | (NC 2203, 2204)   | C      |
| ARJ2208     | Proportional Compact LH Mount Bracket  | (NC 2203, 2204)   | C      |
| ARJ2213     | Proportional Compact Centre Mount swing away to RH (Nucleus)   | (NC 2203, 2204)   | £44    |
| ARJ2214     | Proportional Compact Centre Mount swing away to LH (Nucleus)   | (NC 2203, 2204)   | £44)   |
| ARZ2215     | Individual mounting option per request (Special)<br>Requires additional information / specification  | (NC 2203, 2204)   | PO     |
|             | NTROL  |   |        |
| ARJ2230     | Head Control with ultrasonic proximity sensors (ATOM ,<br>ASL104) with standard wings M3 (Requires Primary<br>Remote REM400 or REM500)     | (NC 2179, 2197, 2201, 2203, 2204, 2220, 2233, 2324, 2325, 2327)             | £3,83  |
| ARJ2247     | Head Control with ultrasonic proximity sensors<br>(PROTON , ASL104P) with PROTON wings (Requires<br>Primary Remote REM400 or REM500)       | (NC 2179, 2197, 2201, 2203, 2204, 2220, 2233, 2324, 2325, 2327)             | £4,49  |
|             |  |   |        |
| ARZ2233     | MEC Proportional Joystick (Micro Extremity Control)<br>(Please select MEC Bracketry) (Requires Primary<br>Remote REM400 or REM500)         | (NC 2203, 2204)   | £3,723 |

| LINX MICRO EX | (TREMITY CONTROL BRACKET   |                                   |        |
|---------------|--|-----------------------------------|--------|
| ARZ2235       | MEC Tray Mount RH (ASL603, 100mm x 150mm)<br>(Please select MEC Bracketry)   | (NC 2203, 2204)                   | 0      |
| ARZ2236       | MEC Tray Mount LH (ASL603, 100mm x 150mm)  | (NC 2203, 2204)                   | 0      |
| ARZ2213       | Centre Mount, swing away to RH, Nucleus  | (NC 2203, 2204)                   | £446   |
| ARZ2214       | Centre Mount, swing away to LH, Nucleus  | (NC 2203, 2204)                   | £446   |
| ARZ2241       | Centre Mount, swing away to RH, Nucleus (Inc Tray ASL603, 100mm x 150mm)   | (NC 2203, 2204)                   | £446   |
| ARZ2242       | Centre Mount, swing away to LH, Nucleus (Inc Tray ASL603, 100mm x 150mm)   | (NC 2203, 2204)                   | £446   |
| ARZ2215       | Individual mounting option per request (Special)<br>Requires additional information / specification  | (NC 2203, 2204)                   | POA    |
| LINX HEAVY DU | UTY REMOTE   |                                   |        |
| ARZ2240       | Proportional Heavy Duty Remote Joystick with mode<br>switch (ASL133) (Please select Heavy Duty Bracketry)<br>(Requires Primary Remote REM400 or REM500)                      | (NC 2203, 2204)                   | £2,076 |
| LINX HEAVY DU | UTY REMOTE BRACKET   |                                   |        |
| ARZ2235       | Tray Mount RH, (ASL603, 100mm x 150mm)   | (NC 2203, 2204)                   | 0      |
| ARZ2236       | Tray Mount LH, (ASL603, 100mm x 150mm)   | (NC 2203, 2204)                   | 0      |
| ARZ2213       | Centre Mount, swing away to RH, Nucleus  | (NC 2203, 2204)                   | £446   |
| ARZ2214       | Centre Mount, swing away to LH, Nucleus  | (NC 2203, 2204)                   | £446   |
| ARZ2241       | Centre Mount, swing away to RH, Nucleus (Inc Tray<br>ASL603, 100mm x 150mm)  | (NC 2203, 2204)                   | £446   |
| ARZ2242       | Centre Mount, swing away to LH, Nucleus (Inc Tray<br>ASL603, 100mm x 150mm)  | (NC 2203, 2204)                   | £446   |
| ARZ2215       | Individual mounting option per request (Special)<br>Requires additional information / specification  | (NC 2203, 2204)                   | POA    |
| LINX 10-WAY S | WITCH  |                                   |        |
| ARJ2251       | 10-Way Switch DLX-SW10-A for direct Powered<br>Seating Access (included loom to connect + additional<br>jack for mode switch) (Please select 10 way switch<br>bracket below) |                                   | £453   |
| LINX 10-WAY S | WITCH BRACKET  |                                   |        |
| ARJ2217       | 10-Way Switch Bracket RH, Mounted for User   | (NC 2213)                         | 0      |
| ARJ2218       | 10-Way Switch Bracket LH, Mounted for User   | (NC 2214)                         | 0      |
| ARJ2227       | 10-Way Switch Bracket RH, Mounted for Attendant  |                                   | £57    |
| ARJ2228       | 10-Way Switch Bracket LH, Mounted for Attendant  |                                   | £57    |
|               | DRY  |                                   |        |
| ARJ2252       | Loom providing jack sockets for Drive and Mode (includes connection for 10-way switch)   |                                   | £90    |
| LINX USB CHAI | RGER PORT  |                                   |        |
| ARJ2253       | USB Charger Port DLX-USB02-A   | (NC 2701, 2703, 2704, 2705, 2706) | £143   |
| LINX USB CHAI | RGER PORT BRACKET  |                                   |        |
| ARJ2207       | USB Charger Port RH Mount  |                                   | 0      |
| ARJ2208       | USB Charger Port LH Mount  |                                   | 0      |
| FURTHER LINX  | COMPONENTS / ACCESSORIES   |                                   |        |
| ARJ2300       | To be enclosed only (Accessory loom 2252 required if no REM400 or REM500 is selected)  |                                   | 0      |
|               | I  |                                   |        |

|              | NS  |      |
|--------------|---|------|
| ARJ1685      | Red Buddy Button (Accessory loom 2252 required if no REM400 or REM500 is selected)                            | £79  |
| ARJ1686      | Yellow Buddy Button (Accessory loom 2252 required if no REM400 or REM500 is selected)                         | £79  |
| ARJ1687      | Green Buddy Button (Accessory loom 2252 required if no REM400 or REM500 is selected)                          | £79  |
| ARJ1690      | Blue Buddy Button (Accessory loom 2252 required if no REM400 or REM500 is selected)                           | £79  |
| EGG SWITCH   |   |      |
| ARJ2254      | Egg Switch, black (to be enclosed only (Accessory<br>loom 2252 required if no REM400 or REM500 is<br>selected | £79  |
|              | S   |      |
| ARJ1711      | Red Piko Button (Accessory loom 2252 required if no REM400 or REM500 is selected)                             | £142 |
| ARJ1712      | Yellow Piko Button (Accessory loom 2252 required if no REM400 or REM500 is selected)                          | £142 |
| ARJ1713      | Green Piko Button (Accessory loom 2252 required if no REM400 or REM500 is selected)                           | £142 |
| ARJ1714      | Orange Piko Button (Accessory loom 2252 required if<br>no REM400 or REM500 is selected)                       | £142 |
| ARJ1715      | Blue Piko Button (Accessory loom 2252 required if no<br>REM400 or REM500 is selected)                         | £142 |
| ARJ1716      | Black Piko Button (Accessory loom 2252 required if no<br>REM400 or REM500 is selected)                        | £142 |
| TOGGLES / BU | TTONS   |      |
| ARZ2261      | Stereo Toggle - direct control for Tilt only  | £242 |
| ARZ2262      | Stereo Button - direct control for Tilt only  | £230 |
| ARZ2263      | Four-Way Toggle - direct control for Tilt & Recline   | £300 |
| ARZ2264      | Four-Way Button - direct control for Tilt & Recline   | £321 |
| ARZ2207      | Toggle / Button RH Mount  | 0    |
| ARZ2208      | Toggle / Button LH Mount  | 0    |
| ARZ2225      | Without Mounting  | 0    |
| BODYPOINT JO | DYSTICK KNOBS   |      |
| ARJ2721      | 3" U-Shaped, Joystick Handle, Bodypoint PC101A  | £65  |
| ARJ2722      | 4" U-Shaped, Joystick Handle, Bodypoint PC102A  | £65  |
| ARJ2723      | Domed Rubber, Joystick Handle, Bodypoint PC107A   | £65  |
| ARJ2724      | Mushroom Grooved, Joystick Handle, Bodypoint<br>PC110A  | £65  |
| REMOTE STOP  | SWITCH  |      |
| ARZ2258      | Remote Stop Switch (ASL504)   | £942 |
|              | DDULE   |      |
| UNI2273      | IN200 Module (Jack port for external power button ) (NC 2220)   | £242 |
| UNI9252      | IN500 Module (for DB9 Drive input)  | £785 |
| SHROUD COLC  | DUR*  |      |
| ARJ0228      | Wet Black   | 0    |
| ARJ2601      | SpaceStation Silver   | 0    |
| ARJ2602      | Island Blue   | 0    |
| ARJ2603      | Grape JellyBean (Purple)  | 0    |
| ARJ2607      | Rockstar Red  | O    |
| ARJ2608      | Lights Out Black - Matt   | 0    |
| ARJ2609      | Invacare Blue   | 0    |
|              |   |      |

| RIM COLOUR* |   |           |      |
|-------------|---|-----------|------|
| ARJ2611     | SpaceStation Silver   |           | 0    |
| ARJ2612     | Island Blue   |           | 0    |
| ARJ2613     | Grape JellyBean (Purple)  |           | 0    |
| ARJ2617     | Rockstar Red  |           | 0    |
| ARJ2618     | Lights Out Black - Matt   |           | 0    |
| ARJ2619     | Invacare Blue   |           | 0    |
| ARJ2620     | Wet Black   |           | 0    |
| ARJ2621     | Without Rim insert  |           | O    |
| FORKS*      |   |           |      |
| ARJ2631     | Single sided fork (New) includes Black castor   |           | £316 |
| ARJ2632     | Double sided fork   |           | O    |
| CENTRE WHE  | ELS (DRIVING WHEELS)*   |           |      |
| ARJ0704     | 355mm x 76mm (14" x 3") Black Tyres, Pneumatic  |           | 0    |
| ARJ0733     | 355mm x 76mm (14" x 3") Black Tyres with Gel Foam<br>Inserts  |           | 0    |
| MOTOR TYPE* |   |           |      |
| ARJ1294     | 3 km/h (2mph)   |           | 0    |
| ARJ1282     | 6 km/h (4mph) (4 pole)  |           | •    |
| ARJ1909     | 12 km/h (8mph) (includes light system and indicators)<br>G-Trac recommended   |           | £464 |
| BATTERY*    |   |           |      |
| ARJ1260     | 73.5 Ah (Gel)   |           | •    |
| G TRAC      |   |           |      |
| ARJ1215     | G-Trac (ensures the powerchair takes the intended direction as indicated by the user control, without the need for continual correction by the client on uneven or sloping terrain) |           | £738 |
| CHARGER*    |   |           |      |
| ARJ1343     | OptiCharge Charger 8A (200 - 250V)  |           | •    |
| ARJ1313     | OptiCharge Charger 10A (200 - 250V) Charging time will be 20% faster  |           | £137 |
| LIGHTS*     |   |           |      |
| ARJ1437     | Light system with Indicators & LED Headlights   | (NC 1909) | £431 |
| ARJ1254     | Without light system  | (NC 1909) | •    |
| ARZ1006     | Lights Included with Motor Package 10 & 12kmh   | (NC 1282) | 0    |
| TRANSPORTA  |   |           |      |
| ARJ1450     | Preparation for DAHL Docking station: Docking station<br>for car implementation, please order docking station<br>separately (Adequate headrest is compulsory, see<br>options below) |           | £524 |
| ARJ1494     | 4-Point tie-down (Tested version for using wheelchair<br>as a vehicle seat according to ISO 7176-19:2001)<br>(Adequate headrest is compulsory, see options below)                   |           | *    |

| FIXATION BEL | T*  |   |      |
|--------------|---|---|------|
| ARJ2113      | Lapbelt (adjustable both sides) adjustable mounting on seat rail extrusion  | (NC 2702, 2703, 2704, 2705, 2706)                                     | 0    |
| ARJ1332      | H-Belt  |   | £66  |
| ARJ2701      | Bodypoint Evoflex Pelvic, Stabilizer, Rehab Latch size<br>L (padded length 620mm)   | (NC 2121, 2122, 2132, 2184, 2185, 2186, 2187, 2188, 2189, 2253, 2113) | £84  |
| ARJ2702      | Bodypoint Evoflex Pelvic, Stabilizer, Rehab Latch size M (padded length 460mm)  | (NC 2123, 2124, 2132, 2184, 2185, 2186, 2187, 2188, 2189, 2253, 2113) | £84  |
| ARJ2703      | Bodypoint 2-Point Hip Belt, Centre pull - push button,<br>Cinch mount size L (padded length 620mm)  | (NC 2121, 2122, 2132, 2184, 2185, 2186, 2187, 2188, 2189, 2253, 2113) | £78  |
| ARJ2704      | Bodypoint 2-Point Hip Belt, Centre pull - push button,<br>Cinch mount size M (padded length 460mm)  | (NC 2123, 2124, 2132, 2184, 2185, 2186, 2187, 2188, 2189, 2253, 2113) | £78  |
| ARJ2705      | Bodypoint 2-Point Hip Belt, Dual pull Side release button, Cinch mount size L (padded length 620mm)   | (NC 2121, 2122, 2132, 2184, 2185, 2186, 2187, 2188, 2189, 2253, 2113) | £78  |
| ARJ2706      | Bodypoint 2-Point Hip Belt, Dual pull Side release<br>button, Cinch mount size M (padded length 460mm)  | (NC 2123, 2124, 2132, 2184, 2185, 2186, 2187, 2188, 2189, 2253, 2113) | £78  |
| REAR VIEW MI | RROR  |   |      |
| ARJ1415      | Rear view Mirror RH - Must be selected with 10 km/h<br>Motor  | (NC 2213, 1287)   | £38  |
| ARJ1339      | Rear view Mirror LH - Must be selected with 10 km/h<br>Motor  | (NC 2214, 1286)   | £38  |
| BAG HOOKS    |   |   |      |
| ARJ2128      | Bag Hooks (Max load up to 6kg = impact on max user weight)  |   | £69  |
| CANE HOLDER  | 2   |   |      |
| ARJ1312      | Cane holder RH (In combination with Attendant bracket<br>or Dual control the cane holder has to be mounted on<br>the opposite side of the remote) |   | £38  |
| ARJ1363      | Cane holder LH (In combination with Attendant bracket<br>or Dual control the cane holder has to be mounted on<br>the opposite side of the remote) |   | £38  |
| TRAY         |   |   |      |
| ARJ1404      | Tray swing away RH Select opposite side to user controls  | (NC 1707, 2213, 2214, 2209, 1287)                                     | £303 |
| ARJ1405      | Tray swing away LH Select opposite side to user controls  | (NC 1708, 2213, 2214, 2210, 1286)                                     | £303 |

TOTAL PRICE

| Set at 380mm (15") (adjustable from 380mm to 430mm (15" - 17") with stepless adjustment on armrests, legrests and backres  |
|--|
| (NC 2138 + 2142)<br>Set at 430mm (17") (adjustable from 430mm to 480mm (17" - 19) with stepless adjustment on armrests, legrests and backres<br>(NC 2138 + 2142) |
| Set at 480mm (19") (adjustable from 480mm to 530mm (19" - 21") with stepless adjustment on armrests, legrests and backree (NC 2138 + 2142)                       |
| Set at 530mm (21") (adjustable from 530mm to 580mm (21" - 23") with stepless adjustment on armrests, legrests and backres  |
| 410mm (16") (410mm - 510mm simple stepless adjustment from the side)   |
| 460mm (18") (410mm - 510mm simple stepless adjustment from the side)   |
| 510mm (20") (410mm - 510mm simple stepless adjustment from the side)   |
| 560mm (22") (510mm - 560mm simple stepless adjustment from the side) (Cushion (option 2142) is only available with Seat Width (option 2124) 530mm)               |
| Matrx Flo-tech Contour Visco (17x17 only)  |
| Backposts 480mm (Short)  |
| Tension Adjustable Backrest (540mm or 480mm upholstery height) Straps easily accessible and adjustable from the rear (Black fabric only)                         |
| Flex3 Tension Adjustable (540mm or 480mm) Black Dartex only  |
| Flex3 adjustable Backrest Plates<br>(without Backrest Cushion)   |
| Flex3 adjustable Backrest Plates with Laguna Backrest cushion  |
| Matrx Posture Back, height 400mm (Mesh fabric)   |
| Matrx Posture Back, height 500mm (Mesh fabric)   |
| Matrx Elite Back, height 500mm (Mesh fabric)   |
| Matrx Elite TR Back, height 500mm (Mesh fabric)  |
| Matrx Elite Deep Back, height 500mm (Mesh fabric)  |
| Black fabric   |
| Black Spacer fabric  |
| Flip-up Armrest (height and depth adjustable) (height adjustable from 230mm - 360mm) 150 kg max user weight  |
| Following Armrest (height adjustable from 230mm - 300mm) 150 kg max user weight  |
| Following Armrest (height adjustable from 300mm - 360mm) 150 kg max user weight  |
| Long Armpad (375mm)  |
| Long Ergonomic Armpad (397mm)  |
| Soft Armpad (REA Azalea Wide Pad)  |
| SMALL 140mm x 100mm, for flip up and following armrests only   |
| MEDIUM 230mm x 100mm, for flip up and following armrests only  |
| LARGE 330mm x 100mm, for flip up and following armrests only   |
| SMALL 140mm x 100mm, for flip up and following armrests only   |
| MEDIUM 230mm x 100mm, for flip up and following armrests only  |
| LARGE 330mm x 100mm, for flip up and following armrests only   |
| Elan Standard Pad 355mm (10") wide with standard cover complete with Elan Headrest Hardware  |
| Elan Occipital Pad 230mm x 180mm (9" x 7") with standard cover complete with Elan Headrest Hardware  |
| Elan 4 Point Headrest Pad 280mm x 255mm (11" x 10") with standard cover complete with Elan Headrest Hardware   |
| All bracketry as option 1432 without headrest cushion  |
| Multi-adjustable pad (Azalea type, Dartex)   |
| Powered "fixed pivot" Tilt 20° (Max User weight 136kg)   |
|  |
| Powered "fixed pivot" Tilt 20°, heavy duty (Max User weight 180kg)   |
|  |

| ARJ1094 | Seat lifter with Electrical Tilt (300mm, 30°) with CoG shift Seat Height 460mm - 490mm (160KG max user weight)  |
|---------|---|
| ARJ0354 | Seat height set at 450mm (17.75") (from floor to front of seat plate at 0° tilt)  |
| ARJ0364 | Seat height set at 475mm (18.75") (from floor to front of seat plate at 0° tilt)  |
| ARJ0977 | Powered Recliner (0° - 30°) Foldable  |
| ARJ0556 | Centre Mounted: Manual : Hanger, centre mounted, angle settable (0° - 90°) : knee to heel length 390 - 510mm, (including ca pad and angle adjustable footplate) |
| ARJ0589 | Centre Mounted : LNX Powered: Centre mounted legrest, length compensating (including calf pad and angle adjustable footplate)                                   |
| ARJ0526 | Side Mounted : Standard 80° hangers   |
| ARJ0503 | Side Mounted : Vari F : Angle adjustable with tools 0° - 70°, length 290mm - 460mm  |
| ARJ0533 | Side Mounted : Vari A : Angle adjustable with hand wheel 0° - 70°, length 290mm - 460mm   |
| ARJ0531 | Side Mounted : ADE Powered : Angle adjustable powered by joystick, 0° - 80° length 290mm - 460mm  |
| ARJ0501 | Without Hanger  |
| ARJ0512 | Fixed Footplate   |
| ARJ0504 | Angle Adjustable Footplate  |
| ARJ0513 | Angle and depth adjustable Footplate (Adapt)  |
| ARJ0559 | Angle Adjustable Footplate Medium 140mm x 240mm (5.5" x 9.5") for Centre Mounted Hanger only  |
| UNI0559 | Angle & width adjustable footplate (240mm depth)  |
| ARJ2201 | REM110 Drive only   |
| ARJ2203 | REM211 Drive & Actuators  |
| ARJ2204 | REM216 Drive, Actuators & Lights  |
| ARJ2205 | REM400, touch-screen Interface, built in Bluetooth HID  |
| ARJ2206 | REM500, without joystick for alternative access, built in Bluetooth HID (Secondary User input required)   |
| ARJ1208 | Standard Bracket LH   |
| ARJ1707 | Swing Away RH Bracket   |
| ARJ1708 | Swing Away LH Bracket   |
| ARJ2227 | Bracket RH mounted for Attendant  |
| ARJ2228 | Bracket LH mounted for Attendant  |
| ARJ2209 | REM500 Swing away RH multi-adjustable Bracket   |
| ARJ2210 | REM500 Swing away LH multi-adjustable Bracket   |
| ARJ2213 | REM500 Centre mount swing away to RH Nucleus Bracket  |
| ARJ2214 | REM500 Centre mount swing away to LH Nucleus Bracket  |
| ARJ2270 | Assignable Toggle Switch Module for REM400, (as default set to left ON / OFF, right speed dial)   |
| ARJ1287 | Chin Control Swing Away Bracket RH Powered  |
| ARJ1286 | Chin Control Swing Away Bracket LH Powered  |
| ARJ2220 | REM050 Dual Control (Please select user control and bracket) (Please select dual control bracket below)   |
| ARJ2219 | Compact Dual Control (DLX-ACU200) (Please select user control and bracket) (Please select dual control bracket below)   |
| ARJ1208 | Dual Control Standard Bracket LH  |
| ARJ2245 | Invacare IDC Dual control (Please select IDC dual control bracket below)  |
| ARJ1221 | IDC Dual control Detachable Bracket RH  |
| ARJ1222 | IDC Dual control Detachable Bracket LH  |
| ARJ2231 | Proportional Compact Remote DLX-CR400 (Requires Remote REM400 or REM500) (Please select Proportional Bracket)   |
| ARJ2232 | Proportional Compact Remote Low Force DLX-CR400LF (Requires Primary Remote REM400 or REM500) (Please select<br>Proportional Bracketry)                          |
| ARJ2213 | Proportional Compact Centre Mount swing away to RH (Nucleus)  |
| ARJ2214 | Proportional Compact Centre Mount swing away to LH (Nucleus)  |
| er Ref: | TDX SP2 HD Modulite Subject to Invacares standard terms   |

| ARZ2215 | Individual mounting option per request (Special) Requires additional information / specification  |
|---------|---|
| ARJ2230 | Head Control with ultrasonic proximity sensors (ATOM , ASL104) with standard wings M3 (Requires Primary Remote REM400 or REM500)                  |
| ARJ2247 | Head Control with ultrasonic proximity sensors (PROTON , ASL104P) with PROTON wings (Requires Primary Remote REM400 or REM500)                    |
| ARZ2233 | MEC Proportional Joystick (Micro Extremity Control) (Please select MEC Bracketry) (Requires Primary Remote REM400 or REM500)                      |
| ARZ2213 | Centre Mount, swing away to RH, Nucleus   |
| ARZ2214 | Centre Mount, swing away to LH, Nucleus   |
| ARZ2215 | Individual mounting option per request (Special) Requires additional information / specification  |
| ARZ2240 | Proportional Heavy Duty Remote Joystick with mode switch (ASL133) (Please select Heavy Duty Bracketry) (Requires Primary Remote REM400 or REM500) |
| ARZ2213 | Centre Mount, swing away to RH, Nucleus   |
| ARZ2214 | Centre Mount, swing away to LH, Nucleus   |
| ARZ2215 | Individual mounting option per request (Special) Requires additional information / specification  |
| ARJ2227 | 10-Way Switch Bracket RH, Mounted for Attendant   |
| ARJ2228 | 10-Way Switch Bracket LH, Mounted for Attendant   |
| ARJ2253 | USB Charger Port DLX-USB02-A  |
| ARZ2258 | Remote Stop Switch (ASL504)   |
| ARJ1282 | 6 km/h (4mph) (4 pole)  |
| ARJ1909 | 12 km/h (8mph) (includes light system and indicators) G-Trac recommended  |
| ARJ2113 | Lapbelt (adjustable both sides) adjustable mounting on seat rail extrusion  |
| ARJ1332 | H-Belt  |
| ARJ2701 | Bodypoint Evoflex Pelvic, Stabilizer, Rehab Latch size L (padded length 620mm)  |
| ARJ2702 | Bodypoint Evoflex Pelvic, Stabilizer, Rehab Latch size M (padded length 460mm)  |
| ARJ2703 | Bodypoint 2-Point Hip Belt, Centre pull - push button, Cinch mount size L (padded length 620mm)   |
| ARJ2704 | Bodypoint 2-Point Hip Belt, Centre pull - push button, Cinch mount size M (padded length 460mm)   |
| ARJ2705 | Bodypoint 2-Point Hip Belt, Dual pull Side release button, Cinch mount size L (padded length 620mm)   |
| ARJ2706 | Bodypoint 2-Point Hip Belt, Dual pull Side release button, Cinch mount size M (padded length 460mm)   |
| ARJ1415 | Rear view Mirror RH - Must be selected with 10 km/h Motor   |
| ARJ1339 | Rear view Mirror LH - Must be selected with 10 km/h Motor   |
| ARJ2128 | Bag Hooks (Max load up to 6kg = impact on max user weight)  |
| ARJ1312 | Cane holder RH (In combination with Attendant bracket or Dual control the cane holder has to be mounted on the opposite side of the remote)       |
| ARJ1363 | Cane holder LH (In combination with Attendant bracket or Dual control the cane holder has to be mounted on the opposite side of the remote)       |
| ARJ1404 | Tray swing away RH Select opposite side to user controls  |
| ARJ1405 | Tray swing away LH Select opposite side to user controls  |



Special Instructions Please supply the following information:

Name:

Email:

For a more complex customer requirement please refer to our Invacare Unique special order form. email specialsuk@invacare.com or Fax: 01656 776220

Phone:

Fax:

Description of special request (please include relavent option code or part number):

Customer Ref: Order Number: