



# Manual Retail Prescription Form

**Yes, you can:**

Tel: 01656 776222  
Email: ordersuk@invacare.com  
Online Spares available at: www.invacare.co.uk

DECEMBER 2025  
Customer Ref:

Customer Ref*	Account No*
Contact No*	Order No*
Delivery Address*	Order Qty*
	Order date*

## Kuschall The KSL One Solution

### Standard Features

- Max User Weight 100kg (16 stone)
- Active, Fully Welded, Lightweight, Rigid Wheelchair with Height Adjustable Rigid Footrest
- Fully Hydroformed Aluminium Front Frame 75° or 90° Front Angle
- 24" Self Propel Q/R Wheels with Grey Aluminium Handrims & Pneumatic Tyres
- Choice of 6 Seat Widths 340mm to 440mm (13" - 17")
- Choice of 5 Seat Depths 385mm to 485mm (15" - 19")
- Range of Front Seat Heights from 450mm to 530mm (17" - 21")
- Range of Rear Seat Heights from 400mm to 480mm (15" - 19")
- Lockdown Folding, Angle & Height Adjustable Backrest
- Black Nylon Upholstery
- Without Push Handles, Carbon Clothesguards
- Carbon Fibre Axle Tube with 3° Camber
- Black Comfort Front Castor
- Standard Brake Lever Bent
- Tool Kit

**Standard Base price: £3,150**



Please make your selection with a cross in the box       Free of charge       standard feature       POA special request

Customer weight =      KG

Code                  Description

#### BASE PRODUCT\*

DSA0085  KÜSCHALL THE KSL 2.0 £3,150

#### UNIQUE SPECIALS (For special modifications only) Additional lead time of 4 weeks\*

DSA0000  UNIQUE Special Request - For use when requesting any special options or builds POA

#### UNIQUE CUSTOMISATION AND PERSONALISATION OPTIONS Additional 4 weeks lead time for Unique options

USA0001  UNIQUE Personalisation - For use when selecting USA customisation and personalisation options

<b>FRAME*</b>			
DSA1000		Aluminium Hydroformed V Style Frame Angle 75° to the ground	◆
DSA1010		Aluminium Hydroformed Tapered/Adducted Frame Angle 75° to the ground	○
DSA1020		Aluminium Hydroformed V Style Frame Angle 90° to the ground	○
DSA1030		Aluminium Hydroformed Tapered/Adducted Frame Angle 90° to the ground	(NC 5300, 5350, 5400, 5450, 5500) ○
<b>WELDED UNDERSEAT RIGID BAR*</b>			
SWO3333		Under seat rigidiser bar (Welded)	£100
USA5555		Without under seat rigidiser bar (Welded)	○
<b>SEAT WIDTH*</b>			
DSA1315	340 mm	(NC 2300, 2305, 2310, 2315, 2710, 2720, 2750, 2748)	○
DSA1320	360 mm	(NC 2362, 2364, 2366, 2368, 2748)	○
DSA1325	380 mm	(NC 2364, 2366, 2368)	○
DSA1330	400 mm	(NC 2360, 2366, 2368)	◆
DSA1335	420 mm	(NC 2360, 2362, 2368)	○
DSA1340	440 mm	(NC 2360, 2362, 2364)	○
<b>SEAT DEPTH*</b>			
DSA1430	385 mm	(NC 2720, 7810, 7820, 7830)	○
DSA1440	410 mm		◆
DSA1455	435 mm		○
DSA1470	460 mm		○
DSA1485	485 mm	(NC 2710, 2748)	○
<b>BACK HEIGHT*</b>			
DSA1605	270 mm		○
DSA1610	285 mm		○
DSA1615	300 mm		○
DSA1620	315 mm		○
DSA1625	330 mm		○
DSA1630	345 mm		○
DSA1635	360 mm		○
DSA1640	375 mm		○
DSA1645	390 mm		○
DSA1650	405 mm		○
DSA1655	420 mm		○
<b>FRONT SEAT HEIGHT. Lower leg must be front height -100mm To -30mm on 75° frames and -80mm To -40mm on 90° frames*</b>			
DSA1740	450 mm	(NC 1840, 1845, 1850, 1855, 1860, 6420)	○
DSA1745	460 mm	(NC 1845, 1850, 1855, 1860)	○
DSA1750	470 mm	(NC 1850, 1855, 1860)	○
DSA1755	480 mm	(NC 1855, 1860)	○
DSA1760	490 mm	(NC 1860)	○
DSA1765	500 mm		◆
DSA1770	510 mm	(NC 1820)	○
DSA1775	520 mm	(NC 1820, 1825)	○
DSA1780	530 mm	(NC 1820, 1825, 1830, 6410)	○

**REAR SEAT HEIGHT. Rear height = "Front height -100 MM" TO "Front height -20 MM"\***

DSA1820	400 mm	(NC 6420)	<input type="radio"/>
DSA1825	410 mm		<input type="radio"/>
DSA1830	420 mm		<input type="radio"/>
DSA1835	430 mm		◆
DSA1840	440 mm		<input type="radio"/>
DSA1845	450 mm		<input type="radio"/>
DSA1850	460 mm		<input type="radio"/>
DSA1855	470 mm		<input type="radio"/>
DSA1860	480 mm		<input type="radio"/>

**LOWER LEG LENGTH Seat canvas to footplate measurement, cushion height must be deducted.\***

DSA1930	350 mm	<input type="radio"/>
DSA1932	360 mm	<input type="radio"/>
DSA1934	370 mm	<input type="radio"/>
DSA1936	380 mm	<input type="radio"/>
DSA1938	390 mm	<input type="radio"/>
DSA1940	400 mm	<input type="radio"/>
DSA1942	410 mm	<input type="radio"/>
DSA1944	420 mm	<input type="radio"/>
DSA1946	430 mm	◆
DSA1948	440 mm	<input type="radio"/>
DSA1950	450 mm	<input type="radio"/>
DSA1952	460 mm	<input type="radio"/>
DSA1954	470 mm	<input type="radio"/>
DSA1956	480 mm	<input type="radio"/>
DSA1958	490 mm	<input type="radio"/>
DSA1960	500 mm	<input type="radio"/>

**BACKREST TYPE\***

DSA2110	Fixed Aluminium Hydroformed backrest in frame colour	◆
SWO4444	K-Series style lockdown folding backrest, supplied with carbon fibre flip up, fold in clothesguards	(NC 3410, 3430, 9998) £80
SWO9999	K-Series style lockdown folding backrest, supplied with carbon fibre, removable mudguards	(NC 3410, 3430, 6666) £307

**BACKREST UPHOLSTERY\***

DSA2240	Without Backrest Upholstery Select if fitting a Matrx/Fixed backrest, no upholstery required	<input type="radio"/>
---------	--	-----------------------

**MATRX BACKREST\***

DSA2300	Matrx MX2, height 150 mm with quick release mini set hardware	£715
DSA2305	Matrx MX2, height 230 mm with quick release mini set hardware	£715
DSA2310	Matrx MX2, height 305 mm with quick release mini set hardware	£715
DSA2315	Matrx MX2, height 405 mm with quick release mini set hardware	£715

MATRX BACKREST WIDTH CHOICE*			
DSA2360		360mm Backrest width, to fit chest width 265mm	○
DSA2362		380mm Backrest width, to fit chest width 290mm	○
DSA2364		410mm Backrest width, to fit chest width 315mm	○
DSA2366		430mm Backrest width, to fit chest width 340mm	○
DSA2368		460mm Backrest width, to fit chest width 370mm	○
PUSH HANDLES*			
DSA2400		Without Push Handles	◆
DSA2410		Push Handles Fixed Short/Mini Hand Grip	£133
DSA2420		Push Handles Fixed Long Hand Grip	£133
DSA2440		Push Handles Height Adjustable, Integrated in backrest	£219
DSA2450		Push Handles Foldable	£198
BACKREST ANGLE*			
DSA2500		74° angle from the seat	○
DSA2520		78° angle from the seat	○
DSA2540		82° angle from the seat	◆
DSA2560		86° angle from the seat	○
DSA2580		90° angle from the seat	○
SEAT UPHOLSTERY*			
DSA2600		Nylon Seat Upholstery with one 5cm central band (Loop)	○
DSA2601		Standard Seat Upholstery with 1 central loop and 2 side hook	◆
DKA2610		Tension Adjustable Seat Upholstery with one 5cm central band (Loop)	£45
DSA2630		Light Seat Upholstery, mesh material to reduce weight	£69
SEAT CUSHION			
DSA2700		Standard Seat Cushion, 60 mm Double Foam with Visco Top Layer	(NC 2810, 2820, 2830, 2840, 2850) £66
DSA2710		Flo-Tech Lite Cushion - Low Risk	(NC 2810, 2820, 2830, 2840, 2850) £121
DSA2720		Matrix Libra Cushion, Black Smooth Cover - Very High Risk	£411
DSA2748		Contour Visco NG Cushion 120mm deep - High Risk	(NC 2810, 2820, 2830, 2840, 2850) £169
DSA2750		Vicair Active O2 lightweight cushion 6cm deep	(NC 2810, 2820, 2830, 2840, 2850, 2860) £521
MATRX LIBRA CUSHION ACCESSORIES			
DSA2810		Fluid supplement sac (Pair)	£44
DSA2820		Tapered Wedge Pair	£31
DSA2830		Abductor	£23
DSA2840		Lateral Side Wedge	£20
DSA2850		Anterior Front Wedge	£27
SEAT RIGIDISER			
DSA2860		Seat Rigidiser	£39
FOOTREST*			
DSA3200		Footrest Tube, Rigid - Aluminium Hydroformed profile. Weight approx. 260g	(NC 6962) ◆
DSA3210		Footrest Tube, Rigid - Titanium Rounded profile tube. Weight approx. 210g	(NC 3290, 6962) £185
DSA3220		Carbon Footplate, Angle Adjustable	(NC 3290) £225
FOOTREST COVER			
DSA3290		Footrest Cover	£37

<b>CALF STRAP*</b>		
DSA3300		Calf strap Mounted on the frame with hook and loop
DSA3305		Calf strap Mounted on the supporter with bracket
<b>CLOTHESGUARDS/MUDGUARDS*</b>		
DSA3410		Carbon Clothesguards, fixed between the back rest and seat rails
DSA3430		Carbon Mudguards, fixed between the backrest and seat rails (NC 7230) £255
SWO6666		Carbon fibre flip up clothesguards, for use with option SWO4444 K-Series style folding backrest
SWO9998		Carbon fibre removable mudguards, for use with option SWO9999 K-Series style folding backrest
<b>FRAME COLOUR*</b>		
DSA4000		Space Black (RAL 9005) (NC 4066)
DSA4010		Anthracite Grey (RAL 7016) (NC 4066)
DSA4020		Pure White (RAL 9016) (NC 4066, 4220)
DSA4030		Carmine Red (RAL 3002) (NC 4066)
DSA4040		Azure Blue (RAL 5017) (NC 4066)
DSA4060		Flashy Yellow (RAL 1516) (Additional 15 day lead time) (NC 4066) £31
DSA4100		Black Glossy (RAL 9005) (Additional 15 day lead time) (NC 4066) £31
DSA4130		Silver Grey (RAL 9006) (Additional 15 day lead time) (NC 4066) £31
DSA4145		Pearl Night Blue (RAL 5026) (Additional 15 day lead time) (NC 4066) £31
DSA4150		Ruby Red (RAL 1503) (Additional 15 day lead time) (NC 4066) £31
DSA4170		Dynamite Orange (Additional 15 day lead time) (NC 4066) £31
DSA4180		Forest Green (RAL 6029) (Additional 15 day lead time) (NC 4066) £31
USA4101		Diamond Silver/Mirror Polish with standard varnish finish (Premium ceramic glaze finish available, for this option select USA4066) £399
USA4102		Pastel Green with standard varnish finish (Premium ceramic glaze finish available, for this option select USA4066) £299
USA4103		Sky Blue with standard varnish finish (Premium ceramic glaze finish available, for this option select USA4066) £299
USA4104		Plum Purple with standard varnish finish (Premium ceramic glaze finish available, for this option select USA4066) £299
USA4105		Salmon with standard varnish finish (Premium ceramic glaze finish available, for this option select USA4066) £299
USA0008		Your personal frame colour. Add RAL colour of your choice in special comments box, for a personalised colour frame £299
<b>CERAMIC GLAZE FRAME FINISH</b>		
USA4066		Ceramic glaze finish on frame, for added durability £336
<b>FRAME DECAL TYPE*</b>		
DSA4190		Bold Decal (Full coloured transfer on frame) (NC 4300, 4310, 1111) £31
DSA4195		Tag (Small Küschall brand transfer on front of frame) (NC 4200, 4210, 4220, 4230, 4240, 4250, 2222) ◆
DKA4197		Without Tag (Kuschall branding only) (NC 4200, 4210, 4220, 4230, 4240, 4250, 4300, 4310) ○

**BOLD DECAL COLOUR\***

DSA4200	Black	<input type="radio"/>	
DSA4210	Dark Grey	<input type="radio"/>	
DSA4220	Light Grey	<input type="radio"/>	
DSA4230	Red	<input type="radio"/>	
DSA4240	Blue	<input type="radio"/>	
DSA4250	Gold	<input type="radio"/>	
DSA1111	No bold colour, select only with Option DSA4195 Tag or DSA4197 Without Tag	(NC 4190)	<input type="radio"/>

**TAG COLOUR\***

DSA4300	Black	<input type="radio"/>	
DSA4310	Red	<input type="radio"/>	
DSA2222	No tag colour, select only with Option DSA4190 Bold Decal or DSA4197 Without Tag	(NC 4195)	<input type="radio"/>

**FRONT CASTORS\***

DSA5000	75mm x 25mm (3" x 1") Supersport	(NC 5502, 5504, 5506, 5507, 5508, 5509, 5510)	<input type="radio"/>
DSA5050	100mm x 30mm (4" x 1.2") Everyday Black hub and tyre	(NC 5502, 5504, 5506, 5507, 5508, 5509, 5510)	<input type="radio"/>
DSA5100	100mm x 30mm (4" x 1.2") Comfort Black hub and tyre	(NC 5502, 5504, 5506, 5507, 5508, 5509, 5510)	<input type="radio"/>
DSA5150	100mm x 25mm (4" x 1") Starec Black hub and tyre	(NC 5502, 5504, 5506, 5507, 5508, 5509, 5510)	£83
DSA5200	100mm x 36mm (4" x 1.4") Aluminium Softroll Black hub and tyre (Frogs Legs) Use this option to access 4" anodised colour options		£93
DSA5250	100mm x 36mm (4" x 1.4") Aluminium Softroll Silver hub, Black tyre (Frog Legs)	(NC 5502, 5504, 5506, 5507, 5508, 5509)	£93
DSA5300	125mm x 30mm (5" x 1.2") Everyday Black hub and tyre	(NC 5502, 5504, 5506, 5507, 5508, 5509, 5510)	<input type="radio"/>
DSA5350	125mm x 30mm (5" x 1.2") Comfort Black hub and tyre	(NC 5502, 5504, 5506, 5507, 5508, 5509, 5510)	<input type="radio"/>
DSA5400	125mm x 25mm (5" x 1") Starec Black hub and tyre	(NC 5502, 5504, 5506, 5507, 5508, 5509, 5510)	£83
DSA5450	125mm x 36mm (5" x 1.4") Aluminium Softroll Black hub and tyre (Frog Legs) Use this option to access 5" anodised colour options		£93
DSA5500	125mm x 36mm (5" x 1.4") (Frog Legs) Aluminium Softroll Silver hub, Black tyre (Frogs Legs)	(NC 5502, 5504, 5506, 5507, 5508, 5509)	£93

**ANODISED COLOUR SOFTROLL CASTORS**

USA5502	Pink	£50
USA5504	Orange	£50
USA5506	Blue	£50
USA5507	Purple	£50
USA5508	Red	£50
USA5509	Gold	£50

**CERAMIC CASTOR BEARINGS**

USA5510	Ceramic castor bearings	£58
---------	-------------------------	-----

**ADJUSTABLE REAR WHEEL POSITION (SELECT POSITION FROM THE 5 OPTIONS BELOW)**

USA6050	Adjustable centre of gravity (adjustable +/- 1 position) Select from positions 1-5 below (15mm increments adjustment)	£445
---------	--	------

**SEAT POSITION WELDED (Measured from centre of backpost to centre of axle)\***

DSA6100	Position 1 = 140 mm MOST ACTIVE POSITION	<input type="radio"/>
DSA6110	Position 2 = 125 mm	<input type="radio"/>
DSA6120	Position 3 = 110 mm	<input type="radio"/>
DSA6130	Position 4 = 95 mm	◆
DSA6140	Position 5 = 80 mm LEAST ACTIVE POSITION	<input type="radio"/>

**CAMBER OF CARBON AXLE\***

DSA6200	0° Camber	O
DSA6210	3° Camber	◆
DSA6220	6° Camber	O

**QUAD QUICK RELEASE AXLE**

DSA6300	Quad Quick Release/Tetra Clip	(NC 6550, 6551, 6552, 6553, 6554, 0907)	£86
---------	-------------------------------	---	-----

**REAR WHEEL SIZE\***

DSA6410	24"	◆
DSA6420	25"	(NC 6510, 6600, 6630, 6700, 6710, 6720, 6760, 6770, 6775, 6900, 6910) O

**REAR WHEEL TYPE\***

DSA6510	24" Küschall Starec Wheel, Black Cross Spokes, Rim & Hub.	(NC 6557, 6558, 6559, 6560, 6561, 6562, 6563, 6564, 6565, 6566, 6567, 6568, 6569, 6570, 6571, 6572, 6573, 6574, 6575, 6576, 6577, 6579) ◆	
DSA6520	24", 25" High Performance Wheel Black hub and rim	(NC 6557, 6558, 6559, 6560, 6561, 6562, 6563, 6564, 6565, 6566, 6567, 6568, 6569, 6570, 6571, 6572, 6573, 6574, 6575, 6576, 6577, 6579)	£182
DSA6550	24", 25" Spinergy LXK, Black hub, rim and 18 spokes in Black	(NC 6557, 6558, 6559, 6560, 6561, 6562, 6563, 6564, 6565, 6566, 6567, 6568, 6569, 6570, 6571, 6572, 6573, 6574, 6575, 6576, 6577, 6910)	£611
USA6551	24", 25" Spinergy Lite Extreme LX, Weight 687 grams per wheel (Unique coloured rims, hub and spokes available, supplied in black as standard)	(NC 6910)	£785
USA6552	24", 25" Spinergy Lite Extreme X-laced XLX, Weight 821 grams per wheel (Unique coloured rims, hub and spokes available, supplied in black as standard)	(NC 6910)	£844
USA6553	24", 25" Spinergy X-Laced Sport Lite Extreme XSLX, Weight 757 grams per wheel (Unique coloured rims, hub and spokes available, supplied in black as standard)	(NC 6910)	£893
USA6554	24", 25" Spinergy Carbon Fibre CLX, Weight 530 grams per wheel (Unique coloured hub and spokes available, supplied in black as standard)	(NC 6557, 6558, 6559, 6560, 6561, 6562, 6910)	£1,084
SWO0907	24", 25" Spinergy SPOX, Chrome hub and 18 spokes in Black. Coloured spokes are available via MyKüschall	(NC 6557, 6558, 6559, 6560, 6561, 6562, 6571, 6572, 6573, 6575)	£486

**ANODISED COLOUR SPINERGY RIM (DESIGN LAB)**

USA6557	Blue	£179
USA6558	Gold	£179
USA6559	Green	£179
USA6560	Orange	£179
USA6561	Red	£179
USA6562	Purple	£179

**ANODISED COLOUR SPINERGY HUB (DESIGN LAB)**

USA6563	Blue	£179
USA6564	Gold	£179
USA6565	Silver	£179
USA6566	Green	£179
USA6567	Orange	£179
USA6568	Red	£179
USA6569	Purple	£179

**SPINERGY COLOURED SPOKES**

USA6570	Blue	£84
USA6571	Green	£84
USA6572	Orange	£84
USA6573	Pink	£84
USA6574	Red	£84
USA6575	Purple	£84
USA6576	White	£84
USA6577	Yellow	£84

**CERAMIC BEARING REAR WHEEL**

USA6579	Ceramic Bearing for Spinergy rear wheels	£170
---------	--	------

**REAR WHEEL TYRE\***

DSA6600	24" Maxxis Lite guard Pneumatic tyre. Herringbone tread, Silvershield puncture protection	◆
DSA6625	24" Maxxis Alpha Protect. Pneumatic and puncture resistant. Only for use with 24" High performance wheels	£100
DSA6630	24" MBL Speedlite Super Lightweight (Dual layer very high puncture resistance)	£97

**UNIQUE CUSTOMISATION COLOUR PACKAGE\***

USA6960	UNIQUE KIT 1 - Includes custom colour forks and bearing cover. Select colour from 10 choices below	£111
USA6961	UNIQUE KIT 2 - Includes custom colour forks, bearing cover, backrest bracket with K-Series backrest, brake clamps. Select colour from the 10 choices below	£285
USA6962	UNIQUE KIT 3 - Includes custom colour forks, bearing cover, backrest bracket with K-Series backrest, brake clamps, rear wheel axle clamps, calf strap bracket. Select colour from the 10 choices below	£329
USA1234	Without colour package	○

**UNIQUE CUSTOMISATION COLOURS**

USA6963	Red	○
USA6964	Purple	○
USA6965	Copper	○
USA6966	Green	○
USA6967	Orange	○
USA6968	Gold	○
USA6969	Champagne	○
USA6970	Pink	○
USA6971	Blue	○
USA6972	Mirror Finish	○

<b>HANDRIM*</b>		
DSA6700	24" Supergripp, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance	£223
DSA6710	24" Steel, mounted at 3 cm distance	£62
DSA6720	24" Titanium, long tab with 2 holes for 3 cm or 4 cm mountings, mounted at 3cm distance	£192
DSA6740	24", 25" Carbolife Gekko, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. For complete or limited hand function offering low-effort propulsion. Ergonomic shape with fully integrated, replaceable silicon strip for extra grip, profile of 32mm diameter.	£215
DSA6750	24", 25" Carbolife Gekko S, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. For complete or limited hand function offering low-effort propulsion. Ergonomic shape with fully integrated, replaceable silicon strip for extra grip, smaller profile of 24mm diameter for smaller hands.	£215
DSA6760	24" Carbolife Curve L, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape, all metal black coated, low-friction surface for complete hand function for low-effort propulsion	£190
DSA6770	24" Carbolife Quadro, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Suitable for Tetraplegics without tricep function. Features a unique angle shaped profile and anti-slip coating providing a larger contact surface designed to be propelled using the heel of the hand or thumb pad.	£225
DSA6775	24" Carbolife Curve L Tetra handrim, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Suitable for Tetraplegics with tricep function, but limited hand strength. Ergonomic shape with a flat, non-slip coated pushing surface for the thumb and a curved side for the fingers to wrap around.	£155
DSA6780	24", 25" Light Aluminium Grey, long tab with 2 holes for 3 cm or 4cm mountings, mounted at 3cm distance	◆
DSA6790	25", 26" Light Aluminium Black, short tab with 1 hole for 3cm mounting	£42
<b>SPOKEGUARD</b>		
DSA6900	24" Transparent Spokeguards (When ordered with Carbolife handrims, handrim distance is set at 4cm)	£126
DSA6910	24" Black Spokeguard (When ordered with Carbolife handrims, handrim distance is set at 4cm)	£126
<b>BRAKES*</b>		
DSA7210	Standard Push to Lock Brakes, Lever Bent	◆
DSA7230	Performance Brakes, Push to Lock. Brake barrel flips away from tyre	£78
DSA7240	Active/Scissor Brakes	£78
DSA7250	Light/Compact Active, Aluminium Brakes	£136
<b>SAFETY OPTIONS</b>		
DSA7500	Anti-Tipper Right	£122
DSA7510	Anti-Tipper Left	£122
DSA7520	Anti-Tipper Both sides	£244
DSA7810	Bodypoint Posture Belt Evoflex 2 points, Small, Flat-Mount with Push Button. User Weight: 25-50KG	£81
DSA7820	Bodypoint Posture Belt Evoflex 2 points, Medium, Flat-Mount with Rehab Latch. User Weight: 50-75KG	£81
DSA7830	Bodypoint Posture Belt Evoflex, 2 points, Large, Flat-Mount with Rehab Latch. User Weight: 75-100KG	£81

**OTHER OPTIONS**

DSA8010	Front Frame Protectors; 2 Piece. Removable with hook and loop	£37
DSA8500	Air Pump	£13
DSA8550	Tool Kit	◆
DSA8560	Kuschall branded Wheel bag (Fits all wheel sizes)	£45
DSA8680	24" Mountain Bike Wheels with bag. Fitted with Specific Black Tyres, Grey Aluminium Handrims; Quick Release Axles Included	£320

**BODYPOINT ACCESSORIES**

DSA8800	Bodypoint Calf Strap	£57
DSA8850	Bodypoint Mobility Bag	£55

TOTAL PRICE

**Non Conforming Options:**

DSA1820	400 mm
DSA1825	410 mm
DSA1830	420 mm
DSA1840	440 mm
DSA1845	450 mm
DSA1850	460 mm
DSA1855	470 mm
DSA1860	480 mm
DSA2300	Matrx MX2, height 150 mm with quick release mini set hardware
DSA2305	Matrx MX2, height 230 mm with quick release mini set hardware
DSA2310	Matrx MX2, height 305 mm with quick release mini set hardware
DSA2315	Matrx MX2, height 405 mm with quick release mini set hardware
DSA2360	360mm Backrest width, to fit chest width 265mm
DSA2362	380mm Backrest width, to fit chest width 290mm
DSA2364	410mm Backrest width, to fit chest width 315mm
DSA2366	430mm Backrest width, to fit chest width 340mm
DSA2368	460mm Backrest width, to fit chest width 370mm
DSA2710	Flo-Tech Lite Cushion - Low Risk
DSA2720	Matrx Libra Cushion, Black Smooth Cover - Very High Risk
DSA2748	Contour Visco NG Cushion 120mm deep - High Risk
DSA2750	Vicair Active O2 lightweight cushion 6cm deep
DSA2810	Fluid supplement sac (Pair)
DSA2820	Tapered Wedge Pair
DSA2830	Abductor
DSA2840	Lateral Side Wedge
DSA2850	Anterior Front Wedge
DSA2860	Seat Rigidiser
DSA3290	Footrest Cover
DSA3410	Carbon Clothesguards, fixed between the back rest and seat rails
DSA3430	Carbon Mudguards, fixed between the backrest and seat rails
SWO6666	Carbon fibre flip up clothesguards, for use with option SWO4444 K-Series style folding backrest
SWO9998	Carbon fibre removable mudguards, for use with option SWO9999 K-Series style folding backrest
USA4066	Ceramic glaze finish on frame, for added durability
DSA4190	Bold Decal (Full coloured transfer on frame)
DSA4195	Tag (Small Küschall brand transfer on front of frame)
DSA4200	Black
DSA4210	Dark Grey
DSA4220	Light Grey
DSA4230	Red
DSA4240	Blue
DSA4250	Gold
DSA1111	No bold colour, select only with Option DSA4195 Tag or DSA4197 Without Tag
DSA4300	Black

DSA4310	Red
DSA2222	No tag colour, select only with Option DSA4190 Bold Decal or DSA4197 Without Tag
DSA5300	125mm x 30mm (5" x 1.2") Everyday Black hub and tyre
DSA5350	125mm x 30mm (5" x 1.2") Comfort Black hub and tyre
DSA5400	125mm x 25mm (5" x 1") Starec Black hub and tyre
DSA5450	125mm x 36mm (5" x 1.4") Aluminium Softroll Black hub and tyre (Frog Legs) Use this option to access 5" anodised colour options
DSA5500	125mm x 36mm (5" x 1.4") (Frog Legs) Aluminium Softroll Silver hub, Black tyre (Frogs Legs)
USA5502	Pink
USA5504	Orange
USA5506	Blue
USA5507	Purple
USA5508	Red
USA5509	Gold
USA5510	Ceramic castor bearings
DSA6410	24"
DSA6420	25"
DSA6510	24" Küschall Starec Wheel, Black Cross Spokes, Rim & Hub.
DSA6550	24", 25" Spinergy LXK, Black hub, rim and 18 spokes in Black
USA6551	24", 25" Spinergy Lite Extreme LX, Weight 687 grams per wheel (Unique coloured rims, hub and spokes available, supplied in black as standard)
USA6552	24", 25" Spinergy Lite Extreme X-laced XLX, Weight 821 grams per wheel (Unique coloured rims, hub and spokes available, supplied in black as standard)
USA6553	24", 25" Spinergy X-Laced Sport Lite Extreme XSLX, Weight 757 grams per wheel (Unique coloured rims, hub and spokes available, supplied in black as standard)
USA6554	24", 25" Spinergy Carbon Fibre CLX, Weight 530 grams per wheel (Unique coloured hub and spokes available, supplied in black as standard)
SWO0907	24", 25" Spinergy SPOX, Chrome hub and 18 spokes in Black. Coloured spokes are available via MyKüschall
USA6557	Blue
USA6558	Gold
USA6559	Green
USA6560	Orange
USA6561	Red
USA6562	Purple
USA6563	Blue
USA6564	Gold
USA6565	Silver
USA6566	Green
USA6567	Orange
USA6568	Red
USA6569	Purple
USA6570	Blue
USA6571	Green
USA6572	Orange
USA6573	Pink
USA6574	Red
USA6575	Purple

USA6576	White
USA6577	Yellow
USA6579	Ceramic Bearing for Spinergy rear wheels
DSA6600	24" Maxxis Lite guard Pneumatic tyre. Herringbone tread, Silvershield puncture protection
DSA6630	24" MBL Speedlite Super Lightweight (Dual layer very high puncture resistance)
USA6962	UNIQUE KIT 3 - Includes custom colour forks, bearing cover, backrest bracket with K-Series backrest, brake clamps, rear wheel axle clamps, calf strap bracket. Select colour from the 10 choices below
DSA6700	24" Supergripp, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance
DSA6710	24" Steel, mounted at 3 cm distance
DSA6720	24" Titanium, long tab with 2 holes for 3 cm or 4 cm mountings, mounted at 3cm distance
DSA6760	24" Carbolife Curve L, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape, all metal black coated, low-friction surface for complete hand function for low-effort propulsion
DSA6770	24" Carbolife Quadro, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Suitable for Tetraplegics without tricep function. Features a unique angle shaped profile and anti-slip coating providing a larger contact surface designed to be propelled using the heel of the hand or thumb pad.
DSA6775	24" Carbolife Curve L Tetra handrim, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Suitable for Tetraplegics with tricep function, but limited hand strength. Ergonomic shape with a flat, non-slip coated pushing surface for the thumb and a curved side for the fingers to wrap around.
DSA6900	24" Transparent Spokeguards (When ordered with Carbolife handrims, handrim distance is set at 4cm)
DSA6910	24" Black Spokeguard (When ordered with Carbolife handrims, handrim distance is set at 4cm)
DSA7230	Performance Brakes, Push to Lock. Brake barrel flips away from tyre
DSA7810	Bodypoint Posture Belt Evoflex 2 points, Small, Flat-Mount with Push Button. User Weight: 25-50KG
DSA7820	Bodypoint Posture Belt Evoflex 2 points, Medium, Flat-Mount with Rehab Latch. User Weight: 50-75KG
DSA7830	Bodypoint Posture Belt Evoflex, 2 points, Large, Flat-Mount with Rehab Latch. User Weight: 75-100KG



For a more complex customer requirement  
please refer to our Invacare Unique special order form.  
email [specialsuk@invacare.com](mailto:specialsuk@invacare.com)

Special Instructions  
Please supply the following information:

Name: \_\_\_\_\_ Email: \_\_\_\_\_

Phone: \_\_\_\_\_

Description of special request (please include relevant option code or part number):  
\_\_\_\_\_  
\_\_\_\_\_