



**Yes, you can:**

Tel: 01656 776222  
 Email: ordersuk@invacare.com  
 Online Spares available at: www.invacare.co.uk

# Manual Retail Prescription Form

January 2026  
 Customer Ref:

<b>Customer Ref*</b>	<b>Account No*</b>
<b>Contact No*</b>	<b>Order No*</b>
<b>Delivery Address*</b>	<b>Order Qty*</b>
	<b>Order date*</b>

## Rea Azalea Max

### Standard Features

- Max User Weight 180KG/28 Stone
- Crash Tested ISO 7176-Part 19
- Transit Propulsion with Attendant Hub Brakes and Black Solid Tyres
- Choice of 2 Seat Widths 550mm or 610mm (+50mm width adjustment, +100mm also with Transit)
- Choice of 2 Seat Heights 400mm or 450mm
- Depth Adjustable Seat 530mm-600mm
- Max Contour Seat, (Visco top, Wipeable), Laguna Backrest Contour Cushion (Wipeable)
- Tension and Height Adjustable Backrest (Set with space 'upwards'), Sideways Adjustable Headrest
- Removable Height Adjustable and Reinforced Armrests
- Assistant Operated Gas Piston Seat Tilt -1° - +23° and Backrest Recline to 30° with Tilt Lock
- Angle Adjustable Swingaway Elevating and Removable Legrests with Reinforced Calf Support and 1 Piece Footboard Converter
- Width Adjustable Footplate
- Solid Front Castors
- Height Adjustable Push Handles
- Pearl Silver Frame
- Trunk (Thoracic Lateral) Supports Removable and Multi Adjustable
- User Manoeuvred Tyre Brakes, Pelvic Belt (adjustable both sides)
- Anti Tippers/Tipping Lever

**Standard Base price: £2,976**



Please make your selection with a cross in the box     Free of charge     standard feature     POA special request

Customer weight =                      KG

**Code                      Description**

**BASE PRODUCT\***

BSA0010	<input type="checkbox"/>	REA Azalea Max	£2,976
BSA8000	<input type="checkbox"/>	SPECIAL REQUEST - PLEASE INCLUDE QUOTATION REFERENCE IN SPECIAL DESCRIPTION AT THE END OF THE FORM WHERE APPLICABLE	POA

PROPULSION*				
BSA0020	<input type="checkbox"/>	Transit 16" wheels with hub brakes	(NC 0100, 0514, 0516, 0522, 0540, 0550)	◆
BSA0030	<input type="checkbox"/>	Self Propel 24"/22" wheels with user brakes	(NC 0080, 0512, 0524)	○
BSA0040	<input type="checkbox"/>	Self Propel 24"/22" wheels with assistant hub brakes	(NC 0080, 0512, 0522)	£140
SEAT WIDTH*				
BSA0050	<input type="checkbox"/>	550 mm / 22"		○
BSA0060	<input type="checkbox"/>	610 mm / 24"		○
SEAT WIDTH EXTENSION*				
BSA0070	<input type="checkbox"/>	+ 50 mm seat width pre-adjustment on armrests and legrests		○
BSA0080	<input type="checkbox"/>	+ 100 mm seat width pre-adjustment on armrests and legrests		○
BSA0085	<input type="checkbox"/>	Without seat width extension, set at 0mm adjustment but can be adjusted wider if required		○
SEAT DEPTH*				
BSA0090	<input type="checkbox"/>	530-600 mm / 21" - 24"		◆
SEAT HEIGHT*				
BSA0100	<input type="checkbox"/>	400 mm / 16"	(NC 0290, 0495, 0512, 0516)	○
BSA0110	<input type="checkbox"/>	450 mm / 18"	(NC 0480, 0514)	○
SEAT TYPE*				
BSA0120	<input type="checkbox"/>	Depth Adjustable		◆
SEAT CUSHION*				
BSA0130	<input type="checkbox"/>	Max Seat Cushion Visco top	(NC 1111)	◆
BSA0135	<input type="checkbox"/>	Without Seat Cushion, Seat Plate only	(NC 0145, 0155)	○
SEAT UPHOLSTERY*				
BSA0145	<input type="checkbox"/>	Black Plush TR35		○
BSA0155	<input type="checkbox"/>	Black Multi-stretch Black PU coated fabric		◆
BSA1111	<input type="checkbox"/>	No upholstery, select with option 0135 Without seat cushion		○
BACKREST*				
BSA0160	<input type="checkbox"/>	Backrest, Tension Adjustable - Pre-adjusted space upwards		◆
BACKREST CUSHION*				
BSA0170	<input type="checkbox"/>	Cover for tension adjustable upholstery		£178
BSA0180	<input type="checkbox"/>	Cushion, Laguna (Lateral Support)	(NC 0217)	◆
BACKREST UPHOLSTERY*				
BSA0205	<input type="checkbox"/>	Black Plush TR35		○
BSA0215	<input type="checkbox"/>	Black Multi-stretch Black PU coated fabric		◆
BSA0217	<input type="checkbox"/>	Black Spacer TR36		○
PUSH HANDLES*				
BSA0220	<input type="checkbox"/>	Push Handles braced		£44
BSA0230	<input type="checkbox"/>	High Push Bar		◆
SEAT TILT AND BACKREST REGULATION*				
BSA0240	<input type="checkbox"/>	Assistant operated gas piston seat and backrest tilt	(NC 2222)	◆
BSA0250	<input type="checkbox"/>	Electrical operated seat and backrest tilt	(NC 0450, 0605)	£616
TILT LOCK*				
BSA0605	<input type="checkbox"/>	Tilt Lock (locking of pre-set angle)		◆
BSA2222	<input type="checkbox"/>	No Tilt Lock, Select with 0250 Electric operated seat and backrest		○
LEGREST HANGER*				
BSA0260	<input type="checkbox"/>	Elevating Legrest, angle adjustable 0 to 75° swing in/swing out with knee pad and calf support Pair		◆

<b>FOOTREST*</b>			
BSA0280	<input type="checkbox"/>	Footrest Lower part, Depth and angle adjustable with short tube and footboard converter, Pair	○
BSA0290	<input type="checkbox"/>	Footrest Lower part, Depth and angle adjustable with long tube and footboard converter, Pair	○
BSA0291	<input type="checkbox"/>	Legrest Amputee LH (NC 0293)	£137
BSA0292	<input type="checkbox"/>	Legrest Amputee RH (NC 0293)	£137
<b>HEEL STRAP</b>			
BSA0293	<input type="checkbox"/>	Heel strap	£32
<b>ARMREST LH*</b>			
BSA0300	<input type="checkbox"/>	Reinforced, Wide Pad LH	◆
<b>ARMREST RH*</b>			
BSA0320	<input type="checkbox"/>	Reinforced, Wide Pad RH	◆
<b>ARMREST OPTIONS</b>			
BSA0340	<input type="checkbox"/>	Side Support Cover, PU fabric cover for the sideguards (Removable with tools) (NC 9999)	£51
BSA9999	<input type="checkbox"/>	Side Support Cover with foam cushion. 2cm thick cushion supplied complete with PU fabric cover. Reduces seat width by 2cm for a comfortable fit. Consists of options 0680 and 0690 (Removable with tools)	£51
<b>SEAT OPTIONS</b>			
BSA0360	<input type="checkbox"/>	Incontinence Cover	○
<b>HEADREST*</b>			
BSA0370	<input type="checkbox"/>	Headrest, Sideway Adjustable (NC 0400)	◆
BSA0390	<input type="checkbox"/>	Headrest with cheek support, sideway adjustable (NC 0380, 0400)	£137
BSA0400	<input type="checkbox"/>	Neckrest (NC 0380)	○
<b>HEADREST COVER</b>			
BSA0380	<input type="checkbox"/>	Cover for headrest	£31
<b>TRUNK SUPPORTS LH</b>			
BSA0413	<input type="checkbox"/>	Trunk Support Multi Adjustable LH	£113
<b>TRUNK SUPPORTS RH</b>			
BSA0414	<input type="checkbox"/>	Trunk Support Multi Adjustable RH	£107
<b>BACKREST OPTIONS</b>			
BSA0420	<input type="checkbox"/>	Handles Clinic Kit for Head-/Neckrest (Levers which replace screws for easy adjustment)	£42
BSA0430	<input type="checkbox"/>	Lumbar Support Cushion	£31
BSA0440	<input type="checkbox"/>	Wedges (One Pair)	£11
<b>CHASSIS COLOUR*</b>			
BSA0441	<input type="checkbox"/>	Pearl Grey	◆
BSA0442	<input type="checkbox"/>	Azurite Blue	○
BSA0443	<input type="checkbox"/>	Sand	○
BSA0444	<input type="checkbox"/>	Electric Green	○
BSA0445	<input type="checkbox"/>	Happy Red	○
<b>CHASSIS SAFETY</b>			
BSA0450	<input type="checkbox"/>	Chassis extender, castors extend 50mm forward for added stability	○
<b>CASTOR ATTACHMENT*</b>			
BSA0460	<input type="checkbox"/>	Fixed castor attachment	◆
<b>FRONT CASTORS*</b>			
BSA0480	<input type="checkbox"/>	140x40 mm (5 1/2" x 1 5/8") Medium Hard Black tyre	£25
BSA0495	<input type="checkbox"/>	200x45 mm (8" X 1 3/4") Black Solid tyre	◆

<b>REAR WHEEL SIZE*</b>			
BSA0512	<input type="checkbox"/>	16" / 405 mm Transit rear wheel with fixed attachment (NC 0522, 0540, 0550)	◆
BSA0514	<input type="checkbox"/>	22" / 560 mm Self Propel rear wheel with QR attachment	○
BSA0516	<input type="checkbox"/>	24" / 600 mm Self Propel rear wheel with QR attachment	○
<b>REAR WHEEL TYPE*</b>			
BSA0522	<input type="checkbox"/>	Standard self propel with colourless hub, clear anodized rim and Stainless Steel spokes	○
BSA0524	<input type="checkbox"/>	Hub Brake 16" Transit or 22" or 24" Self Propel Transit with Black Plastic Hub and Rim Self Propel with colourless hub, clear anodized rim and Stainless Steel spokes	○
<b>REAR WHEEL TYRE*</b>			
BSA0535	<input type="checkbox"/>	Solid Black tyres	◆
<b>HANDRIM</b>			
BSA0540	<input type="checkbox"/>	Aluminium handrim	◆
<b>SPOKEGUARD</b>			
BSA0550	<input type="checkbox"/>	Frost spokeguard	£166
<b>BRAKE*</b>			
BSA0560	<input type="checkbox"/>	User manoeuvred tyre brakes	◆
<b>SAFETY OPTIONS</b>			
BSA0570	<input type="checkbox"/>	Pelvic belt	◆
BSA0590	<input type="checkbox"/>	Reflector Kit (wheels and chassis)	£22
<b>TRANSPORTATION BRACKETS*</b>			
BSA0595	<input type="checkbox"/>	Transportation Brackets, mounted to the front of the wheelchair	◆
<b>OTHER OPTIONS</b>			
BSA0600	<input type="checkbox"/>	Fixed Table Tray with elbow pads includes mounting kit	£209
BSA0620	<input type="checkbox"/>	Handles Clinic Kit	£55

<b>TOTAL PRICE</b>	
--------------------	--

**Non Conforming Options:**

BSA0080	+ 100 mm seat width pre-adjustment on armrests and legrests
BSA0100	400 mm / 16"
BSA0145	Black Plush TR35
BSA0155	Black Multi-stretch Black PU coated fabric
BSA1111	No upholstery, select with option 0135 Without seat cushion
BSA0217	Black Spacer TR36
BSA0605	Tilt Lock (locking of pre-set angle)
BSA2222	No Tilt Lock, Select with 0250 Electric operated seat and backrest
BSA0290	Footrest Lower part, Depth and angle adjustable with long tube and footboard converter, Pair
BSA0293	Heel strap
BSA9999	Side Support Cover with foam cushion. 2cm thick cushion supplied complete with PU fabric cover. Reduces seat width by 2cm for a comfortable fit. Consists of options 0680 and 0690 (Removable with tools)
BSA0400	Neckrest
BSA0380	Cover for headrest
BSA0450	Chassis extender, castors extend 50mm forward for added stability
BSA0480	140x40 mm (5 1/2" x 1 5/8") Medium Hard Black tyre
BSA0495	200x45 mm (8" X 1 3/4") Black Solid tyre
BSA0512	16" / 405 mm Transit rear wheel with fixed attachment
BSA0514	22" / 560 mm Self Propel rear wheel with QR attachment
BSA0516	24" / 600 mm Self Propel rear wheel with QR attachment
BSA0522	Standard self propel with colourless hub, clear anodized rim and Stainless Steel spokes
BSA0524	Hub Brake 16" Transit or 22" or 24" Self Propel Transit with Black Plastic Hub and Rim Self Propel with colourless hub, clear anodized rim and Stainless Steel spokes
BSA0540	Aluminium handrim
BSA0550	Frost spokeguard



For a more complex customer requirement,  
please email: [orders@invacare.com.au](mailto:orders@invacare.com.au)

Special Instructions

Please supply the following information:

Name:

Email:

Phone:

Description of special request (please include relevant option code or part number):