

Manual Retail Prescription Form

Yes, you can:

Tel: 01656 776222 Fax: 01656 776220 Email: ordersuk@invacare.com
Online Spares available at: www.invacare.co.uk

APRIL 2020 Customer Ref:

| Customer Ref* | Account No* |
|-------------------|-------------|
| Contact No* | Order No* |
| Delivery Address* | Order Qty* |
| | Order date* |

Kuschall Champion SK

Standard Features

- Max user weight 120kg/19 Stone
- Active, lighweight, folding aluminium wheelchair with folding front frame
- Multiple adjustments, front & rear seat heights and centre of gravity
- Aluminium front frame with 75° or 85° front angle options
- 24" Self propel Q/R wheels with grey aluminium handrims
- Schwalbe black & grey pneumatic tyres
- Choice of 6 seat widths 360mm to 460mm (14" 18")
- Choice of 8 seat depths 340mm to 480mm (13" 19")
- Choice of 13 frame colours
- Range of front seat heights from 450mm to 540mm (17" - 21")
- Range of rear seat heights from 390mm to 490mm (15" - 19")
- Angle adjustable, soft locking, folding backrest with nylon light upholstery
- Black comfort front castor
- Standard brake lever bent
- Tool kit

Standard Base price: £2,590



| Please make your selection with a cross in the box | O Free of charge standard feature POA special request | |
|--|---|--|
|--|---|--|

Customer weight = KG

| Code | Description | |
|------------|--|-----|
| BASE PRODU | JCT* | |
| DDC0031 | KÜSCHALL CHAMPION | O |
| DDC0000 | MYKÜSCHALL SPECIAL REQUEST - PLEASE INCLUDE QUOTATION REFERENCE IN SPECIAL DESCRIPTION AT THE END OF THE FORM WHERE APPLICABLE | POA |
| FRAME* | | |
| DDC0203 | FRAME ANGLE 75° ALUMINIUM | • |
| DDC0212 | FRAME ANGLE 85° ALUMINIUM | 0 |

| SK FOLDING | FRONT* | | |
|------------|---|---|--------|
| DDC0299 | SK OPTION: FOLDING FRONT FRAME | | £2,590 |
| SEAT WIDTH | * | | |
| DDC0126 | 360 MM | (NC 1722) | 0 |
| DDC0128 | 380 MM | (NC 1722) | 0 |
| DDC0130 | 400 MM | | O |
| DDC0132 | 420 MM | | O |
| DDC0134 | 440 MM | | 0 |
| DDC0136 | 460 MM | | O |
| SEAT DEPTH | * | | |
| DDC0410 | 340 MM | (NC 0615, 0662, 0663) | O |
| DDC0412 | 360 MM | (NC 0662, 0663) | 0 |
| DDC0415 | 380 MM | (NC 0662, 0663) | 0 |
| DDC0417 | 400 MM | | 0 |
| DDC0419 | 420 MM | | O |
| DDC0421 | 440 MM | | O |
| DDC0424 | 460 MM | | O |
| DDC0427 | 480 MM | | O |
| BACK HEIGH | <u>T*</u> | | |
| DDC0550 | 300 MM | (NC 0700, 0750, 1491) | 0 |
| DDC0503 | 315 MM | (NC 0700, 0750, 1491) | 0 |
| DDC0506 | 330 MM | (NC 1491) | 0 |
| DDC0509 | 345 MM | (NC 1491) | 0 |
| DDC0512 | 360 MM | (NC 1491) | 0 |
| DDC0514 | 375 MM | (NC 1491) | 0 |
| DDC0516 | 390 MM | (NC 1491) | 0 |
| DDC0518 | 405 MM | | O |
| DDC0520 | 420 MM | | O |
| DDC0522 | 435 MM | | 0 |
| DDC0524 | 450 MM | | O |
| DDC0526 | 465 MM | | O |
| FRONT SEAT | HEIGHT* | | |
| DDC0847 | 450 MM | (NC 1684, 1685, 1686, 1687, 1688, 1689, 1690, 1691) | 0 |
| DDC0848 | 460 MM | (NC 1685, 1686, 1687, 1688, 1689, 1690, 1691) | 0 |
| DDC0849 | 470 MM | (NC 1686, 1687, 1688, 1689, 1690, 1691) | 0 |
| DDC0850 | 480 MM | (NC 1687, 1688, 1689, 1690, 1691) | O |
| DDC0851 | 490 MM | (NC 1688, 1689, 1690, 1691) | O |
| DDC0852 | 500 MM | (NC 1689, 1690, 1691) | O |
| DDC0853 | 510 MM | (NC 1690, 1691) | O |
| DDC0854 | 520 MM | (NC 1691) | O |
| DDC0855 | 530 MM | (NC 0800) | O |
| DDC0856 | 540 MM POSSIBLE WITH 5" FRONT WHEELS ONLY | (NC 0800, 0801, 0860, 0809, 0861, 0803, 0808, 0825, 0807, 0831, 0796, 0797) | 0 |

| REAR SEAT HE | IGHT* | | |
|--------------|---|-----------------------|----------|
| DDC0944 | 390 MM POSSIBLE WITH 22" & 24" REAR WHEELS | (NC 0925, 0903) | O |
| DDC0945 | 400 MM POSSIBLE WITH 22" & 24" REAR WHEELS | (NC 0925, 0903) | O |
| DDC0946 | 410 MM POSSIBLE WITH 22", 24" & 25" REAR WHEELS | (NC 0903) | O |
| DDC0947 | 420 MM POSSIBLE WITH 22", 24" & 25" REAR WHEELS | (NC 0903) | O |
| DDC0948 | 430 MM | | O |
| DDC0949 | 440 MM | | O |
| DDC0950 | 450 MM POSSIBLE WITH 24", 25" & 26" REAR WHEELS | (NC 0901) | Q |
| DDC0951 | 460 MM POSSIBLE WITH 24", 25" & 26" REAR WHEELS | (NC 0901) | O |
| DDC0952 | 470 MM POSSIBLE WITH 25" & 26" REAR WHEELS | (NC 0901, 0902) | O |
| DDC0953 | 480 MM POSSIBLE WITH 25" & 26" REAR WHEELS | (NC 0901, 0902) | O |
| DDC0954 | 490 MM POSSIBLE WITH 26" REAR WHEELS ONLY | (NC 0901, 0902, 0925) | O |
| LOWER LEG LE | ENGTH* | | |
| DDC1679 | 380 MM | | 0 |
| DDC1680 | 390 MM | | 0 |
| DDC1681 | 400 MM | | O |
| DDC1682 | 410 MM | | 0 |
| DDC1683 | 420 MM | | 0 |
| DDC1684 | 430 MM | | 0 |
| DDC1685 | 440 MM | | O |
| DDC1686 | 450 MM | | O |
| DDC1687 | 460 MM | | 0 |
| DDC1688 | 470 MM | | 0 |
| DDC1689 | 480 MM | | 0 |
| DDC1690 | 490 MM | | 0 |
| DDC1691 | 500 MM | | 0 |
| BACKREST* | | | |
| DDC0734 | ANGLE ADUSTABLE, FORWARD FOLDING WITH SOFT LOCK. BACKREST REMAINS LOCKED FOR TRANSPORTATION | | • |
| BACKREST UP | HOLSTERY* | | |
| DDC0700 | BLACK STANDARD LIGHT UPHOLSTERY, WITHOUT TENSION ADJUSTMENT | (NC 0703, 1491) | * |
| DDC0726 | TENSION ADJUSTABLE BACKREST, WITH PREMIUM BLACK NYLON AND REFLECTIVE TRIM UPHOLSTERY COVER | | £113 |
| DDC0735 | TENSION ADJUSTABLE BACKREST, WITH BLACK AERO/SPACER UPHOLSTERY COVER | | £185 |
| PUSH HANDLE | S* | | |
| DDC0750 | WITHOUT PUSH HANDLES | | • |
| DDC0751 | PUSH HANDLES FIXED SHORT/MINI HAND GRIP | | £110 |
| DDC0702 | PUSH HANDLES FIXED LONG HAND GRIP | | O |
| DDC0703 | PUSH HANDLES HEIGHT ADJUSTABLE, REAR SET | (NC 1411) | £210 |
| DDC0704 | PUSH HANDLES FOLDABLE | (NC 1491) | £164 |
| DDC0733 | PUSH HANDLES HEIGHT ADJUSTABLE, INTEGRATED | (NC 1491) | £181 |

| BACKREST AN | IGLE* | |
|-------------|---|----------------|
| DDC0713 | 76° | O |
| DDC0714 | 80.5° | O |
| DDC0715 | 85° | * |
| DDC0716 | 89.5° | 9 |
| DDC0717 | 94° | O |
| BACKREST ST | ABILIZATION BAR | |
| DDC1491 | BACKREST STABILIZATION BAR, SWINGAWAY AND REMOVABLE | £136 |
| SEAT UPHOLS | TERY* | |
| DDC0610 | STANDARD SEAT UPHOLSTERY | ◆ |
| DDC0615 | LIGHT SEAT UPHOLSTERY, MESH MATERIAL TO REDUCE WEIGHT | £57 |
| SEAT CUSHIO | N | |
| DDC0600 | STANDARD SEAT CUSHION, 60 MM DOUBLE FOAM WITH VISCO TOP LAYER | £55 |
| DDC0662 | MATRX LIBRA CUSHION, BLACK SMOOTH COVER - VERY HIGH RISK | £323 |
| DDC0663 | MATRX VI CUSHION, BLACK SMOOTH COVER - HIGH RISK | £299 |
| SEAT BAG | | |
| DDC0606 | SEAT BAG, CLICK IN AND REMOVABLE, INCLUDES THE FIXATION CLIPS | (NC 1714) £61 |
| FOOTREST* | | |
| DDC1500 | RIGID, PLASTIC FOOTPLATE, HEIGHT AND ANGLE ADJUSTABLE, SET TO THE FRONT. NOTE: THIS DOES NOT FLIP UP FOR TRANSFER, BUT IT FOLDS EASY FOR TRANSPORT AND STORAGE | • |
| DDC1501 | RIGID, PLASTIC FOOTPLATE, HEIGHT AND ANGLE ADJUSTABLE, SET TO THE REAR NOTE: THIS DOES NOT FLIP UP FOR TRANSFER, BUT IT FOLDS EASY FOR TRANSPORT AND STORAGE | ◆ |
| CALF STRAP* | <u>'</u> | |
| DDC1533 | CALF STRAP MOUNTED ON SUPPORTER | ◆ |
| DDC1535 | CALF STRAP MOUNTED ON FRAME | 0 |
| CLOTHESGUA | RDS/MUDGUARDS* | |
| DDC1401 | CARBON CLOTHES GUARDS FLIP BACK | • |
| DDC1405 | CARBON MUDGUARDS FIXED | (NC 1416) £205 |
| DDC1408 | CARBON MUDGUARDS REMOVABLE | (NC 1416) £255 |
| DDC1111 | NO CLOTHESGUARDS SELECT WITH OPTIONS 1416 ARMREST | O |
| ARMREST | | |
| DDC1411 | TUBULAR ARMREST. HEIGHT ADJUSTABLE, REMOVABLE, NON-LOCKING, SWING-AWAY AND COMFORT PADDED, NO CLOTHESGUARD INCLUDED | (NC 1111) £199 |
| DDC1416 | ARMREST, HEIGHT ADJUSTABLE, SHORT ARMPAD (T-ARM), NON-LOCKING, NO CLOTHESGUARD INCLUDED | £88 |

| FRAME COLOU | JR* | |
|-------------|--|------|
| DDC0300 | GLOSSY-BLACK | O |
| DDC0302 | ROYAL BLUE | 0 |
| DDC0303 | ROYAL RED | O |
| DDC0314 | BLACK MATT | O |
| DDC0315 | SILVER GREY | O |
| DDC0366 | DYNAMITE ORANGE | O |
| DDC0365 | MERCURY BLUE | 0 |
| DDC0368 | NITRO PINK | O |
| DDC0367 | ATOMIC VIOLET | O |
| DDC0369 | MINT GREEN | O |
| DDC0356 | IVORY WHITE | O |
| DDC0358 | SMOKEY GREY | O |
| DDC0359 | FLASHY YELLOW | O |
| COLOUR POW | ER SET | |
| DDC0338 | CHROME STAREC REAR WHEEL RIM ONLY AVAILABLE IN BLACK WHEN CPS CHROME IS SELECTED | £185 |
| DDC0330 | TECHNO-ANTHRACITE | £185 |
| DDC0329 | COMET RED | £185 |
| DDC0339 | CHAMPAGNE | £185 |
| DDC0334 | B-BLUE | £185 |
| DDC0336 | ARCTIC BLUE | £185 |
| | | |

| FRONT CASTO | PRS* | |
|--------------|---|----------|
| DDC0800 | 75MM X 25MM (3" X 1") SUPERSPORT CASTOR | 0 |
| DDC0801 | 100MM X 30MM (4" X 1.2") EVERYDAY CASTOR WITH BLACK TYRE | O |
| DDC0860 | 100MM X 30MM (4" X 1.2") COMFORT CASTOR WITH BLACK TYRE | O |
| DDC0809 | 100MM X 25MM (4" X 1") STAREC CASTOR WITH BLACK HUB, BLACK TYRE | £69 |
| DDC0861 | 100MM X 25MM (4" X 1") STAREC CASTOR WITH CHROME BLACK HUB, BLACK TYRE | £69 |
| DDC0803 | 100MM X 25MM (4" X 1") STAREC CASTOR WITH TECHNO-ANTHRACITE BLACK HUB, BLACK TYRE | £69 |
| DDC0808 | 100MM X 25MM (4" X 1") STAREC CASTOR WITH COMET RED BLACK HUB, BLACK TYRE | £69 |
| DDC0825 | 100MM X 25MM (4" X 1") STAREC CASTOR WITH CHAMPAGNE BLACK HUB, BLACK TYRE | £69 |
| DDC0807 | 100MM X 25MM (4" X 1") STAREC CASTOR WITH B- BLUE BLACK HUB, BLACK TYRE | £69 |
| DDC0831 | 100MM X 25MM (4" X 1") STAREC CASTOR WITH ARCTIC BLUE BLACK HUB, BLACK TYRE | £69 |
| DDC0796 | 100MM X 36MM (4" X 1.4") ALUMINIUM SOFTROLL CASTOR WITH BLACK HUB, BLACK TYRE | £77 |
| DDC0797 | 100MM X 36MM (4" X 1.4") ALUMINIUM SOFTROLL CASTOR WITH SILVER HUB, BLACK TYRE | £77 |
| DDC0810 | 125MM X 30MM (5" X 1.2") EVERYDAY CASTOR WITH BLACK TYRE | 0 |
| DDC0863 | 125MM X 30MM (5" X 1.2") COMFORT CASTOR WITH BLACK TYRE | * |
| DDC0819 | 125MM X 25MM (5" X 1") STAREC CASTOR BLACK HUB, BLACK TYRE | £69 |
| DDC0862 | 125MM X 25MM (5" X 1") STAREC CASTOR CHROME HUB, BLACK TYRE | £69 |
| DDC0813 | 125MM X 25MM (5" X 1") STAREC CASTOR TECHNO-ANTHRACITE HUB, BLACK TYRE | £69 |
| DDC0818 | 125MM X 25MM (5" X 1") STAREC CASTOR COMET RED HUB, BLACK TYRE | £69 |
| DDC0827 | 125MM X 25MM (5" X 1") STAREC CASTOR CHAMPAGNE HUB, BLACK TYRE | £69 |
| DDC0817 | 125MM X 25MM (5" X 1") STAREC CASTOR B-BLUE HUB, BLACK TYRE | £69 |
| DDC0832 | 125MM X 25MM (5" X 1") STAREC CASTOR ARCTIC BLUE HUB, BLACK TYRE | £69 |
| DDC0798 | 125MM X 36MM (5" X 1.4") ALUMINIUM SOFTROLL CASTOR WITH BLACK HUB, BLACK TYRE | £77 |
| DDC0799 | 125MM X 36MM (5" X 1.4") ALUMINIUM SOFTROLL CASTOR WITH SILVER HUB, BLACK TYRE | £77 |
| REAR WHEEL | POSITION* | |
| DDC0263 | 1ST FROM FRONT MOST ACTIVE POSITION | 0 |
| DDC0264 | 2ND FROM FRONT | 0 |
| DDC0265 | 3RD FROM FRONT | O |
| DDC0266 | 4TH FROM FRONT | 0 |
| DDC0267 | 5TH FROM FRONT | • |
| DDC0268 | 6TH FROM FRONT | 0 |
| DDC0269 | 7TH FROM FRONT | 0 |
| DDC0259 | 8TH FROM FRONT | 0 |
| DDC0260 | 9TH FROM FRONT LEAST ACTIVE POSITION | 0 |
| QUAD QUICK F | RELEASE AXLE | |
| DDC0909 | QUAD QUICK RELEASE/TETRA CLIP (NC 0906, 0912) | £71 |
| | | |

| REAR WHEEL S | SIZE* | | |
|--------------|--|---|----------|
| DDC0901 | 22" | (NC 0908, 0918, 0906, 0912, 1010, 1004, 1011, 1104, 1106, 1121, 1122, 1202, 1208) | O |
| DDC0902 | 24" | (NC 0918, 0912) | ♦ |
| DDC0925 | 25" | (NC 0908, 0918, 0906, 1002, 1004, 1102, 1104, 1106, 1121, 1122) | 0 |
| DDC0903 | 26" | (NC 0908, 0918, 0906, 0912, 1002, 1004, 1011, 1106, 1121, 1122, 1202, 1208) | 0 |
| REAR WHEEL | CAMBER* | | |
| DDC0282 | 0° CAMBER | | • |
| DDC0279 | 2° CAMBER | | O |
| DDC0283 | 4° CAMBER | (NC 1302) | 0 |
| REAR WHEEL | TYPE* | | |
| DDC0915 | 22", 24", 26" KÜSCHALL STAREC, CROSS SPOKED STAREC HUB COLOURLESS AND RIM BLACK - HUB AND RIM IN CPS WHEN SELECTED | | • |
| DDC0908 | 24" HIGH PERFORMANCE WHEEL STAREC HUB AND RIM BLACK - OR IN CPS WHEN SELECTED. NOTE: RIM SUPPLIED IN BLACK WITH CHROME CPS | (NC 1004) | £210 |
| DDC0918 | 25" HIGH PERFORMANCE WHEEL STAREC HUB AND RIM BLACK - HUB IN CPS WHEN SELECTED, BLACK RIM | (NC 1004, 1200, 1202, 1208) | £302 |
| DDC0906 | 24" SPINERGY LXK HUB, RIM AND SPOKES BLACK - CPS NOT APPLICABLE IF CHOSEN | (NC 1004, 1202, 1208) | £505 |
| DDC0912 | 25" SPINERGY LXK HUB, RIM, SPOKES BLACK - CPS NOT APPLICABLE IF CHOSEN | (NC 1004, 1200, 1202, 1208) | £505 |
| SWO0907 | 24" OR 25" SPINERGY SPOX WHEEL (CHROME HUB, 18 SPOKES IN BLACK, NO CPS) COLOURED SPOKES ARE AVAILABLE VIA MYKUSCHALL, PLEASE INDICATE REQUIREMENTS IN THE SPACE PROVIDED AT THE END OF THE FORM | (NC 1004, 1200, 1202, 1208) | £402 |
| SWO0909 | 24" OR 25" SPINERGY LX WHEEL (CHROME HUB, 12 SPOKES IN BLACK, NO CPS) COLOURED SPOKES ARE AVAILABLE VIA MYKUSCHALL, PLEASE INDICATE REQUIREMENTS IN THE SPACE PROVIDED AT THE END OF THE FORM | (NC 1004, 1200, 1202, 1208) | £608 |
| REAR WHEEL | TYRE* | | |
| DDC1014 | 22", 24", 25", 26" SCHWALBE RIGHTRUN BLACK/GREY PNEUMATIC TYRE | | O |
| DDC1002 | 22", 24" PROFILE GREY PNEUMATIC TYRE 7 BAR | | * |
| DDC1010 | 24", 25", 26" SCHWALBE MARATHON PLUS SMART GUARD (PUNCTURE PROTECTED TYRE WITH 5MM LAYER OF FLEXIBLE RUBBER) | | £82 |
| DDC1004 | 24" SOLID PROFILE GREY TYRE | | £55 |
| DDC1011 | 24", 25" SCHWALBE ONE V-GUARD PUNCTURE RESISTANT TYRE (CUT-RESISTANT HIGH-TECH FIBRE) | | £80 |

| HANDRIM* | | |
|---------------|--|---------------|
| DDC1102 | 22", 24", 26" SUPERGRIPP, MOUNTED AT 3 CM DISTANCE | £185 |
| DDC1104 | 24", 26" STEEL, MOUNTED AT 3 CM DISTANCE | £52 |
| DDC1106 | 24" TITANIUM, MOUNTED AT 3 CM DISTANCE | £159 |
| DDC1121 | 24" CARBOLIFE GEKKO MOUNTED AT 3 CM DISTANCE | £345 |
| DDC1113 | 22", 24", 25", 26" LIGHT ALUMINIUM GREY, MOUNTED AT 3 CM DISTANCE | • |
| DDC1117 | 22", 24", 25", 26" LIGHT ALUMINIUM BLACK, MOUNTED AT 3 CM DISTANCE | £34 |
| DDC1114 | 22", 24", 25", 26" LIGHT ALUMINIUM GREY, MOUNTED AT 4 CM DISTANCE | • |
| DDC1122 | 24" CARBOLIFE CURVE L, MOUNTED AT 3 CM DISTANCE | £308 |
| SPOKEGUARD | S | |
| DDC1200 | 22", 24", 26" TRANSPARENT | £104 |
| DDC1202 | 24" KÜSCH | £104 |
| DDC1208 | 24" TRANSPARENT AND WHITE "KÜSCHALL" | £104 |
| FIXATION CLIP | | |
| DDC1722 | FIXATION STRAP (HOOK AND LOOP STRAP UNDER THE SEAT HOLDS THE FRAME TOGETHER WHEN FOLDED FOR EASY TRANSPORTATION, DESIGNED FOR CLIENTS WITH LIMITED HAND FUNCTION) | |
| DDC1714 | FIXATION CLIP (PLASTIC CLIP ON EITHER SIDE OF THE SEAT HOLDS THE FRAME TOGETHER WHEN FOLDED FOR EASY TRANSPORTATION) | • |
| UNFOLDING HI | ELP* | |
| DDC1719 | UNFOLDING HELP (CORD TO HELP OPEN THE FOLDING MECHANISM FROM THE FRONT OF THE CHAIR) | • |
| BRAKES* | | |
| DDC1300 | STANDARD PUSH TO LOCK BRAKES, LEVER BENT | • |
| DDC1301 | STANDARD PUSH TO LOCK BRAKES, LEVER STRAIGHT | 0 |
| DDC1306 | PULL BRAKES | £64 |
| DDC1302 | PERFORMANCE BRAKES, PUSH TO LOCK. BRAKE BARREL FLIPS OUT OF THE WAY OF WHEEL | (NC 1310) £64 |
| DDC1303 | ACTIVE/SCISSOR BRAKES | (NC 1310) £64 |
| BRAKE LEVER | EXTENSION | |
| DDC1310 | BRAKE LEVER EXTENSION | £41 |
| SAFETY OPTIO | NS | |
| DDC1702 | ANTI-TIPPER RIGHT | £101 |
| DDC1703 | ANTI-TIPPER LEFT | £101 |
| DDC1704 | ANTI-TIPPER BOTH SIDES | £202 |
| DDC1730 | STANDARD PELVIC BELT | £61 |
| | | |

| OTHER OPTION | NS | |
|--------------|---|----------|
| DDC1739 | FRONT FRAME PROTECTORS; 2 PIECE. REMOVABLE WITH HOOK AND LOOP | £31 |
| DDC1708 | TIPPER-AID, RIGHT | £38 |
| DDC1706 | CANE HOLDER, MOUNTED RIGHT | £62 |
| DDC1715 | AIR PUMP | £11 |
| DDC1712 | KÜSCHALL WATCH, RIGHT SIDE | £88 |
| DDC1713 | KÜSCHALL WATCH, LEFT SIDE | £88 |
| DDC1717 | TOOL KIT | ♦ |
| DDC1728 | WHEEL BAG (FITS ALL WHEEL SIZES) | £45 |
| DDC1734 | 24" MOUNTAIN BIKE WHEELS WITH BAG. FITTED WITH SPECIFIC BLACK TYRES AND GREY ALUMINIUM HANDRIMS; QUICK RELEASE AXLES INCLUDED | £265 |
| DDC1747 | TRAVEL BAG FOR CHAMPION WITH SC OPTION (FOLDABLE FRONT FRAME) RIGID BAG FOR FOLDED WHEELCHAIR | £308 |

Customer Ref:

TOTAL PRICE

| Non Conforming C | Options: |
|------------------|--|
| DDC1684 | 430 MM |
| DDC1685 | 440 MM |
| DDC1686 | 450 MM |
| DDC1687 | 460 MM |
| DDC1688 | 470 MM |
| DDC1689 | 480 MM |
| DDC1690 | 490 MM |
| DDC1691 | 500 MM |
| DDC0700 | BLACK STANDARD LIGHT UPHOLSTERY, WITHOUT TENSION ADJUSTMENT |
| DDC0750 | WITHOUT PUSH HANDLES |
| DDC0703 | PUSH HANDLES HEIGHT ADJUSTABLE, REAR SET |
| DDC1491 | BACKREST STABILIZATION BAR, SWINGAWAY AND REMOVABLE |
| DDC0615 | LIGHT SEAT UPHOLSTERY, MESH MATERIAL TO REDUCE WEIGHT |
| DDC0662 | MATRX LIBRA CUSHION, BLACK SMOOTH COVER - VERY HIGH RISK |
| DDC0663 | MATRX VI CUSHION, BLACK SMOOTH COVER - HIGH RISK |
| DDC1111 | NO CLOTHESGUARDS SELECT WITH OPTIONS 1416 ARMREST |
| DDC1411 | TUBULAR ARMREST. HEIGHT ADJUSTABLE, REMOVABLE, NON-LOCKING, SWING-AWAY AND COMFORT PADDED, NO CLOTHESGUARD INCLUDED |
| DDC1416 | ARMREST, HEIGHT ADJUSTABLE, SHORT ARMPAD (T-ARM), NON-LOCKING, NO CLOTHESGUARD INCLUDED |
| DDC0800 | 75MM X 25MM (3" X 1") SUPERSPORT CASTOR |
| DDC0801 | 100MM X 30MM (4" X 1.2") EVERYDAY CASTOR WITH BLACK TYRE |
| DDC0860 | 100MM X 30MM (4" X 1.2") COMFORT CASTOR WITH BLACK TYRE |
| DDC0809 | 100MM X 25MM (4" X 1") STAREC CASTOR WITH BLACK HUB, BLACK TYRE |
| DDC0861 | 100MM X 25MM (4" X 1") STAREC CASTOR WITH CHROME BLACK HUB, BLACK TYRE |
| DDC0803 | 100MM X 25MM (4" X 1") STAREC CASTOR WITH TECHNO-ANTHRACITE BLACK HUB, BLACK TYRE |
| DDC0808 | 100MM X 25MM (4" X 1") STAREC CASTOR WITH COMET RED BLACK HUB, BLACK TYRE |
| DDC0825 | 100MM X 25MM (4" X 1") STAREC CASTOR WITH CHAMPAGNE BLACK HUB, BLACK TYRE |
| DDC0807 | 100MM X 25MM (4" X 1") STAREC CASTOR WITH B-BLUE BLACK HUB, BLACK TYRE |
| DDC0831 | 100MM X 25MM (4" X 1") STAREC CASTOR WITH ARCTIC BLUE BLACK HUB, BLACK TYRE |
| DDC0796 | 100MM X 36MM (4" X 1.4") ALUMINIUM SOFTROLL CASTOR WITH BLACK HUB, BLACK TYRE |
| DDC0797 | 100MM X 36MM (4" X 1.4") ALUMINIUM SOFTROLL CASTOR WITH SILVER HUB, BLACK TYRE |
| DDC0901 | 22" |
| DDC0902 | 24" |
| DDC0925 | 25" |
| DDC0903 | 26" |
| DDC0908 | 24" HIGH PERFORMANCE WHEEL STAREC HUB AND RIM BLACK - OR IN CPS WHEN SELECTED. NOTE: RIM SUPPLIED IN BLACK WITH CHROME CPS |
| DDC0918 | 25" HIGH PERFORMANCE WHEEL STAREC HUB AND RIM BLACK - HUB IN CPS WHEN SELECTED, BLACK RIM |
| DDC0906 | 24" SPINERGY LXK HUB, RIM AND SPOKES BLACK - CPS NOT APPLICABLE IF CHOSEN |
| DDC0912 | 25" SPINERGY LXK HUB, RIM, SPOKES BLACK - CPS NOT APPLICABLE IF CHOSEN |
| DDC1002 | 22", 24" PROFILE GREY PNEUMATIC TYRE 7 BAR |
| DDC1010 | 24", 25", 26" SCHWALBE MARATHON PLUS SMART GUARD (PUNCTURE PROTECTED TYRE WITH 5MM LAYER OF FLEXIBLE RUBBER) |
| DDC1004 | 24" SOLID PROFILE GREY TYRE |
| DDC1011 | 24", 25" SCHWALBE ONE V-GUARD PUNCTURE RESISTANT TYRE (CUT-RESISTANT HIGH-TECH FIBRE) |

| DDC1102 | 22", 24", 26" SUPERGRIPP, MOUNTED AT 3 CM DISTANCE |
|---------|---|
| DDC1104 | 24", 26" STEEL, MOUNTED AT 3 CM DISTANCE |
| DDC1106 | 24" TITANIUM, MOUNTED AT 3 CM DISTANCE |
| DDC1121 | 24" CARBOLIFE GEKKO MOUNTED AT 3 CM DISTANCE |
| DDC1122 | 24" CARBOLIFE CURVE L, MOUNTED AT 3 CM DISTANCE |
| DDC1200 | 22", 24", 26" TRANSPARENT |
| DDC1202 | 24" KÜSCH |
| DDC1208 | 24" TRANSPARENT AND WHITE "KÜSCHALL" |
| DDC1722 | FIXATION STRAP (HOOK AND LOOP STRAP UNDER THE SEAT HOLDS THE FRAME TOGETHER WHEN FOLDED FOR EASY TRANSPORTATION, DESIGNED FOR CLIENTS WITH LIMITED HAND FUNCTION) |
| DDC1714 | FIXATION CLIP (PLASTIC CLIP ON EITHER SIDE OF THE SEAT HOLDS THE FRAME TOGETHER WHEN FOLDED FOR EASY TRANSPORTATION) |
| DDC1302 | PERFORMANCE BRAKES, PUSH TO LOCK. BRAKE BARREL FLIPS OUT OF THE WAY OF WHEEL |
| DDC1310 | BRAKE LEVER EXTENSION |



For a more complex customer requirement please refer to our Invacare Unique special order form. email specialsuk@invacare.com or Fax: 01656 776220

| Special Instructions Please supply the following information: | |
|---|---------|
| Name: | Email: |
| Phone: | Fax: |
| Description of special request (please include relayent option code or part r | numher) |