

## Manual Retail Prescription Form

## Yes, you can:

Tel: 01656 776222 Fax: 01656 776220 Email: ordersuk@invacare.com
Online Spares available at: www.invacare.co.uk

APRIL 2020 Customer Ref:

| Customer Ref*     | Account No* |
|-------------------|-------------|
| Contact No*       | Order No*   |
| Delivery Address* | Order Qty*  |
|                   | Order date* |

## **Kuschall Champion Carbon**

## **Standard Features**

- Max user weight 120kg/19 Stone
- · Active, lighweight, folding Carbon wheelchair
- Multiple adjustments, front & rear seat heights and centre of gravity
- Carbon front frame with 85° front angle
- 24" Self propel Q/R wheels with grey aluminium handrims
- Schwalbe black & grey pneumatic tyres
- Choice of 6 seat widths 360mm to 460mm (14" 18")
- Choice of 4 seat depths 400mm to 460mm (15" 18")
- Range of front seat heights from 450mm to 540mm (17" - 21")
- Range of rear seat heights from 390mm to 490mm (15" - 19")
- Angle adjustable, soft locking, folding backrest with nylon light upholstery
- · Black comfort front castor
- · Standard brake lever bent
- Tool kit

Standard Base price: £2,539



| Please make your selection with a cross in the box | O Free of charge ♦ standard feature POA specia | al request |
|--|--|------------|
|--|--|------------|

Customer weight = KG

| Code      | Description  |        |
|-----------|--|--------|
| BASE PROD | UCT*   |        |
| DDC0031   | KÜSCHALL CHAMPION  | •      |
| DDC0000   | MYKÜSCHALL SPECIAL REQUEST - PLEASE INCLUDE QUOTATION REFERENCE IN SPECIAL DESCRIPTION AT THE END OF THE FORM WHERE APPLICABLE | 0      |
| FRAME*    |  |        |
| DDC0204   | FRAME ANGLE 85° CARBON (NC 0424, 1676, 1677, 1678, 1679, 1680, 1739)   | £2,539 |

| SEAT WIDTH*   |  | wa versi  |          |
|---------------|--|---|----------|
| DDC0126       | 360 MM   | (NC 1722)   | 0        |
| DDC0128       | 380 MM   | (NC 1722)   | <u>O</u> |
| DDC0130       | 400 MM   |   | 0        |
| DDC0132       | 420 MM   |   | O        |
| DDC0134       | 440 MM   |   | O        |
| DDC0136       | 460 MM   |   | 0        |
| SEAT DEPTH*   |  |   |          |
| DDC0417       | 400 MM   |   | O        |
| DDC0419       | 420 MM   |   | O        |
| DDC0421       | 440 MM   |   | 0        |
| DDC0424       | 460 MM   |   | 0        |
| BACK HEIGHT*  |  |   |          |
| DDC0585       | BACK HEIGHT FOR FIXED BACK FINAL HEIGHT DEPENDS ON THE HEIGHT OF THE POSITIONING BACKREST, SELECT IF MATRX BACKREST IS REQUIRED. | (NC 0700, 0726, 0735)   | O        |
| DDC0550       | 300 MM   | (NC 0700, 0769, 0750, 1491)   | O        |
| DDC0503       | 315 MM   | (NC 0700, 0769, 0750, 1491)   | O        |
| DDC0506       | 330 MM   | (NC 0769, 1491)   | O        |
| DDC0509       | 345 MM   | (NC 0769, 1491)   | O        |
| DDC0512       | 360 MM   | (NC 0769, 1491)   | O        |
| DDC0514       | 375 MM   | (NC 0769, 1491)   | O        |
| DDC0516       | 390 MM   | (NC 0769, 1491)   | O        |
| DDC0518       | 405 MM   | (NC 0769)   | O        |
| DDC0520       | 420 MM   | (NC 0769)   | O        |
| DDC0522       | 435 MM   | (NC 0769)   | O        |
| DDC0524       | 450 MM   | (NC 0769)   | O        |
| DDC0526       | 465 MM   | (NC 0769)   | O        |
| FRONT SEAT HE | EIGHT*   |   |          |
| DDC0847       | 450 MM   | (NC 1684, 1685, 1686, 1687, 1688, 1689, 1690, 1691)                         | O        |
| DDC0848       | 460 MM   | (NC 1685, 1686, 1687, 1688, 1689, 1690, 1691)                               | O        |
| DDC0849       | 470 MM   | (NC 1686, 1687, 1688, 1689, 1690, 1691)                                     | O        |
| DDC0850       | 480 MM   | (NC 1687, 1688, 1689, 1690, 1691)   | O        |
| DDC0851       | 490 MM   | (NC 1688, 1689, 1690, 1691)   | O        |
| DDC0852       | 500 MM   | (NC 1689, 1690, 1691)   | O        |
| DDC0853       | 510 MM   | (NC 1690, 1691)   | 0        |
| DDC0854       | 520 MM   | (NC 1691)   | 0        |
| DDC0855       | 530 MM   | (NC 0800)   | 0        |
| DDC0856       | 540 MM POSSIBLE WITH 5" FRONT WHEELS ONLY  | (NC 0800, 0801, 0860, 0809, 0861, 0803, 0808, 0825, 0807, 0831, 0796, 0797) | O        |

| REAR SEAT HE | IGHT*  |                                   |                                       |
|--------------|--|-----------------------------------|---------------------------------------|
| DDC0944      | 390 MM POSSIBLE WITH 22" & 24" REAR WHEELS   | (NC 0925, 0903)                   | O                                     |
| DDC0945      | 400 MM POSSIBLE WITH 22" & 24" REAR WHEELS   | (NC 0925, 0903)                   | O                                     |
| DDC0946      | 410 MM POSSIBLE WITH 22", 24" & 25" REAR WHEELS  | (NC 0903)                         | •                                     |
| DDC0947      | 420 MM POSSIBLE WITH 22", 24" & 25" REAR WHEELS  | (NC 0903)                         | O                                     |
| DDC0948      | 430 MM   |                                   | O                                     |
| DDC0949      | 440 MM   |                                   | O                                     |
| DDC0950      | 450 MM POSSIBLE WITH 24", 25" & 26" REAR WHEELS  | (NC 0901)                         | O                                     |
| DDC0951      | 460 MM POSSIBLE WITH 24", 25" & 26" REAR WHEELS  | (NC 0901)                         | 0                                     |
| DDC0952      | 470 MM POSSIBLE WITH 25" & 26" REAR WHEELS   | (NC 0901, 0902)                   | O                                     |
| DDC0953      | 480 MM POSSIBLE WITH 25" & 26" REAR WHEELS   | (NC 0901, 0902)                   | O                                     |
| DDC0954      | 490 MM POSSIBLE WITH 26" REAR WHEELS ONLY  | (NC 0901, 0902, 0925)             | O                                     |
| LOWER LEG LE | :NGTH*   |                                   |                                       |
| DDC1673      | 320 MM   |                                   | O                                     |
| DDC1674      | 330 MM   |                                   | O                                     |
| DDC1675      | 340 MM   |                                   | O                                     |
| DDC1676      | 350 MM   |                                   | O                                     |
| DDC1677      | 360 MM   |                                   | 0                                     |
| DDC1678      | 370 MM   |                                   | O                                     |
| DDC1679      | 380 MM   |                                   | 0                                     |
| DDC1680      | 390 MM   |                                   | 0                                     |
| DDC1681      | 400 MM   |                                   | O                                     |
| DDC1682      | 410 MM   |                                   | O                                     |
| DDC1683      | 420 MM   |                                   | ·                                     |
| DDC1684      | 430 MM   |                                   | <u> </u>                              |
| DDC1685      | 440 MM   |                                   | · · · · · · · · · · · · · · · · · · · |
| DDC1686      | 450 MM   |                                   | 9                                     |
|              |  |                                   | 0                                     |
| DDC1687      | 460 MM   |                                   |                                       |
| DDC1688      | 470 MM   |                                   | 0                                     |
| DDC1689      | 480 MM   |                                   | 0                                     |
| DDC1690      | 490 MM   |                                   | 0                                     |
| DDC1691      | 500 MM   |                                   | O                                     |
| BACKREST*    |  |                                   |                                       |
| DDC0734      | ANGLE ADUSTABLE, FORWARD FOLDING WITH SOFT LOCK. BACKREST REMAINS LOCKED FOR TRANSPORTATION    |                                   | <b>•</b>                              |
| BACKREST UP  | HOLSTERY*  |                                   |                                       |
| DDC0700      | BLACK STANDARD LIGHT UPHOLSTERY, WITHOUT TENSION ADJUSTMENT                                    | (NC 0703, 1491)                   | <b>*</b>                              |
| DDC0726      | TENSION ADJUSTABLE BACKREST, WITH PREMIUM BLACK NYLON AND REFLECTIVE TRIM UPHOLSTERY COVER     |                                   | £113                                  |
| DDC0735      | TENSION ADJUSTABLE BACKREST, WITH BLACK AERO/SPACER UPHOLSTERY COVER                           |                                   | £185                                  |
| DDC0769      | WITHOUT BACKREST UPHOLSTERY SELECT IF ORDERING MATRX BACKREST, OR IF NO UPHOLSTERY IS REQUIRED | (NC 0751, 0702, 0703, 0704, 1491) | O                                     |
|              |  |                                   |                                       |

| DDC0750  DDC0751  DDC0702 | PUSH HANDLES FIXED SHORT/MINI HAND GRIP   |           | •        |
|---------------------------|---|-----------|----------|
|                           | PUSH HANDLES FIXED SHORT/MINI HAND GRIP   |           |          |
| DDC0702                   |   |           | £110     |
|                           | PUSH HANDLES FIXED LONG HAND GRIP   |           | 0        |
| DDC0703                   | PUSH HANDLES HEIGHT ADJUSTABLE, REAR SET  | (NC 1411) | £210     |
| DDC0704                   | PUSH HANDLES FOLDABLE   | (NC 1491) | £164     |
| DDC0733                   | PUSH HANDLES HEIGHT ADJUSTABLE, INTEGRATED  | (NC 1491) | £181     |
| BACKREST AND              | GLE*  |           |          |
| DDC0713                   | 76°   |           | •        |
| DDC0714                   | 80.5°   |           | O        |
| DDC0715                   | 85°   |           | <b>*</b> |
| DDC0716                   | 89.5°   |           | 0        |
| DDC0717                   | 94°   |           | 0        |
| BACKREST STA              | BILIZATION BAR  |           |          |
| DDC1491                   | BACKREST STABILIZATION BAR, SWINGAWAY AND REMOVABLE   |           | £136     |
| SEAT UPHOLST              | ERY*  |           |          |
| DDC0610                   | STANDARD SEAT UPHOLSTERY  |           | •        |
| DDC0615                   | LIGHT SEAT UPHOLSTERY, MESH MATERIAL TO REDUCE WEIGHT   |           | £57      |
| SEAT CUSHION              |   |           |          |
| DDC0600                   | STANDARD SEAT CUSHION, 60 MM DOUBLE FOAM WITH VISCO TOP LAYER   |           | £55      |
| DDC0662                   | MATRX LIBRA CUSHION, BLACK SMOOTH COVER - VERY HIGH RISK  |           | £323     |
| DDC0663                   | MATRX VI CUSHION, BLACK SMOOTH COVER -<br>HIGH RISK   |           | £299     |
| SEAT BAG                  |   |           |          |
| DDC0606                   | SEAT BAG, CLICK IN AND REMOVABLE, INCLUDES THE FIXATION CLIPS   | (NC 1714) | £61      |
| FOOTREST*                 |   |           |          |
| DDC1500                   | RIGID, PLASTIC FOOTPLATE, HEIGHT AND ANGLE<br>ADJUSTABLE, SET TO THE FRONT. NOTE: THIS<br>DOES NOT FLIP UP FOR TRANSFER, BUT IT FOLDS<br>EASY FOR TRANSPORT AND STORAGE |           | O        |
| DDC1501                   | RIGID, PLASTIC FOOTPLATE, HEIGHT AND ANGLE<br>ADJUSTABLE, SET TO THE REAR NOTE: THIS<br>DOES NOT FLIP UP FOR TRANSFER, BUT IT FOLDS<br>EASY FOR TRANSPORT AND STORAGE   |           | <b>*</b> |
| CALF STRAP*               |   |           |          |
| DDC1533                   | CALF STRAP MOUNTED ON SUPPORTER   |           | +        |
| DDC1535                   | CALF STRAP MOUNTED ON FRAME   |           | 0        |
| CLOTHESGUAR               | DS/MUDGUARDS*   |           |          |
| DDC1401                   | CARBON CLOTHES GUARDS FLIP BACK   |           | •        |
| DDC1405                   | CARBON MUDGUARDS FIXED  | (NC 1416) | £205     |
| DDC1408                   | CARBON MUDGUARDS REMOVABLE  | (NC 1416) | £255     |
| DDC1111                   | NO CLOTHESGUARDS SELECT WITH OPTIONS 1416 ARMREST   |           | 0        |
| ARMREST                   |   |           |          |
| DDC1411                   | TUBULAR ARMREST. HEIGHT ADJUSTABLE,<br>REMOVABLE, NON-LOCKING, SWING-AWAY AND<br>COMFORT PADDED, NO CLOTHESGUARD<br>INCLUDED  | (NC 1111) | £199     |
| DDC1416                   | ARMREST, HEIGHT ADJUSTABLE, SHORT ARMPAD (T-ARM), NON-LOCKING, NO CLOTHESGUARD INCLUDED   |           | £88      |

| COLOUR POW  | ER SET   |          |
|-------------|--|----------|
| DDC0338     | CHROME STAREC REAR WHEEL RIM ONLY<br>AVAILABLE IN BLACK WHEN CPS CHROME IS<br>SELECTED | £185     |
| DDC0330     | TECHNO-ANTHRACITE  | £185     |
| DDC0329     | COMET RED  | £185     |
| DDC0339     | CHAMPAGNE  | £185     |
| DDC0334     | B-BLUE   | £185     |
| DDC0336     | ARCTIC BLUE  | £185     |
| FRONT CASTO | rs*  |          |
| DDC0800     | 75MM X 25MM (3" X 1") SUPERSPORT CASTOR  | C        |
| DDC0801     | 100MM X 30MM (4" X 1.2") EVERYDAY CASTOR<br>WITH BLACK TYRE                            | 0        |
| DDC0860     | 100MM X 30MM (4" X 1.2") COMFORT CASTOR<br>WITH BLACK TYRE                             | 0        |
| DDC0809     | 100MM X 25MM (4" X 1") STAREC CASTOR WITH<br>BLACK HUB, BLACK TYRE                     | £69      |
| DDC0861     | 100MM X 25MM (4" X 1") STAREC CASTOR WITH CHROME BLACK HUB, BLACK TYRE                 | £69      |
| DDC0803     | 100MM X 25MM (4" X 1") STAREC CASTOR WITH TECHNO-ANTHRACITE BLACK HUB, BLACK TYRE      | £69      |
| DDC0808     | 100MM X 25MM (4" X 1") STAREC CASTOR WITH COMET RED BLACK HUB, BLACK TYRE              | £69      |
| DDC0825     | 100MM X 25MM (4" X 1") STAREC CASTOR WITH<br>CHAMPAGNE BLACK HUB, BLACK TYRE           | £69      |
| DDC0807     | 100MM X 25MM (4" X 1") STAREC CASTOR WITH B-<br>BLUE BLACK HUB, BLACK TYRE             | £69      |
| DDC0831     | 100MM X 25MM (4" X 1") STAREC CASTOR WITH ARCTIC BLUE BLACK HUB, BLACK TYRE            | £69      |
| DDC0796     | 100MM X 36MM (4" X 1.4") ALUMINIUM SOFTROLL<br>CASTOR WITH BLACK HUB, BLACK TYRE       | £777     |
| DDC0797     | 100MM X 36MM (4" X 1.4") ALUMINIUM SOFTROLL<br>CASTOR WITH SILVER HUB, BLACK TYRE      | £77      |
| DDC0810     | 125MM X 30MM (5" X 1.2") EVERYDAY CASTOR<br>WITH BLACK TYRE                            | 0        |
| DDC0863     | 125MM X 30MM (5" X 1.2") COMFORT CASTOR<br>WITH BLACK TYRE                             | <b>*</b> |
| DDC0819     | 125MM X 25MM (5" X 1") STAREC CASTOR BLACK<br>HUB, BLACK TYRE                          | £69      |
| DDC0862     | 125MM X 25MM (5" X 1") STAREC CASTOR<br>CHROME HUB, BLACK TYRE                         | £69      |
| DDC0813     | 125MM X 25MM (5" X 1") STAREC CASTOR<br>TECHNO-ANTHRACITE HUB, BLACK TYRE              | £69      |
| DDC0818     | 125MM X 25MM (5" X 1") STAREC CASTOR COMET<br>RED HUB, BLACK TYRE                      | £69      |
| DDC0827     | 125MM X 25MM (5" X 1") STAREC CASTOR<br>CHAMPAGNE HUB, BLACK TYRE                      | £69      |
| DDC0817     | 125MM X 25MM (5" X 1") STAREC CASTOR B-BLUE<br>HUB, BLACK TYRE                         | £69      |
| DDC0832     | 125MM X 25MM (5" X 1") STAREC CASTOR ARCTIC<br>BLUE HUB, BLACK TYRE                    | £69      |
| DDC0798     | 125MM X 36MM (5" X 1.4") ALUMINIUM SOFTROLL<br>CASTOR WITH BLACK HUB, BLACK TYRE       | £77      |
| DDC0799     | 125MM X 36MM (5" X 1.4") ALUMINIUM SOFTROLL<br>CASTOR WITH SILVER HUB, BLACK TYRE      | £77      |

| REAR WHEEL   | POSITION*  |   |          |
|--------------|--|---|----------|
| DDC0263      | 1ST FROM FRONT MOST ACTIVE POSITION  |   | O        |
| DDC0264      | 2ND FROM FRONT   |   | O        |
| DDC0265      | 3RD FROM FRONT   |   | O        |
| DDC0266      | 4TH FROM FRONT   |   | O        |
| DDC0267      | 5TH FROM FRONT   |   | •        |
| DDC0268      | 6TH FROM FRONT   |   | O        |
| DDC0269      | 7TH FROM FRONT   |   | <b>O</b> |
| DDC0259      | 8TH FROM FRONT   |   | O        |
| DDC0260      | 9TH FROM FRONT LEAST ACTIVE POSITION   |   | <b>O</b> |
| QUAD QUICK F | RELEASE AXLE   |   |          |
| DDC0909      | QUAD QUICK RELEASE/TETRA CLIP  | (NC 0906, 0912)   | £71      |
| REAR WHEEL   | SIZE*  |   |          |
| DDC0901      | 22"  | (NC 0908, 0918, 0906, 0912, 1010, 1004, 1011, 1104, 1106, 1121, 1122, 1202, 1208) | •        |
| DDC0902      | 24"  | (NC 0918, 0912)   | <b>♦</b> |
| DDC0925      | 25"  | (NC 0908, 0918, 0906, 1002, 1004, 1102, 1104, 1106, 1121, 1122)                   | O        |
| DDC0903      | 26"  | (NC 0908, 0918, 0906, 0912, 1002, 1004, 1011, 1106, 1121, 1122, 1202, 1208)       | O        |
| REAR WHEEL   | CAMBER*  |   |          |
| DDC0282      | 0° CAMBER  |   | •        |
| DDC0279      | 2° CAMBER  |   | 0        |
| DDC0283      | 4° CAMBER  | (NC 1302)   | O        |
| REAR WHEEL   | TYPE*  |   |          |
| DDC0915      | 22", 24", 26" KÜSCHALL STAREC, CROSS SPOKED<br>STAREC HUB COLOURLESS AND RIM BLACK - HUB<br>AND RIM IN CPS WHEN SELECTED   |   | •        |
| DDC0908      | 24" HIGH PERFORMANCE WHEEL STAREC HUB<br>AND RIM BLACK - OR IN CPS WHEN SELECTED.<br>NOTE: RIM SUPPLIED IN BLACK WITH CHROME<br>CPS  | (NC 1004)   | £210     |
| DDC0918      | 25" HIGH PERFORMANCE WHEEL STAREC HUB<br>AND RIM BLACK - HUB IN CPS WHEN SELECTED,<br>BLACK RIM  | (NC 1004, 1200, 1202, 1208)   | £302     |
| DDC0906      | 24" SPINERGY LXK HUB, RIM AND SPOKES BLACK<br>- CPS NOT APPLICABLE IF CHOSEN   | (NC 1004, 1202, 1208)   | £505     |
| DDC0912      | 25" SPINERGY LXK HUB, RIM, SPOKES BLACK -<br>CPS NOT APPLICABLE IF CHOSEN  | (NC 1004, 1200, 1202, 1208)   | £505     |
| SWO0907      | 24" OR 25" SPINERGY SPOX WHEEL (CHROME<br>HUB, 18 SPOKES IN BLACK, NO CPS)<br>COLOURED SPOKES ARE AVAILABLE VIA<br>MYKUSCHALL, PLEASE INDICATE REQUIREMENTS<br>IN THE SPACE PROVIDED AT THE END OF THE<br>FORM | (NC 1004, 1200, 1202, 1208)   | £402     |
| SWO0909      | 24" OR 25" SPINERGY LX WHEEL (CHROME HUB,<br>12 SPOKES IN BLACK, NO CPS)<br>COLOURED SPOKES ARE AVAILABLE VIA<br>MYKUSCHALL, PLEASE INDICATE REQUIREMENTS<br>IN THE SPACE PROVIDED AT THE END OF THE<br>FORM   | (NC 1004, 1200, 1202, 1208)   | £608     |

| REAR WHEEL    | TYRE*   |           |          |
|---------------|---|-----------|----------|
| DDC1014       | 22", 24", 25", 26" SCHWALBE RIGHTRUN<br>BLACK/GREY PNEUMATIC TYRE   |           | 0        |
| DDC1002       | 22", 24" PROFILE GREY PNEUMATIC TYRE 7 BAR  |           | <b>♦</b> |
| DDC1010       | 24", 25", 26" SCHWALBE MARATHON PLUS SMART<br>GUARD (PUNCTURE PROTECTED TYRE WITH 5MM<br>LAYER OF FLEXIBLE RUBBER)  |           | £82      |
| DDC1004       | 24" SOLID PROFILE GREY TYRE   |           | £55      |
| DDC1011       | 24", 25" SCHWALBE ONE V-GUARD PUNCTURE<br>RESISTANT TYRE (CUT-RESISTANT HIGH-TECH<br>FIBRE)   |           | £80      |
| HANDRIM*      | 1   |           |          |
| DDC1102       | 22", 24", 26" SUPERGRIPP, MOUNTED AT 3 CM<br>DISTANCE   |           | £185     |
| DDC1104       | 24", 26" STEEL, MOUNTED AT 3 CM DISTANCE  |           | £52      |
| DDC1106       | 24" TITANIUM, MOUNTED AT 3 CM DISTANCE  |           | £159     |
| DDC1121       | 24" CARBOLIFE GEKKO MOUNTED AT 3 CM<br>DISTANCE   |           | £345     |
| DDC1113       | 22", 24", 25", 26" LIGHT ALUMINIUM GREY,<br>MOUNTED AT 3 CM DISTANCE  |           | •        |
| DDC1117       | 22", 24", 25", 26" LIGHT ALUMINIUM BLACK,<br>MOUNTED AT 3 CM DISTANCE   |           | £34      |
| DDC1114       | 22", 24", 25", 26" LIGHT ALUMINIUM GREY,<br>MOUNTED AT 4 CM DISTANCE  |           | 0        |
| DDC1122       | 24" CARBOLIFE CURVE L, MOUNTED AT 3 CM DISTANCE   |           | £308     |
| SPOKEGUARD    | S   |           |          |
| DDC1200       | 22", 24", 26" TRANSPARENT   |           | £104     |
| DDC1202       | 24" KÜSCH   |           | £104     |
| DDC1208       | 24" TRANSPARENT AND WHITE "KÜSCHALL"  |           | £104     |
| FIXATION CLIP |   |           |          |
| DDC1722       | FIXATION STRAP (HOOK AND LOOP STRAP UNDER THE SEAT HOLDS THE FRAME TOGETHER WHEN FOLDED FOR EASY TRANSPORTATION, DESIGNED FOR CLIENTS WITH LIMITED HAND FUNCTION) |           | 0        |
| DDC1714       | FIXATION CLIP (PLASTIC CLIP ON EITHER SIDE OF THE SEAT HOLDS THE FRAME TOGETHER WHEN FOLDED FOR EASY TRANSPORTATION)  |           | O        |
| UNFOLDING HI  | ELP*  |           |          |
| DDC1719       | UNFOLDING HELP (CORD TO HELP OPEN THE FOLDING MECHANISM FROM THE FRONT OF THE CHAIR)  |           | •        |
| BRAKES*       |   |           |          |
| DDC1300       | STANDARD PUSH TO LOCK BRAKES, LEVER BENT  |           | •        |
| DDC1301       | STANDARD PUSH TO LOCK BRAKES, LEVER STRAIGHT  |           | 0        |
| DDC1306       | PULL BRAKES   |           | £64      |
| DDC1302       | PERFORMANCE BRAKES, PUSH TO LOCK. BRAKE BARREL FLIPS OUT OF THE WAY OF WHEEL  | (NC 1310) | £64      |
| DDC1303       | ACTIVE/SCISSOR BRAKES   | (NC 1310) | £64      |
| BRAKE LEVER   | EXTENSION   |           |          |
| DDC1310       | BRAKE LEVER EXTENSION   |           | £41      |
| SAFETY OPTIO  |   |           |          |
| DDC1702       | ANTI-TIPPER RIGHT   |           | £101     |
| DDC1703       | ANTI-TIPPER LEFT  |           | £101     |
| DDC1704       | ANTI-TIPPER BOTH SIDES  |           | £202     |
| DDC1730       | STANDARD PELVIC BELT  |           | £61      |

| OTHER OPTION | NS  |          |
|--------------|---|----------|
| DDC1739      | FRONT FRAME PROTECTORS; 2 PIECE. REMOVABLE WITH HOOK AND LOOP   | £31      |
| DDC1708      | TIPPER-AID, RIGHT   | £38      |
| DDC1706      | CANE HOLDER, MOUNTED RIGHT  | £62      |
| DDC1715      | AIR PUMP  | £11      |
| DDC1712      | KÜSCHALL WATCH, RIGHT SIDE  | £88      |
| DDC1713      | KÜSCHALL WATCH, LEFT SIDE   | £88      |
| DDC1717      | TOOL KIT  | <b>♦</b> |
| DDC1728      | WHEEL BAG (FITS ALL WHEEL SIZES)  | £45      |
| DDC1734      | 24" MOUNTAIN BIKE WHEELS WITH BAG. FITTED WITH SPECIFIC BLACK TYRES AND GREY ALUMINIUM HANDRIMS; QUICK RELEASE AXLES INCLUDED | £265     |
| DDC1740      | TRAVEL BAG FOR CHAMPION SOFT BAG, WHEELS CAN REMAIN ON THE WHEELCHAIR   | £210     |

TOTAL PRICE

| Non Conforming C | Options:  |
|------------------|---|
| DDC0424          | 460 MM  |
| DDC1676          | 350 MM  |
| DDC1677          | 360 MM  |
| DDC1678          | 370 MM  |
| DDC1679          | 380 MM  |
| DDC1680          | 390 MM  |
| DDC1684          | 430 MM  |
| DDC1685          | 440 MM  |
| DDC1686          | 450 MM  |
| DDC1687          | 460 MM  |
| DDC1688          | 470 MM  |
| DDC1689          | 480 MM  |
| DDC1690          | 490 MM  |
| DDC1691          | 500 MM  |
| DDC0700          | BLACK STANDARD LIGHT UPHOLSTERY, WITHOUT TENSION ADJUSTMENT   |
| DDC0726          | TENSION ADJUSTABLE BACKREST, WITH PREMIUM BLACK NYLON AND REFLECTIVE TRIM UPHOLSTERY COVER                          |
| DDC0735          | TENSION ADJUSTABLE BACKREST, WITH BLACK AERO/SPACER UPHOLSTERY COVER  |
| DDC0769          | WITHOUT BACKREST UPHOLSTERY SELECT IF ORDERING MATRX BACKREST, OR IF NO UPHOLSTERY IS REQUIRED                      |
| DDC0750          | WITHOUT PUSH HANDLES  |
| DDC0751          | PUSH HANDLES FIXED SHORT/MINI HAND GRIP   |
| DDC0702          | PUSH HANDLES FIXED LONG HAND GRIP   |
| DDC0703          | PUSH HANDLES HEIGHT ADJUSTABLE, REAR SET  |
| DDC0704          | PUSH HANDLES FOLDABLE   |
| DDC1491          | BACKREST STABILIZATION BAR, SWINGAWAY AND REMOVABLE   |
| DDC1111          | NO CLOTHESGUARDS SELECT WITH OPTIONS 1416 ARMREST   |
| DDC1411          | TUBULAR ARMREST. HEIGHT ADJUSTABLE, REMOVABLE, NON-LOCKING, SWING-AWAY AND COMFORT PADDED, NO CLOTHESGUARD INCLUDED |
| DDC1416          | ARMREST, HEIGHT ADJUSTABLE, SHORT ARMPAD (T-ARM), NON-LOCKING, NO CLOTHESGUARD INCLUDED                             |
| DDC0800          | 75MM X 25MM (3" X 1") SUPERSPORT CASTOR   |
| DDC0801          | 100MM X 30MM (4" X 1.2") EVERYDAY CASTOR WITH BLACK TYRE  |
| DDC0860          | 100MM X 30MM (4" X 1.2") COMFORT CASTOR WITH BLACK TYRE   |
| DDC0809          | 100MM X 25MM (4" X 1") STAREC CASTOR WITH BLACK HUB, BLACK TYRE   |
| DDC0861          | 100MM X 25MM (4" X 1") STAREC CASTOR WITH CHROME BLACK HUB, BLACK TYRE  |
| DDC0803          | 100MM X 25MM (4" X 1") STAREC CASTOR WITH TECHNO-ANTHRACITE BLACK HUB, BLACK TYRE                                   |
| DDC0808          | 100MM X 25MM (4" X 1") STAREC CASTOR WITH COMET RED BLACK HUB, BLACK TYRE   |
| DDC0825          | 100MM X 25MM (4" X 1") STAREC CASTOR WITH CHAMPAGNE BLACK HUB, BLACK TYRE   |
| DDC0807          | 100MM X 25MM (4" X 1") STAREC CASTOR WITH B-BLUE BLACK HUB, BLACK TYRE  |
| DDC0831          | 100MM X 25MM (4" X 1") STAREC CASTOR WITH ARCTIC BLUE BLACK HUB, BLACK TYRE   |
| DDC0796          | 100MM X 36MM (4" X 1.4") ALUMINIUM SOFTROLL CASTOR WITH BLACK HUB, BLACK TYRE                                       |
| DDC0797          | 100MM X 36MM (4" X 1.4") ALUMINIUM SOFTROLL CASTOR WITH SILVER HUB, BLACK TYRE                                      |
| DDC0901          | 22"   |
| DDC0902          | 24"   |
| DDC0925          | 25"   |
|                  |   |

| DDC0903 | 26"   |
|---------|---|
| DDC0908 | 24" HIGH PERFORMANCE WHEEL STAREC HUB AND RIM BLACK - OR IN CPS WHEN SELECTED. NOTE: RIM SUPPLIED IN BLACK WITH CHROME CPS  |
| DDC0918 | 25" HIGH PERFORMANCE WHEEL STAREC HUB AND RIM BLACK - HUB IN CPS WHEN SELECTED, BLACK RIM   |
| DDC0906 | 24" SPINERGY LXK HUB, RIM AND SPOKES BLACK - CPS NOT APPLICABLE IF CHOSEN   |
| DDC0912 | 25" SPINERGY LXK HUB, RIM, SPOKES BLACK - CPS NOT APPLICABLE IF CHOSEN  |
| DDC1002 | 22", 24" PROFILE GREY PNEUMATIC TYRE 7 BAR  |
| DDC1010 | 24", 25", 26" SCHWALBE MARATHON PLUS SMART GUARD (PUNCTURE PROTECTED TYRE WITH 5MM LAYER OF FLEXIBLE RUBBER)  |
| DDC1004 | 24" SOLID PROFILE GREY TYRE   |
| DDC1011 | 24", 25" SCHWALBE ONE V-GUARD PUNCTURE RESISTANT TYRE (CUT-RESISTANT HIGH-TECH FIBRE)   |
| DDC1102 | 22", 24", 26" SUPERGRIPP, MOUNTED AT 3 CM DISTANCE  |
| DDC1104 | 24", 26" STEEL, MOUNTED AT 3 CM DISTANCE  |
| DDC1106 | 24" TITANIUM, MOUNTED AT 3 CM DISTANCE  |
| DDC1121 | 24" CARBOLIFE GEKKO MOUNTED AT 3 CM DISTANCE  |
| DDC1122 | 24" CARBOLIFE CURVE L, MOUNTED AT 3 CM DISTANCE   |
| DDC1200 | 22", 24", 26" TRANSPARENT   |
| DDC1202 | 24" KÜSCH   |
| DDC1208 | 24" TRANSPARENT AND WHITE "KÜSCHALL"  |
| DDC1722 | FIXATION STRAP (HOOK AND LOOP STRAP UNDER THE SEAT HOLDS THE FRAME TOGETHER WHEN FOLDED FOR EASY TRANSPORTATION, DESIGNED FOR CLIENTS WITH LIMITED HAND FUNCTION) |
| DDC1714 | FIXATION CLIP (PLASTIC CLIP ON EITHER SIDE OF THE SEAT HOLDS THE FRAME TOGETHER WHEN FOLDED FOR EASY TRANSPORTATION)  |
| DDC1302 | PERFORMANCE BRAKES, PUSH TO LOCK. BRAKE BARREL FLIPS OUT OF THE WAY OF WHEEL  |
| DDC1310 | BRAKE LEVER EXTENSION   |
| DDC1739 | FRONT FRAME PROTECTORS; 2 PIECE. REMOVABLE WITH HOOK AND LOOP   |
|         |   |



For a more complex customer requirement please refer to our Invacare Unique special order form. email specialsuk@invacare.com or Fax: 01656 776220

| Special Instructions Please supply the following information:                 |          |
|---|----------|
| Name:   | Email:   |
| Phone:  | Fax:     |
| Description of special request (please include relavent option code or part r | number): |